



Complete Tyre Care, Made Easy



**SOLUTIONS
FOR**




Vehicle
Garages



Professional
Tyre Shops



Garage Equipment
Manufacturers



Garage Tools & Accessories
For Automotive & Tyre Service Industry

www.sarveshwari.com



Mr. Mahendra N. Goel
President

Sarveshwari Engineers stands at the forefront of technology & innovation delivering superior products in tandem with maximized cost effectiveness. Quality remains at the core of our commitment.

Our philosophy to nurture long term associations with our esteemed customers and partners stimulates us towards a systematic approach for rapid implementation. Our credo has been to identify and cater to ever changing needs of our clients adding value through monitoring and management processes, utilities and environment.

Our endeavour to strengthen partnerships and successfully execute projects to various markets in all major markets and companies across India and the international markets has enabled **sarv** achieve highest standard of excellence.

PRESENCE IN INTERNATIONAL EXHIBITIONS :



Reifen, Essen Germany



Automechanika, Frankfurt Germany



Autopromotec, Bologna Italy



Tyre Expo, Joburg South Africa



Sema Show, Las Vegas USA



The Tire Cologne, Cologne Germany



Professional Tyre & Garage Tools since 1987

Sarveshwari Group

Sarveshwari Engineers

Manufacturers and Exporters of Garage
Tools and Accessories

www.sarveshwari.com

Sarveshwari Technologies Ltd.

Workshop Tools & Equipments

www.garageequipments.com



ENGINEERING INNOVATION DESIGN

Sarveshwari Engineers popularly known by its brand name **sarv** with its success story going over more than 28 years in the automotive industry has gained international reputation with its high quality products and premium services.

Today **sarv** is synonymous with garage tools and equipment in terms of reliability, competency, outstanding service and pioneering innovation. We believe in constantly evolving with the needs of the customer in order to provide greater flexibility in national and international markets. With the skill of manufacturing tools and accessories for garage equipment through continuous R&D and an undaunted urge to achieve perfection, **sarv** stands as the most preferred brand for solutions for garage equipment manufacturers, professional tyre shops and garages.

At **sarv** we offer customized system solutions fulfilling needs of our customers with world-class products and excellent service of highest standards at any place and any time. Quality is the guiding light at **sarv**. The products manufactured undergo stringent quality control as per the international standards at our three manufacturing units at Kundli (Haryana) that have in-house facilities like steel forging, plastic moulding, sheet metal jobs, surface finishing and despatch logistics. Our focus to achieve and deliver the best has earned us global reputation and international presence.

Today **sarv** caters to more than 70 countries around the world including Germany, Italy, France, UK, U.S.A, Poland, Australia, Middle East, Africa, Japan, Malaysia, Singapore.

With our Engineering, Innovation and Design, we aspire to become the ultimate solution provider for the entire tyre market and let the world seek no further!

Facility-1



Facility-2



Facility-3





**SOLUTIONS FOR
VEHICLE GARAGES**



**SOLUTIONS FOR
PROFESSIONAL TYRE SHOPS**



**SOLUTIONS FOR GARAGE
EQUIPMENT MANUFACTURERS**














**IN HOUSE
MANUFACTURING**



ENGINEERING • INNOVATION • DESIGN

TABLE OF CONTENTS

Wheel Balancing Machine Accessories.....02 - 06	
Wheel Alignment Machine Accessories.....07 - 11	
Tyre Service Tools.....12 - 19	
Tyre Changing Machine Accessories.....20 - 32	
Tyre Valve Tools.....33 - 35	
Tyre Repair Tools.....36 - 40	
Tubeless Tyre Repair Kits.....41 - 42	
Miscellaneous Tools43 - 43	
Wheel Chocks & Rubber Pads for Vehicle Lifts.....44 - 46	
Rubber Pads for Jack.....47-47	
Rubber & Nylon Pads For Tyre Changers.....48-49	



1 110001



1 110011



1 110031



1 110051



2 110101



2 1100019



3 115011



4 111001



5 110021



6 110184



7 110009



8 110002



9 110003

1 Wheel Balancing Weight Plier (Premium)

Colour:	Size:	Weight:	Code No.
Red	255mm long	395gms	110001
Black	255mm long	395gms	110011
Blue	255mm long	395gms	110031
Green	255mm long	395gms	110051

Material : Drop Forged Chrome Vanadium Steel, hardened & tempered for longer life.

Finish : Sand Blasted, Nickel Chrome plated polished hammer head with PVC coated handle for hand protection.

Use : Loosening, cutting to size & securing wheel weights.

2 Wheel Balancing Weight Plier with Soft Head

Size:	Weight:	Code No.
255mm long	390gms	110101

Use : Loosening, cutting to size & securing wheel weights on the Aluminum Alloy rims.

Special Plastic Hammer Head

Size:	Weight:	Code No.
27mm Dia (OD)	7gms	1100019

Note : This Hammer head fits only on the Plier 110101.

3 Wheel Balancing Weight Plier

Size:	Weight:	Code No.
255mm long	341gms	115011

Material : Drop Forged Chrome Vanadium Steel, hardened & tempered.

Finish : Sand Blasted, Nickel Chrome Plated polished Hammer head with PVC coated handle for hand protection.

4 Wheel Balancing Weight Plier

Size:	Weight:	Code No.
260mm long	380gms	111001

Material : Drop Forged Chrome Vanadium Steel, hardened & tempered.

Finish : Black Powder Coating with red PVC handle.

5 Plier with Longer Hammer (Heavy & Strong)

Size:	Weight:	Code No.
260mm long	535gms	110021

Material : Drop Forged Chrome Vanadium Steel, hardened & tempered.

Finish : Heavy & extra strong. Black Powder Coating with red PVC handle.

6 Deluxe Soft Head Wheel Weight Plier

Size:	Weight:	Code No.
260mm long	500gms	110184

Material : Heat Strengthened Steel. Comfortable Vinyl handle grip. Replaceable special Plastic durable Hammer cap.

7 Wheel Balancing Weight Plier for Truck

Size:	Weight:	Code No.
265mm long	620gms	110009

Material : Drop Forged Chrome Vanadium Steel, hardened & tempered.

Use : Removing and fixing of Truck wheel weights.

8 Wheel Balancing Weight Plier (Sheet Metal)

Size:	Weight:	Code No.
250mm long	315gms	110002

Material : Sheet Metal of EN9 Steel, hardened and tempered.

Finish : Sand Blasted Auto Black, with red PVC handle.

9 Wheel Balancing Weight Plier with Soft Head (Sheet Metal)

Size:	Weight:	Code No.
240mm long	400gms	110003

Material : Sheet metal of EN9 Steel, hardened and tempered.

Finish : Sand Blasted Auto Black, PVC coated handles for hand protection.


Use : For removing and fixing of wheel weights having replaceable Nylon soft head with Nylon coated remover to prevent scratching.




10 110204



11 110174




12 110046



12 110056



12 110006



12 110026



13 110229



14 110029

10 Adhesive Weight Removing Plier

Size:	Weight:	Code No.
260mm long	425gms	110204

Material : Chrome Vanadium Steel / Special Alloy.

Use : Removes adhesive weights easily without damaging the soft metal rim. Light weight yet heavy duty. Comfortable angled design makes it go deeply inside.

11 Adhesive Weight Cutter

Size:	Weight:	Code No.
190mm long	245gms	110174

Material : Carbon Steel.

Use : Used for cutting easily the segments of adhesive weight strip.

12 Adhesive Balance Weight Remover

Colour:	Size:	Weight:	Code No.
Red	225mm long	80gms	110046
Red	265mm long	130gms	110056
Red	274mm long	80gms	110006
Blue	272mm long	85gms	110006BLU
Red	276mm long	66gms	110026
Blue	276mm long	66gms	110036

Material : PA6

Use : For removing emblems, body moulding or adhesive wheel weights without damaging alloy rims. Can be re-sharpened. Easily scrapes off wheel weights, sticker or gasket.

13 Wheel Weight Fixer

Size:	Weight:	Code No.
284mm long	412gms	110229

Material : Wooden handle, special Plastic Hammer head & middle part made from Casting.

Use : Used for securing/fixing wheel balancing weights by hammering clip weights and adhesive strips. Having special Plastic Hammer head to protect the wheel weights and light metal alloy rims.

14 Wheel Weight Remover/Fixer

Size:	Weight:	Code No.
300mm long	470gms	110029

Material : Replaceable Pin made from Special Spring Steel.

Use : For fixing & removing wheel balance weights while balancing wheels. Having special Plastic Hammer head to protect the coated wheel weights & alloy rims.



15 110007



16 110008



17 1100010



18 110005



18 110025



19 110015




20 1143694



20 1160814



20 11791104



20 11881374



20 11951854



21 110404



22 110404

15 Rim Width Caliper (Standard)

Size:	Weight:	Code No.
Measures wheel rim width from 3" to 14"	450gms	110007

Material : ABS (Acrylonitrile Butadiene Styrene) for greater impact, strength & longer durability.

Finish : High surface finish. Measuring scales have been designed by in mould and hot stamped for longer life and best readability.

Use : Measures wheel rim width while balancing in 1/2" or 1" increment.

16 Rim Width Caliper (with Ears)

Size:	Weight:	Code No.
Measures wheel rim width from 4" to 13"	500gms	110008
Inner dia 10" to 17"		

Material : PA6 glass filled or ABS.

Finish : Black colour dull finish. The scales are screen printed for easy and quick readability.

Use : For measuring inner and outer width of the wheels.

17 Rim Width Caliper (for Trucks)

Size:	Weight:	Code No.
Measure wheel rim width from 4" to 16"	1.350kg	1100010

Material : PA6 glass filled for super impact resistance. Measuring jaws made out of Steel pipe.

Finish : Black colour and dull finish.

Use : Measuring rim width of Truck wheels.

18 PCD Measuring Tool

Weight:	Code No.
109gms	110005
112gms	110025

Material : PA6 glass filled.

Use : To measure pitch circle diameter of wheels having mounting holes 3, 4 and 5.

19 PCD Measuring Tool

Weight:	Code No.
127gms	110015

Material : PA6 glass filled.

Use : To measure pitch circle diameter of wheels having mounting holes 3, 4, 5 and 6.

20 Self Centering Cone (Available in Two Bore Sizes)

	For 36mm dia shaft		For 40mm dia shaft	
Rim Hole Size:	Weight	Code No.	Weight:	Code No.
Dia 43.0-69mm	400gms	1143693	340gms	1143694
Dia 54.0-80mm	900gms	1160813	790gms	1160814
Dia 70.0-104mm	1.760kg	11791103	1.650kg	11791104
Dia 88.5-137mm	1.725kg	11881373	1.625kg	11881374
Dia 96.0-180mm	-----	-----	4.400kg	11951854

Material : Special Steel.

Note : Cone 11951854 is used for Heavy Commercial Vehicles.

CONES (Set of 3 Cones for 36mm & 40mm shaft)

Cones for 36mm dia shaft		Weight:	Code No.
1143693, 1160813, 11791103		3.160kg	CONES36
Cones for 40mm dia shaft		Weight:	Code No.
1143694, 1160814, 11791104		2.780kg	CONES40

21 Double Side Cone (For 40mm dia shaft)

Dia	Rim Hole Size	Weight:	Code No.
40mm	Dia 173-148mm	3.500 kg	11731484

Material : Special Steel.

22 Threaded Shaft

Size:	Weight:	Code No.
36 x 3mm	1.100kg	110363
40 x 3mm	1.165kg	110403
40 x 4mm	1.450kg	110404

Material : Special Steel.

Use : Threaded shaft for Wheel Balancing Machine needed for the mounting of wheels for balancing.



23 1103559



24 1103659



25 1133659



26 1104049



27 1104049R



26 1104050



27 1104050R



26 1104051



27 1104051R



26 1104052



27 1104052R



26 1104054



27 1104054R



28 1104060



28 1104060R



29 1104053

23 Quick Lock Nut for Wheel Balancing Machine
Bore Size:
 36mm

Weight:
 1.500kg

Code No.
 1103559
Material : Special Steel**Use :** Standard Pressure Cup 1104051 is used with Quick Lock Nut.**24 Quick Lock Nut for Wheel Balancing Machine**
Size:
 36 x 3mm
 40 x 3mm
 40 x 4mm

Weight:
 650gms
 575gms
 575gms

Code No.
 1103659
 1104059
 1114059
Inserts for above Quick Lock Nut
Dia:
 20mm
 20mm
 20mm

Size:
 36 x 3mm
 40 x 3mm
 40 x 4mm

Weight:
 40gms
 40gms
 40gms

Code No.
 1103659I
 1104059I
 1114059I
25 Quick Lock Nut for Wheel Balancing Machine
Size:
 36 x 3mm
 40 x 3mm
 40 x 4mm

Weight:
 800gms
 800gms
 800gms

Code No.
 1133659
 1134059
 1144059
Use : Used for clamping wheels on the shaft of the Wheel Balancing Machine.**26 Standard Pressure Cup (with Rubber Ring)**
Dia:
 130mm (5")
 130mm (5")
 115mm (4.5")
 150mm (6")
 126mm (5")

Height:
 60mm
 60mm
 64mm
 76mm
 58mm

Weight:
 203gms
 179gms
 284gms
 350gms
 163gms
 Suitable for 1103659
 Suitable for 1104059
 Suitable for 1103559
 Suitable for 1144059

Code No.
 1104049
 1104050
 1104051
 1104052
 1104054
Material : PA6 glass filled.**Use :** Used with Quick Release Nut of Wheel Balancing Machine.**27 Rubber Ring for Pressure Cup****Used with:**
 Pressure cup 1104049
 Pressure cup 1104050
 Pressure cup 1104051
 Pressure cup 1104052
 Pressure cup 1104054

Weight:
 30gms
 28gms
 50gms
 65gms
 28gms

Code No.
 1104049R
 1104050R
 1104051R
 1104052R
 1104054R
Material : Special Blended Rubber.**Use :** Protects finished wheel surfaces when using a cup to clamp.**28 Wheel Clamping Cup**
Dia:
 217mm

Height:
 36mm

Weight:
 388gms

Code No.
 1104060
Material : PA6 glass filled**Rubber Ring for Clamping Cup**
Dia:
 225mm

Height:
 8.4mm

Weight:
 121gms

Code No.
 1104060R
29 Pressure Ring
Dia:
 82mm


Height:
 25mm

Weight:
 70gms

Code No.
 1104053
Material : PA6 glass filled.
Use : Prevents metal to metal contact between the wheel balancer wing nut and wheel rim significantly increasing clamping force. Fits Aluminum Wing Nut. Aids in centering the wheel assembly on the balancer shaft.



30 113040 KIT



31 110040UA



32 CRING58

32 CRING60

32 CRING65



33 1100518 - 1112018



34 1100528 - 1106028



35 1105038 - 1120038



36 1105048 - 1150048



37 1100058



37 1100050



37 1110060

30 Motorcycle External Clamping Kit

 Weight:
5.4 Kg

 Code No.
113040KIT


The Kit contains the following items:

	Qty.		Qty.
Balancer shaft	1 No.	Cone Small	2 Nos.
Shaft Nut	1 No.	Spacer Big	2 Nos.
Cone Big	2 Nos.	Spacer Small	2 Nos.

Balancer Shaft: 3 Types

 A. Shaft Ø18 mm Mounting thread M10x1.5 B. Shaft Ø14 mm Mounting thread M10x1.5
 C. Shaft Ø10 mm Mounting thread M10x1.5

Use : Mounts motorcycle wheels for balancing without removing the bearings on balancing machines. Suitable for 36 & 40 mm Shaft Dia.



31 Universal Wheel Balancing Adaptor

 Weight:
5.700kg

 Code No.
110040UA

Material : Special Steel.

 Use : Standard centering device to balance rims without central hole.
 Suitable for 36 / 38 / 40 mm shaft dia. Valid for rims with 3, 4, 5 & 6 screws.

32 Centering rings for Universal Wheel Balancing Adaptor

Dia:	Weight:	Code No.
58mm	192gms	CERING58
60mm	215gms	CERING60
65mm	271gms	CERING65

 Use : These rings are used for balancing the rims of French brands because just tightening the centering bolts is not enough.
 Dia 58mm ring is used for Citroen & Peugeot.
 Dia 60mm ring is used for Renault.
 Dia 65mm ring is used for Citroen, Peugeot and Renault.

33 Balancing Weights for Steel Rims

Weight:	Code No.	Weight:	Code No.
5gms	1100518	65gms	1106518
10gms	1101018	70gms	1107018
15gms	1101518	75gms	1107518
20gms	1102018	80gms	1108018
25gms	1102518	85gms	1108518
30gms	1103018	90gms	1109018
35gms	1103518	95gms	1109518
40gms	1104018	100gms	1110018
45gms	1104518	105gms	1110518
50gms	1105018	110gms	1111018
55gms	1105518	115gms	1111518
60gms	1106018	120gms	1112018

Use : To accurately balance the wheels for proper run on the roads.

34 Wheel Balancing Clip Weights for Alloy Rims

Weight:	Code No.	Weight:	Code No.
5gms	1100528	35gms	1103528
10gms	1101028	40gms	1104028
15gms	1101528	45gms	1104528
20gms	1102028	50gms	1105028
25gms	1102528	55gms	1105528
30gms	1103028	60gms	1106028

35 Wheel Balancing Weights for LCV Steel Rims


Weight:	Code No.	Weight:	Code No.
50gms	1105038	125gms	1112538
75gms	1107538	150gms	1115038
100gms	1110038	200gms	1120038

36 Wheel Balancing Weights for Truck/Bus Steel Rims

Weight:	Code No.	Weight:	Code No.
50gms	1105048	250gms	1125048
75gms	1107548	300gms	1130048
100gms	1110048	400gms	1140048
150gms	1115048	500gms	1150048
200gms	1120048		

37 Wheel Balancing Sticker Weights for Alloy Rims

Material:	Weight:	Code No.
Lead	Per Strip 60gms	1100058
Steel	Per Strip 50gms	1100050
Steel	Per Strip 60gms	1110060



1 551024

1 Clamp for Measuring Head of Wheel Alignment M/c Four Point with PUSH TYPE Fingers (Claws) - Passenger Car/Truck / Buses

Rim Size:	Bore Size:	Weight:	Code No.
12" to 25"	15mm, 16mm, 20mm	3.850kg	551024

Use : For holding sensors of Wheel Alignment Machine.

Packing : Two pieces packed in thermocol box and cardboard box to prevent damage in transit.



2 5561024

2 Clamp for Measuring Head of Wheel Alignment M/c Four Point with PUSH TYPE Fingers (Claws) - Passenger Car / Truck / Buses

Rim Size:	Bore Size:	Weight:	Code No.
10" to 26"	14mm, 15mm, 16mm, 20mm	3.500kg	5561024

Use : For holding sensors of Wheel Alignment Machine.

Packing : Two pieces packed in thermocol box and cardboard box to prevent damage in transit.



3 5551024

3 Clamp for Measuring Head of wheel Alignment M/c Three Point

Tyre Size:	Bore Size:	Weight:	Code No.
10" to 26"	14mm, 16mm, 20mm & 24mm	3.500kg	5551024

Use : For holding sensors of Wheel Alignment Machine.

Packing : One piece packed in corrugated box to prevent damage in transit.

4 Wheel Alignment Clamp (5 PIN)

Bore Size:	Weight:	Code No.
15mm	4.800kg	5541024

Material : Aluminum Casting with Orange Powder Coating.


Use : Used especially for alignment of Mercedes / BMW / Audi.

5 Finger Tool (Claws) for Wheel Clamps

Length:	Dia:	Weight:	Code No.
48mm	12mm	30gms	550127
58mm	12mm	40gms	550147
89mm	12mm	70gms	550197
48mm	14mm	30gms	550227
44mm	10mm	35gms	550218
120mm	14mm	110gms	550828
79mm	12mm	42gms	550428
86mm	14mm	60gms	550628
85mm	14mm	70gms	550728

Material : Made from Stainless Steel & Carbon Steel.

Use : Set of 4 fingers (claws) suitable for Steel & Alloy rims.



4 5541024



5 550127 5 550147 5 550197 5 550227 5 550218



5 550828 5 550428 5 550628 5 550728



6 1100017

**6 Mechanical Turn Table**
Dia (Top Plate):
275mm


Weight:
9.150 kg

Code No.
1100017

Size : L-320mm, W- 400mm, H-50mm \pm 1mm

Capacity: 1000kg each.

Material : Made from heavy duty Steel Sheet. Black Powder Coated to prevent rusting. 24 Steel Balls (\varnothing 15mm) used in Plastic cage.

Use : Used for easy turning of tyre left / right during alignment of the Passenger Car.


7 1100117

**7 Mechanical Turn Table with Scale**
Dia (Top Plate):
310mm

Weight:
9.750 kg

Code No.
1100117

Size : L-380mm, W-350mm, H-45mm

Capacity: 1000kg each having scale of \pm 0°- 60°

Material : Made from heavy duty Steel Sheet. 24 Steel Balls (\varnothing 15mm) used in Plastic cage.

Use : Used for easy turning of tyre left / right during alignment of the Passenger Car.


8 1100817

**8 Mechanical Turn Table with Scale**
Dia (Top Plate):
350mm

Weight:
13.00kg

Code No.
1100817

Size : L-370mm, W-370mm, H-50mm

Capacity: 1500kg each having scale of \pm 0°- 60°

Material : Made from heavy duty Steel Sheet. Electro Less Nickel Plating to prevent rusting. 36 Steel Balls (\varnothing 12mm) used in Plastic cage.

Use : Used for easy turning of tyre left / right during alignment of the Passenger Car.


9 1101017

H : 55mm

9 Mechanical Turn Table for Passenger Car with Scale, Ramp & Centre Line
Dia (Top Plate):
350mm

Weight:
26.00kg

Code No.
1101017


Size : L-370mm, W- 670mm, H-55mm

Capacity: 1500kg each having scale of \pm 0°- 60°

Material : Special Steel. Electro Less Nickel Plating. 36 Steel Balls (\varnothing 12mm) used in Plastic cage.

Use : Used for easy turning of tyre left / right during alignment of the Passenger Car. Ramp is made on Turn Table 1100817 and makes it easy for vehicle movement.


10 1101317

**10 Aluminum Turn Table with Scale & Rubber Stoppers (Light Weight)**
Dia (Top Plate):
350mm

Weight:
7.900kg

Code No.
1101317

Size : L-395mm, W-395mm, H-50mm

Capacity: 1500kg each having scale of \pm 0°- 60°


Material : Made from special grade of Aluminum. 88 Delrin Balls (\varnothing 10mm) used in Plastic cage.

Use : Used for easy turning of tyre left / right during alignment of the Passenger Car.
Rubber Stoppers Only (For Turn Table 1101317)
Qty:
Set of 2pcs


Weight:
400gms per set

Code No.
1101317RS


Size : L-322mm, W-55mm, H-16mm





11 1100917




12 1100517




13 1110917




14 1103517



15 1100217



16 1104517

**11 Mechanical Turn Table with Rubber Stoppers**

Dia (Top Plate):	Weight:	Code No.
360mm	17.450kg	1100917

Size : L-400mm, W-470mm, H-50mm

Capacity: 1500kg each.

Material : Special Steel. Zinc Plating. 48 Steel Balls (Ø12mm) used in Plastic cage.

Use : Used with 3D Wheel Alignment Machines for easy turning of tyre left / right.

Rubber Stoppers Only (For Turn Table 1100917)

Qty:	Weight:	Code No.
Set of 2pcs	2.100kg per set	1100917RS

Size : L-540mm, W-90mm, H-50mm

12 Mechanical Turn Table

Dia (Top Plate):	Weight:	Code No.
350mm	251.00kg	1100517

Size : L-450mm, W-450mm, H- 50mm

Capacity: 2000kg each.

Material : Made from Cold Roll (CRC) Steel Sheet. 54 Delrin Balls. (Ø12mm) used in Plastic cage.

Use : Used for easy turning of tyre left / right during alignment of the Passenger Car.

13 Mechanical Turn Table with Rubber Stoppers

Dia (Top Plate):	Weight:	Code No.
360mm	17.00kg	1110917

Size : L-470mm, W-500mm, H-45mm

Capacity: 2500kg each.

Material : Special Steel. EN Coating. 48 Delrin Balls (Ø12mm) used in Plastic cage.

Use : Used for easy turning of tyre left / right during alignment of the Passenger Car. Can also fit in the scissor lift.

14 Mechanical Turn Table (Low Height)

Dia (Top Plate):	Weight:	Code No.
360mm	13.00kg	1103517

Size : L-430mm, W-430mm, H-20mm

Capacity: 5500kg

Material : Made from Cold Roll (CRC) Steel Sheet. 48 Delrin Balls. (Ø12mm) used in Plastic cage.

Use : Used for easy turning of tyre left / right during alignment of the Passenger Car.

15 Mechanical Turn Table (Heavy Duty)

Dia (Top Plate):	Weight:	Code No.
350mm	27.200kg	1100217

Size : L-350mm, W-400mm, H- 50mm

Capacity: 2500kg each.

Material : Special Steel. Zinc Plating. 48 Steel Balls (Ø12mm) used in Steel cage.

Use : Used for easy turning of tyre left / right during alignment of Light Commercial Vehicles.

16 Mechanical Turn Table (LCV)

Dia (Top Plate):	Weight:	Code No.
415mm	28.00kg	1104517

Size : L-480mm, W-480mm, H-50mm


Capacity: 4500kg each

Material : Made from Cold Roll (CRC) Steel Sheet. 68 Delrin Balls. (Ø14.3mm) used in Plastic cage.

Use : Used for easy turning of tyre left / right during alignment of Light Commercial Vehicles.



17 1100317




18 1100417

Digital Display




19 1101117

H : 79mm



20 1101517

H : 50mm



21 1101417

H : 20mm

Dia

17 Mechanical Turn Table for Truck / Buses with Scale

Dia (Top Plate):	Weight:	Code No.
480mm	43.350kg	1100317

Size : L-480mm, W-480mm, H-74mm**Capacity**: 7000kg each having scale of $\pm 0^\circ - 60^\circ$ **Material** : Made from Cold Roll (CRC) Steel Sheet. 120 Delrin Balls. ($\varnothing 18$ mm) used in Plastic cage.**Use** : Used for easy turning of tyre left / right during alignment of Truck / Buses.**18 Electronic Turn Table for Truck/ Buses with Digital Display.**

Dia (Top Plate):	Weight:	Code No.
480mm	45.000kg	1100417

Size : L-480mm, W-480mm, H-74mm**Capacity**: 7000kg each.**Material** : Made from Cold Roll (CRC) Steel Sheet. 120 Delrin Balls. ($\varnothing 18$ mm) used in Plastic cage.**Use** : Used for easy turning of tyre left / right during alignment of Truck / Buses.**Rotary Encoder Degree Resolution**: 0.1 Degree.**Measuring Range**: $0^\circ - 360^\circ$ with Digital Display .**Powered**: 3v CR2032 Lithium cell.**19 Mechanical Turn Table for Truck / Buses with Scale, Ramp & Centre Line**

Dia (Top Plate):	Weight:	Code No.
480mm	64.350kg	1101117

Size : L-480mm, W-880mm, H-79mm**Capacity**: 7000kg each having scale of $\pm 0^\circ - 60^\circ$ **Material** : Special Steel. Delrin Balls ($\varnothing 18$ mm) used in Plastic cage.**Use** : Used for easy turning of tyre left / right during alignment of Truck / Buses. Ramp is made on Turn Table 1100317 and makes it easy for vehicle movement.**20 Mechanical Turn Table for Truck/ Buses**

Dia (Top Plate):	Weight:	Code No.
650mm	49.00kg	1101517

Size : L-650mm, W-650mm, H-50mm**Capacity**: 5000kg each having scale of $\pm 0^\circ - 20^\circ$ **Material** : Made from Cold Roll (CRC) Steel Sheet. 204 Delrin Balls. ($\varnothing 12$ mm) used in Steel cage.**Use** : Used for easy turning of tyre left / right during alignment of Truck / Buses.**21 Mechanical Turn Table for Truck / Buses (Light Weight)**

Dia:	Weight:	Code No.
400mm	6.750kg	1101417

Height/ Thickness: 19mm**Capacity**: 6000kg each.**Material** : Made from special grade of Aluminum. Powder Coating 220 Steel Balls. ($\varnothing 10$ mm).**Use** : Used for easy turning of tyre left / right during alignment of Light Commercial Vehicles.**22 Mechanical Turn Table for Army / Big Vehicles / Special Trucks**


Dia (Top Plate):	Weight:	Code No.
650mm	100kgs	1105517

Size : L-750mm, W-750mm, H-88mm**Capacity**: 10000kg each having scale of $\pm 0^\circ - 90^\circ$ **Material** : Made from Cold Roll (CRC) Steel Sheet. 204 Delrin Balls. ($\varnothing 18$ mm) used in Steel cage.**Use** : Used for easy turning of tyre left / right during alignment of Truck / Buses.

22 1105517

H : 88mm





23 1105417 WHEEL ALIGNMENT TURN TABLE REBUILD KIT (STANDARD)



24 1130017



25 1168017



26 11680172M



27 111184



27 111384



28 112184



28 112284



29 112384

23 Wheel Alignment Turn Table Rebuild Kit (Standard)

Weight: 460gms
Code No. 1105417

The Kit contains the following items :

	Qty
• 14.28mm Derlin Balls	54 No.
• Stainless Steel Lock Pins	4 No.
• Retainer Rings with Spring assemblies	2 No.
• Steel Set Screws	2 No.
• Steel Top Screws	2 No.

Material : The Retainer Rings are made from Nylon Plastic.

Note : Retainer Ring Inner Dia : 5 7/8", Outer Dia : 7 3/4".

24 Rear Wheel Alignment Slip Plate

Top Plate Length: 300mm
Weight: 10.00kg
Code No. 1130017

Size : L-350mm, W-340mm, H- 50mm

Capacity: 1000kg each.

Material : Sheet Metal.

Use : Used for aligning the rear wheel of Passenger Car.

25 Rear Wheel Alignment Slip Plate

Top Plate Length: 1520mm
Weight: 98.00kg
Code No. 1168017

Size : L-1640mm, W-670mm, H- 50mm

Capacity: 2500kg each.

Material : Sheet Metal.

Use : Used for aligning the rear wheel of Passenger Car.

26 Rear Wheel Alignment Slip Plate

Top Plate Length: 1410mm
Weight: 64.00kg
Code No. 11680172M

Size : L-1500mm, W-500mm, H- 20mm

Capacity: 2500kg each.

Material : Sheet Metal.

Use : Used for aligning the rear wheel of Passenger Car.

27 Brake Pedal Depressor

Length: 750mm
Weight: 1.300kg
Code No. 111184
730mm
950gms
111384

Use : Depresses brake while doing alignment. All metal parts are electroplated.

28 Steering Wheel Holder

Length: 430mm
Weight: 1.200kg
Code No. 112184
340mm
600gms
112284

Use : It securely holds the steering wheel in position when setting toe angle. Covered with soft Plastic to prevent damage to the steering wheel.

29 Steering Wheel Holder with Thumb Lock Release

Length: 330mm
Weight: 800gms
Code No. 112384

Use : It securely holds the steering wheel in position when setting toe angle. Works with a trigger controlled mechanism. Ergonomically designed with a thumb lock release.

Note : The Steering Wheel Holder 112384 is suitable for Car/Truck/Buses.



1 220047



2 220057



3 220067



4 2224276



4 2227336



4 2230336



5 2200226



6 2200014



7 220025



7 220035



7 220045

1 Wheel Nut Cap / Cover Removal Tool**Weight:**
13gms**Code No.**
220047**Material :** Special Plastic.**Use :** It just slides over the cap. Snaps into position and when pulled, it extracts and retains the plastic cap in the tool. Fits all Peugeot Citroen models with removable nut cover.**2 Lug Nut Cap Puller****Size:**
260mm long**Weight:**
359gms**Code No.**
220057**Material :** Special Steel.**Finish :** Electro Plating.**Use :** A specialized tool to remove 32mm & 33mm Lug Nut Covers / Caps from Truck wheels.**3 Chrome Lug Nut Cover Puller (Heavy Duty)****Size:**
285mm long**Weight:**
470gms**Code No.**
220067**Material :** Special Steel.**Finish :** Black colour.**Use :** A specialized tool to remove 30mm- 41mm Lug Nut Covers / Caps from Truck wheels.**4 Double Ended Wheel Wrench for Trucks**

Length:	Size:	Weight:	Code No.
400mm	27 X 33	2.100kg	2224276
400mm	27 X 32	2.100kg	2227326
400mm	30 X 32	2.310kg	2230326
400mm	24 X 33	2.320kg	2224336
400mm	27 X 30	2.100kg	2227306
400mm	27 X 33	2.250kg	2227336
400mm	30 X 33	2.250kg	2230336
400mm	21 X 41	2.550kg	2221416

Material : Chrome Vanadium / Carbon Steel.**Finish :** Bright Nickel Chrome Plating / Black Powder Coating.**Use :** Loosening & tightening of Truck wheel nuts.**5 Tommy Bar**

Dia:	Size:	Weight:	Code No.
20mm	500mm long	1.250 kg	2200226

Material : Forged Chrome Vanadium Steel.**Finish :** Black colour.**Use :** Truck wrench handle heat-treated for strength and durability. Suitable for all sarv Truck Wrenches.**6 Four Way Wheel Nut Wrench for Trucks**

Length:	Size:	Weight:	Code No.
570mm	24X27X32X3/4" square	3.000kg	2200014

Material : Forged Chrome Vanadium / Carbon Steel.**Finish :** Bright Nickel Chrome Plating.**7 Four Way Wheel Nut Wrench for Passenger Cars**

Length:	Size:	Weight:	Code No.
400mm	17X19X21X22	1.415kg	220025
400mm	17X19X22X1/2" square	1.420kg	220035
400mm	17X19X21X1/2" square	1.355kg	220045

Material : Forged Chrome Vanadium Steel / Carbon Steel with welded centers to achieve the desired strength.**Finish :** Bright Nickel Chrome Plating / Black Powder Coating.**Use :** Loosening & tightening of Passenger Car wheel nuts.

**8 Lever for Bicycles**

Size:	Weight:	Code No.
110mm (4")	25gms	220714
155mm (4.5")	15gms	220724

Material : Nylon Plastic.

9 Tyre Lever

Type:	Size:	Weight:	Code No.
Run Flat	200mm (8")	340gms	222001
—	215mm (8.5")	290gms	222151
—	300mm (12")	525gms	223001
—	400mm (16")	630gms	224001
—	400mm (16")	455gms	220404

Material : Forged Chrome Vanadium Steel, hardened & tempered.

Finish : Sand Blasted surface with Nickel Chrome Plating.

Use : Used for Motorcycle / Scooter tyre service.

10 Tyre Lever

Type:	Size:	Weight:	Code No.
With Boot	500mm (20")	800gms	220001
---	500mm (20")	785gms	220002
---	500mm (20")	900gms	220002S
Thin Cross Sectional thickness of 7mm	500mm (20")	700gms	225001
---	500mm (20")	800gms	225101
Run Flat	500mm (20")	850gms	225201

Material : Forged Chrome Vanadium Steel, hardened & tempered.

Finish : Sand Blasted surface with Nickel Chrome Plating.

Use : Used for Passenger Car tyre service.

11 Silk Lever

Size:	Weight:	Code No.
500mm (20")	800gms	225301

Material : Forged Chrome Vanadium Steel, hardened & tempered.

Finish : Sand Blasted surface with Nickel Chrome Plating.

Use : Smooth, heavy duty & sturdy. One side is screwed with two strong protective Nylon 6 plastic inserts and one insert on other side of the lever.

No separate boot is required for shifting position to avoid direct contact between rim and lever.

Good for both steel and Aluminum rims.

12 Tyre Lever with Complete Back Plastic Protection.

Size:	Weight:	Code No.
500mm (20")	800gms	225401

Material : Forged Chrome Vanadium Steel, hardened & tempered.

Finish : Sand Blasted surface with Nickel Chrome Plating.

Use : Smooth, heavy duty & sturdy. One side is completely screwed with strong Nylon 6 plastic protection.

Good for both steel and Aluminum rims.

No separate boot is required for shifting position to avoid direct contact between rim and lever.

13 Tyre Lever

Size:	Weight:	Code No.
600mm (24")	930gms	220008

Material : Forged Chrome Vanadium Steel, hardened & tempered.

Finish : Sand Blasted surface with Nickel Chrome Plating.



14 226001



15 220003



16 2200012



17 220274



18 220284



19 221044



19 221055




20 221066



21 220204



22 2202045



22 220255

14 Run Flat Lever

Size:	Weight:	Code No.
600mm (24")	910gms	226001

Material : Forged Chrome Vanadium Steel, hardened & tempered.
Finish : Sand Blasted surface with Nickel Chrome Plating.

15 Tyre Lever with Crank End

Size:	Weight:	Code No.
610mm (24")	1.450kg	220003

Material : Forged Chrome Vanadium Steel, hardened & tempered.
Finish : Sand Blasted surface with Nickel Chrome Plating.
Use : Suitable for LCV, Trucks and large wheels, this tyre lever is extra heavy duty with crank end.

16 Lever for Removal of Locking Rings

Size:	Weight:	Code No.
470mm (18")	720gms	2200012

Material : Forged Chrome Vanadium Steel, hardened & tempered.
Finish : Sand Blasted surface with Nickel Chrome Plating.
Use : To remove locking rings of tube type tyres.

17 Rim Straightener Lever

Size:	Weight:	Code No.
390mm (15")	650gms	220274

Material : Special Steel.
Finish : Sand Blasted surface with Nickel Chrome Plating.
Use : Used for repairing of deformation on the rim flange. Suitable for Steel rims.

18 Tubeless Truck Tyre Lever with Hook

Size:	Weight:	Code No.
600mm (24")	1.570kg	220284

Material : Forged Chrome Vanadium Steel.
Finish : Sand Blasted surface with Nickel Chrome Plating.
Use : Used for mounting on wide base rims.

19 Tyre Lever

Size:	Weight:	Code No.
800mm (31.5")	1.830kg	221044
800mm (31.5")	1.540kg	221055

Material : Forged Chrome Vanadium Steel for 221044 & Steel Pipe for 221055
Use : Used with truck tyre changing machine.

20 Truck Bead Lever

Size:	Weight:	Code No.
1150mm long	3.450kg	221066

Material : Steel Pipe
Use : Used with truck tyre changing machine.

21 Wheel Flange Loosener

Dia:	Size:	Weight:	Code No.
32mm	300mm long	1.800kg	220204

Material : Forged CV Steel, hardened & tempered. Black colour.
Use : Used for loosening rusted Truck and Bus Beads. Speeds up Truck tyre repair work and saves labour and time.

22 Wheel Flange Loosener with Plastic Hand Protection

Dia:	Colour:	Size:	Weight:	Code No.
32mm	Red	330mmx93mm	1.850kg	2202045
32mm	Blue	330mmx93mm	1.850kg	2202045S
25mm	Blue	370gmmx52mm	1.540kg	220255

Material : Forged CV Steel, hardened & tempered.
Finish : Sand Blasted surface with Nickel Chrome Plating.
Use : Used to loosen rusted Truck and Bus Beads. Speeds up Truck tyre repair work. Easy to handle.

**23 Swan Neck Leverage Bar**

Size:	Weight:	Code No.
760mm long	2.400kg	220094

Material : Forged CV Steel, hardened & tempered. Black colour.

Use : Used to remove frozen or rusted beads from all types of Truck / Farm / OTR rims.

24 Lever for Truck Lock Rings

Size:	Weight:	Code No.
900mm long	1.900kg	220264

Use : Used for multi-piece wheels especially hub type.

25 Impact Bead Breaker

Size:	Weight:	Code No.
1270mm-2030mm long	10.500kg	220134

Material : Steel Pipe. Black colour.

Use : Used to easily loosen beads of the tyre with bead-breaking foot and ram bar but never cuts the bead of the tyre.

26 Trilex Lever for Tubeless Truck/ Bus Tyre

Size:	Weight:	Code No.
1045mm long	3.200kg	221314

Material : CV Steel and Steel Pipe.

Use : A double mounting lever for 3 piece rims.

27 Special Lever for Motorcycle Tyres with Stopper

Size:	Weight:	Code No.
390mm long	600gms	220154

Material : Forged CV Steel, hardened & tempered. Black colour.

28 Lever for Tubeless Tyres for Passenger Cars

Size:	Weight:	Code No.
390mm long	565gms	220164

Material : Forged CV Steel, hardened & tempered. Black colour.

29 Lever for Tube and Tubeless Truck Tyres Mounted on Flat Rims

Size:	Weight:	Code No.
420mm long	900gms	220214

Material : Forged CV Steel, hardened & tempered. Black colour.

30 Lever for Tube and Tubeless Truck Tyres - mounted on Flat Rims

Size:	Weight:	Code No.
460mm long	1.050kg	220194

Material : Forged CV Steel, hardened & tempered. Black colour.

31 Lever for small size Tubeless Truck & Tractor Tyres - mounted on Drop-Centre Rims

Size:	Weight:	Code No.
530mm long	1.050kg	220174

Material : Forged CV Steel, hardened & tempered. Black colour.

32 Lever for big size Tubeless Truck & Tractor Tyres - mounted on Drop-Centre Rims

Size:	Weight:	Code No.
760mm long	1.630kg	220184

Material : Forged CV Steel, hardened & tempered. Black colour.

33 Lever for Tubeless Truck Tyre - mounted on 15° drop-centre rims

Size:	Weight:	Code No.
800mm long	1.950kg	220004

Material : Forged CV Steel, hardened & tempered. Black colour.

34 Lever for Lug Base and Earthmover Tyres - mounted on Drop-Centre Rims

Size:	Weight:	Code No.
940mm long	2.900kg	220244

Material : Forged CV Steel, hardened & tempered. Black colour.

35 Lever for Earthmover Tyres

Size:	Weight:	Code No.
965mm long	2.780kg	220234

Material : Forged CV Steel, hardened & tempered. Black colour.

36 Lever for Truck, Tractor / OTR Tyres

Size:	Weight:	Code No.
1400mm long	10.700kg	220224

Material : Forged CV Steel, hardened & tempered. Black colour.


 37 220314


 38 220414


 39 220514


 40 220614


 41 221414


 42 220814


 43 220914


 44 221014


 45 220011


 45 220211


 46 220420


 46 220430


 47 224222


 47 224222R


 48 224215


 48 224217


 48 224224

37 Demounting Lever for Tubeless Truck/ Bus Tyre
Size: 1800mm long **Weight:** 6.600kg **Code No.** 220314
Material : Casting and Steel Pipe.

38 Mounting Lever for Tubeless Truck/ Bus Tyre
Size: 1040mm long **Weight:** 2.600kg **Code No.** 220414
Material : Casting and Steel Pipe.

39 Mounting Lever for Tubeless Truck/ Bus Tyre
Size: 1070mm long **Weight:** 3.100kg **Code No.** 220514
Material : Casting and Steel Pipe. Black Powder Coating.
Use : This mounting lever is ideal for Aluminum rims.

40 Demounting Lever for Tubeless Truck/ Bus Tyre
Size: 1830mm long **Weight:** 8.800kg **Code No.** 220614
Material : Casting and Steel Pipe. Black Powder Coating.
Use : This demounting lever is ideal for Aluminum rims.

41 Demounting Lever for 17.5" Tubeless Truck/ Bus Tyre
Size: 1500mm long **Weight:** 6.950kg **Code No.** 221414
Material : Special Steel Casting. Powder Coating.
Use : Specialized lever for demounting 17.5" Truck / Bus tyre.

42 Heavy Duty Mounting Lever for Tubeless Truck/Bus Tyre
Size: 1160mm long **Weight:** 2.450kg **Code No.** 220814

43 Rim Lock Ring Removal Tool
Size: 1070mm long **Weight:** 5.100kg **Code No.** 220914
Material : Casting and Steel Pipe. Powder Coating.
Use : Specialized wrench to remove single lock rings of Truck / Bus tyre rims after bead breaking.

44 Rim Lock Ring Fitting Tool
Size: 1210mm long **Weight:** 3.850kg **Code No.** 221014
Material : Forged CV Steel, hardened & tempered.
Use : Specialized wrench to fit rings of Truck / Bus tyre rims. Used in pair.

45 Wheel Cover Puller/Replacer
Size: 330mm long **Weight:** 625gms **Code No.** 220011
 439mm long 853gms **Code No.** 220211
Material : Steel Rod.
Use : Removes wheel covers quickly and easily without any damage. Replaceable rubber head prevents damage to the hub cap.

46 Rubber Mallet
Size: 420mm long **Weight:** 480gms **Code No.** 220420
 305mm long 1.800kg **Code No.** 220430
Use : Rubber Head Mallet prevents damage to the rim surface.

47 Pump Ring Rigid for Tubeless Truck Tyre
Size: 17.5" **Weight:** 8.650kg **Code No.** 224117
 19.5" 10.150kg **Code No.** 224119
 22.5" 12.000kg **Code No.** 224222
Rubber Ring for Pump Ring Rigid
Weight: - **Code No.** 224117R
 - **Code No.** 224119R
 2.500kg **Code No.** 224222R

48 Pump Ring Flexible for LCV and HCV Tubeless Tyre
Sectional Dia: 25mm **Size:** 15.5" **Weight:** 790gms **Code No.** 224215
 25mm 17.5" 860gms **Code No.** 224217
 25mm 22.5" to 24.5" 1.060kg **Code No.** 224224
Material : Silicon Rubber
Use : Used for sealing the tyre beads of the rims.




49 2201017



49 2200117



50 2200217



50 2200517



51 2200317



52 2200417



53 2200717



54 550005



55 224430



55 224432



56 224232



56 224233




56 224332



56 224333



57 224232CH



Soft plastic insert



57 224332CH

49 Tyre Tread Depth Gauge (Plastic)

Size:	Weight:	Code No.
0 - 30mm	10gms	2201017
0 - 30mm	30gms	2200117

50 Tyre Tread Depth Gauge (Stainless Steel)

Size:	Weight:	Code No.
For Passenger Car tyre 0 - 50mm	30gms	2200217
For Truck tyre 0 - 90mm	60gms	2200517

51 OTR Tread Depth Gauge (Aluminum)

Size:	Weight:	Code No.
0 - 150mm /	170gms	2200317
0 - 192 (32 NDS)		

Use : For measurement of Earthmover tyre tread depth. Supplied with case. Easy readability due to Glass lens.

52 OTR Tread Depth Gauge (Acrylic Plastic)

Size:	Weight:	Code No.
0 - 150mm /	100gms	2200417
0 - 192 (32 NDS)		

Use : For measurement of Earthmover tyre tread depth. Supplied with case.

53 Dial Type Tread Depth Gauge

Size:	Weight:	Code No.
0 - 110mm	80gms	2200717

54 D.O. T. Removal Tool

Weight:	Code No.
120gms	550005

Material : Blades are made from Special Steel.

Use : The tool helps to remove the D.O.T number on tires being retreaded.

55 WHEEL PROTECT® Loose Wheel Nut Indicator

Size:	Weight:	Code No.	Size:	Weight:	Code No.
17mm	3gms	224417	30mm	2gms	224430
19mm	2gms	224419	32mm	3gms	224432
21mm	2gms	224421	33mm	3gms	224433
24mm	3gms	224424	36mm	4gms	224436
26mm	3gms	224426	38mm	4gms	224438
27mm	4gms	224427	40mm	5gms	224440
			41mm	5gms	224441

Material : Special Durable Plastic.

Colour : Fluorescent Yellow, Red, Pink, Green, Orange.

Note : Customized colour can be provided for large orders.

56 Dust Cap & Loose Wheel Nut Indicator

Type:	Size:	Weight:	Code No.
Upper arrow	32mm	19gms	224232
Upper arrow	33mm	18gms	224233
Bottom arrow	32mm	16gms	224332
Bottom arrow	33mm	17gms	224333

Material : Special Durable Plastic.

Colour : Green, Red, Yellow, Pink.

Note : Customized colour can be provided for large orders.

57 CHROME PROTECT® Dust Cap Loose Wheel Nut Indicator (Fitted with Soft plastic insert)

Type:	Size:	Weight:	Code No.
Upper arrow	19mm	19gms	224219CH
Upper arrow	21mm	14gms	224221CH
Upper arrow	32mm	53gms	224232CH
Upper arrow	33mm	57gms	224233CH
Bottom arrow	32mm	38gms	224332CH
Bottom arrow	33mm	34gms	224333CH

Material : Made from heavy duty & high quality special durable plastic.

Finish : Chrome Plated.

Use : Soft plastic insert fitted inside provides better grip with lug nut and makes them easy to put on and take off. Prolongs the service life of studs & nuts through protection from corrosion, weathering & damage. Complements the look of vehicles with chrome wheels.



220302



220914



221014



221014



220008



220003



330002

58 220303 Rim Lock Ring Fitting/ Removal Tool Kit (For Tube-Type Tyres)

58 Rim Lock Ring Fitting/ Removal Tool Kit (For Tube-Type Tyres)

	Weight:	Code No.
	15.200kg	220303
(With Bag)	17.700kg	220303B

The Kit contains the following items:

Tool:	Qty:	Weight:	Code No.
Bag with Wheels (optional)	1 No.	2.500kg	220302
Ring Removal Tool	1 No.	5.100kg	220914
Ring Fitting Tool	2 No.	3.850kg	221014
Tyre Lever 600mm	1 No.	930gms	220008
Tyre Lever with Crank End	1 No.	1.450kg	220003
Valve Core Screw Driver	1 No.	20gms	330002

Use : Mounting/demounting tube-type tyres (single and double lock ring) in less than 2 mins. Complete demo on "Sarv" Youtube channel.



220302



220004



220004



220184



220134



D0015



2200130



220400



220415



330002

59 220403 STANDARD TOOL KIT

59 Tubeless Tyre Mount/Demount Standard Tool Kit

	Weight:	Code No.
	17.850kg	220403
(With Bag)	20.350kg	220403B

The Kit contains the following items:

Tool:	Qty:	Weight:	Code No.
Bag with Wheels (optional)	1 No.	2.500kg	220302
Tyre Lever	2 No.	1.950kg	220004
Tyre Lever	1 No.	1.630kg	220184
Impact Bead Breaker	1 No.	10.500kg	220134
Bead Holding Tool	1 No.	330gms	220400
Valve Core Screw Driver	1 No.	20gms	330002
Sarv Paste (Economy)	1 No.	1.000kg	2200130
Brush for Truck Tyre	1 No.	140gms	220415
Duster	1 No.	15gms	D0015

Use : Mounts / Demounts all types of tubeless tyres 17.5" to 24.5".



220414



220314



330002



220500



220134



220415



D0015



2200130

60 220503 REGULAR TOOL KIT

60 Tubeless Tyre Mount/Demount Regular Tool Kit


	Weight:	Code No.
	21.685kg	220503

The Kit contains the following items:

Tool:	Qty:	Weight:	Code No.
Mounting lever	1 No.	2.600kg	220414
Demounting Lever	1 No.	6.600kg	220314
Impact Bead Breaker	1 No.	10.500kg	220134
Bead Holding Tool	1 No.	810gms	220500
Valve Core Screw Driver	1 No.	20gms	330002
Sarv Paste (Economy)	1 No.	1.000kg	2200130
Brush for Truck Tyre	1 No.	140gms	220415
Duster	1 No.	15gms	D0015

Use : Mounts all type of tubeless tyres 20" to 24.5". Demounts tyre in 8 seconds and remounts in 20 seconds. Works on standard and super single duplex tyres.



**61 221503 REGULAR TOOL KIT****61 Tubeless Tyre Mount/Demount Regular Tool Kit**

Weight: 10.00kg
Code No. 221503

The Kit contains the following items:

Tool:	Qty:	Weight:	Code No.
• Mounting Lever	1 No.	2.600kg	220414
• Demounting Lever	1 No.	6.600kg	220314
• Bead Holding Tool	1 No.	810gms	220500

**62 220603 SMART TOOL KIT****62 Tubeless Tyre Mount/Demount Smart Tool Kit**

Weight: 24.385kg
(With Bag) 29.185kg
Code No. 220603
220603B

The Kit contains the following items:

Tool:	Qty:	Weight:	Code No.
• Bag with Wheels (optional)	1 No.	4.800kg	220412
• Mounting Lever	1 No.	3.100kg	220514
• Demounting Lever	1 No.	8.800kg	220614
• Impact Bead Breaker	1 No.	10.500kg	220134
• Bead Holding Tool	1 No.	810gms	220500
• Valve Core Screw Driver	1 No.	20gms	330002
• Sarv Paste (Economy)	1 No.	1.000kg	2200130
• Brush for Truck Tyre	1 No.	140gms	220415
• Duster	1 No.	15gms	D0015

Use : Mounts all type of tubeless tyres 20" to 24.5". Demounts tyre in 8 seconds and remounts in 20 seconds.

**63 220703 MOUNT/DEMOUNT TOOLS KIT FOR TRACTOR TYRES****63 Mount/Demount Tools Kit for Tractor Tyres**

Weight: 32.810kg
(With Bag) 35.310kg
Code No. 220703
220703B

Tool:	Qty:	Weight:	Code No.
Mechanical Screw Jack 50ton	1 No.	17.150gms	ST-MSJ50T
Combination Plier	1 No.	300gms	110184
Valve Core Screw Driver	1 No.	200gms	330002
Sledge Hammer	1 No.	4.450kg	221077
Tyre Lever 1145mm	1 No.	3.450kg	221066
Tyre Lever 805mm	1 No.	1.540kg	221055
Tyre Lever 805mm	1 No.	1.830kg	221044
Wheel Flange Loosener	1 No.	1.540kg	220255
Pressure Gauge With Deflator	1 No.	200gms	551108
Chisel	1 No.	550gms	221088
Tyre Tread Depth Gauge 0-90mm	1 No.	60gms	2200517
Bag	1 No.	2.500kg	220302
Paste 1kg	1 No.	1.00kg	2200130

Use: Used for Mounting / Demounting while wheel fitted on the tractor.

**64 220905 TUBELESS TYRE MOUNT DEMOUNT TOOL KIT FOR 17.5" TYRES****64 Tubeless Tyre Mount/Demount Tool Kit for 17.5" Tyre**

Weight: 21.325kg
(With Bag) 26.125kg
Code No. 220905
220905B

The Kit contains the following items:

Tool:	Qty:	Weight:	Code No.
• Bag with Wheels (optional)	1 No.	4.800kg	220412
• Mounting Lever	1 No.	2.450kg	220814
• Demounting Lever	1 No.	6.950kg	221414
• Impact Bead Breaker	1 No.	10.500kg	220134
• Bead Holding Tool	1 No.	250gms	220513
• Valve Core Screw Driver	1 No.	20gms	330002
• Sarv Paste (Economy)	1 No.	1.000kg	2200130
• Brush for Truck Tyre	1 No.	140gms	220415
• Duster	1 No.	15gms	D0015

Use : Specifically designed to mount/demount 17.5" tyres without damaging the tyre bead and rim.



1 220118



1 220118F



1 226018



1 224518



2 220218



2 220218TB



2 222418



2 220518



2 220518P



2 220618



2 220618N



2 220718



2 226518



2 226518H



2 220918



3 220918R



3 225018R



3 225118R



3 RUBRING

1 Tyre Mount/Demount Tool (Steel) for Automatic Tyre Changers for Motorcycles

Bore Dia:	Weight:	Code No.
28mm	430gms	220118
28mm	450gms	220118F
28mm	360gms	226018
28mm	450gms	224518

Material : Made out of Special Spring Steel. Nickel Plating.

Use : For removing tyres on all types of steel rims.

2 Tyre Mount/Demount Tool (Steel) for Automatic Tyre Changers for Passenger Cars

Tapered Bore Dia:	Bore Dia:	Weight:	Code No.
-----	28mm	660gms	220218
24mm	31mm	690gms	220218TB
-----	28mm	560gms	222418
-----	29mm	570gms	220518
-----	29mm	580gms	220518P
29mm	33mm	580gms	220618
29mm	33mm	620gms	220618N
-----	28mm	600gms	220718
-----	28mm	550gms	226518
-----	28mm	550gms	226518H
-----	28mm	550gms	222518
-----	28mm	550gms	222518J
-----	28mm	550gms	220818
-----	30mm	550gms	226318
-----	28mm	670gms	220918

Material : Made out of Special Spring Steel. Nickel Plating.

3 Tyre Mount/Demount Tool (Steel) with Rubber Ring for Automatic Tyre Changers for Passenger Cars

Tapered Bore Dia:	Bore Dia:	Weight:	Code No.
-----	28mm	670gms	220918R
28mm	30mm	617gms	225018R
28mm	30mm	617gms	225118R

Material : Made out of Special Spring Steel. Nickel Plating.

Rubber Ring for Tyre Mount/Demount Tool (Steel) with Collar

Size:	Weight:	Code No.
35mm	15gms	RUBRING

Note : RUBRING fits on Mount / Demount tools 220918, 220918R, 225018R, 225118R.



2 222518



2 222518J



2 220818



2 226318



4 220318



4 221618



4 221618Y



4 226418



4 222218



4 220418



4 221418RS



4 221418



4 222118



4 221818



4 221918

4 Tyre Mount/Demount Tool (Plastic) for Automatic Tyre Changers

Bore Dia:	Weight:	Code No.
28mm	170gms	220318
-----	150gms	221618
-----	150gms	221618Y
28mm	230gms	226418
28mm	190gms	222218
28mm	220gms	220418
-----	190gms	221418
Consumable Plastic part	11gms	221418RS
28mm	180gms	222118
-----	195gms	221818
28mm	240gms	221918

Material : Made from Special Blended Nylon Plastic (Nylon 66).

Use : Wearing Mount/Demount Tool Head protects tyre & rim from metal to metal contact damage. Using Plastic Mount/Demount Tool Head is much safer for delicate and expensive wheels yet durable enough to withstand the stress of larger tyres and wheels.

Note : The Consumable Plastic part 221418RS can be used on the Plastic Mount/Demount tools 221418 and 222118.

5 Wide Tool Head for Lever less Tyre Changers

Size:	Weight:	Code No.
L-138mm	153gms	222318

Material : Made from Special Blended Nylon Plastic (Nylon 66).

6 Tool Head for Lever less Tyre Changers


Size:	Weight:	Code No.
L-170mm	170gms	222818

Material : Made from Special Blended Nylon Plastic (Nylon 66).

Use : Useful in low profile application.



5 222318



6 222818



4 221418RS



4 221418



4 222118



4 221818



4 221918



4 221818



4 221918



7 225918



7 221718



7 221718Y



7 221518



8 226718



8 228818



7 Tyre Mount/Demount Tool (Plastic) for Automatic Tyre Changers

Bore Dia:	Weight:	Code No.
28mm	210gms	225918
-----	175gms	221718
-----	175gms	221718Y
29mm	205gms	221518
29/30mm	190gms	222018

Material : Made from Special Blended Nylon Plastic (Nylon 66).

Use : Wearing Mount/Demount Tool Head protects tyre & rim from metal to metal contact damage. Using Plastic Mount/Demount Tool Head is much safer for delicate and expensive wheels yet durable enough to withstand the stress of larger tyres and wheels.

8 Tyre Mount/Demount Tool (Plastic) for Automatic Tyre Changers

Tapered Bore Dia:	Bore Dia:	Weight:	Code No.
25mm	30mm	156gms	226718
25mm	30mm	177gms	228818

Material : Made from Special Blended Nylon Plastic (Nylon 66).

Use : Wearing Mount/Demount Tool Head protects tyre & rim from metal to metal contact damage. Using Plastic Mount/Demount Tool Head is much safer for delicate and expensive wheels yet durable enough to withstand the stress of larger tyres and wheels.

9 Tyre Mount/Demount Tool (Plastic) with Hardware

Tapered Bore Dia:	Bore Dia:	Weight:	Code No.
25mm	30mm	195gms	226718KIT
25mm	30mm	258gms	228818KIT

Material : Made from Special Blended Nylon Plastic (Nylon 66).

Use : Wearing Mount/Demount Tool Head protects tyre & rim from metal to metal contact damage. Using Plastic Mount/Demount Tool Head is much safer for delicate and expensive wheels yet durable enough to withstand the stress of larger tyres and wheels.



7 222018



9 226718KIT



9 228818KIT





10 228918KIT

10 Quick Change Kit

Weight:
1.875kg

Code No.
228918KIT

The 228918KIT contains the following items:

Tool:	Qty:	Weight:	Code No.
• Plastic Head with Quick Change Connector	1 No.	995grms	228918
• Connector set	1 No.	880gms	228918C

Use : Quick change kit helps interchange the steel and plastic mount demount heads quickly and easily.



11 224418KIT

11 Quick Change Kit

Weight:
1.832kg

Code No.
224418KIT

The Kit contains the following items:

Tool:	Qty:	Weight:	Code No.
• Quick Change Adaptor	1 No.	1.271kg	224418
• Plastic Head with Tool Holder	1 No.	561gms	224618

Use : Quick change kit helps interchange the steel and plastic mount demount heads quickly and easily.



12 225318KIT

12 Quick Change Tool Holder Kit

Weight:
1.660kg

Code No.
225318KIT

The Kit contains the following items:

Tool:	Qty:	Weight:	Code No.
• Quick Change Adaptor	1 No.	1.271kg	224418
• Tool Holder	1 No.	389gms	224618TH

Use : These tool holders helps interchange the steel and plastic mount demount heads quickly and easily.



13 221116

13 222116



13 220116

13 Combo Tool

Size:
480mm

Weight:
2.241kg

Code No.
220116

Material : Durable Alloy Steel.

Finish : Sand Blasted Nickel Chrome Plated.

Use : Specially designed to mount/demount tyre on center post tyre changers for effortlessly and damage free.

Plastic Inserts for Combo Tool

Size:	Weight:	Code No.
Small	12gms	221116
Big	23gms	222116

Material : Nylon 6

Note : The Plastic Inserts are sold separately.

**14 Tyre Mount/Demount Tool (Plastic) with Tool Holder**

Tapered Bore Dia:	Bore Dia:	Weight:	Code No.
-----	33mm	354gms	223618
-----	28mm	712gms	223418
-----	29/30mm	668gms	223018
-----	29mm	678gms	223118
-----	28mm	955gms	222918
-----	28mm	741gms	223218
-----	28mm	465gms	223718
-----	28mm	522gms	223718FR
25mm	28mm	504gms	226218
-----	28mm	772gms	225618

Material : Made from Special Blended Nylon Plastic (Nylon 66).

15 Tool Holder for Plastic Mount/Demount Tools

Tapered Bore Dia:	Bore Dia:	Weight:	Code No.
-----	28mm	500gms	221318
-----	28mm	550gms	221318H
29mm	33mm	150gms	222618
-----	28mm	250gms	224718
-----	28mm	300gms	224718F
-----	29/30mm	450gms	225518
-----	28mm	492gms	223918
25mm	28mm	294gms	225818
-----	28mm	705gms	224818

Material : Made out of Special Steel.

Use : Tool Holders are fitted on various Plastic Mount / Demount Tools as per following code nos. :

Tool Holder:	Mount/Demount Tool:
221318	- Fits on 220318, 220418, 222118
221318H	- Fits on 220318, 220418, 222118
222618	- Fits on 221618, 221618Y
224718	- Fits on 221718, 221718Y
224718F	- Fits on 221718, 221718Y, 225218
224818	- Fits on 221918
225518	- Fits on 221518, 222018
223918	- Fits on 222218, 226418
225818	- Fits on 228818





16 220028



16 220828



16 221138



16 221038



16 223738



16 221338



16 221039



16 225038



16 225138



16 222238



16 220538



16 220628



16 224138



16 224238



16 220328



16 221738



16 220228



16 220728



16 220728Y



16 220838



16 222938



16 222938Y



16 223138



16 224038



16 220639



16 220839



16 220338



16 223238

16 Plastic Inserts of Tyre Mount/Demount Tools

Colour:

Black
Black
White
Black
Black
White
Black
Gray
Gray
White
Black
Black
Yellow
Black
Black
Black
Yellow
Black
Black
Black
Yellow
Black
Red
Yellow
Yellow
Black
White
Black
Black
Black
Yellow
White
Yellow
Yellow

Weight:

75gms
2gms
4gms
4gms
3gms
3gms
3gms
5gms
2gms
7gms
5gms
6gms
6gms
4gms
5gms
5gms
4gms
5gms
5gms
6gms
5gms
6gms
5gms
2gms
2gms
6gms
13gms
2gms
2gms
7gms
2gms
1gms
5gms
1gms
15gms
7gms
15gms
14gms
3gms
3gms
4gms

Code No.

220028
220828
221138
221038
223738
221338
221039
225038
225138
222238
220538
220628
224138
224238
220328
221738
220228
220728
220728Y
220838
222938
222938Y
223138
224038
220639
220839
220338
223238
222638
222738
222838
223938
223439
226238
220438
220638
222339
221838WH
221838
221938

Material : Made from Special Durable Plastic (Nylon 6).



16 222638



16 222738



16 222838



16 223938



16 223439



16 226238



16 220438



16 220638



16 222339



16 221838WH



16 221838



16 221938



17 221028



17 222038



17 222138



17 220528



17 221238



17 220938



17 221438



17 220928



17 220928Y



17 222438



17 SCRM4X6



17 222538



17 223338



17 223838



17 223838R



17 221649



17 222338



17 222438



17 223538



17 222638



18 221538



18 221638



18 220738

17 Plastic Inserts of Tyre Mount/Demount Tools

Colour:	Weight:	Code No.
Black	4gms	221028
White	2gms	222038
White	2gms	222138
Black	4gms	220528
Yellow	5gms	221238
Black	5gms	220938
Yellow	3gms	221438
Black	3gms	220928
Yellow	3gms	220928Y
Yellow	4gms	222438
Silver	7gms	SCRM4X6
Yellow	8gms	222538
Grey	9gms	223338
Yellow	2gms	223838
Red	2gms	223838R
Black	12gms	221649
Yellow	9gms	222338
White	1gm	223438
White	6gms	223538
White	2gms	223638

Material : Made from Special Durable Plastic (Nylon 6).

18 Mounting Head Protector

Colour:	Weight:	Code No.
Yellow	20gms	221538
Black	20gms	221638
Black	15gms	220738

Material : Special Plastic.

19 Jaw Protection Insert

Colour:	Weight:	Code No.
Black	3gms	223038
Yellow	3gms	223038Y
Black	4gms	224738
Black	1gms	220428

Material : Special Plastic.

Use : These inserts snap into place on the sloped surface of the metal tyre changing Jaw assembly. Helps to reduce metal to metal contact between the wheel rim and tyre changing Jaw.

20 Max Plus Grip Jaw Protection Insert

Colour:	Weight:	Code No.
Black	12gms	225238

Material : Special Plastic.

Use : Grip max jaw insert works in conjunction with the grip max plus clamps.



19 223038



19 223038Y



19 224738



19 220428



20 225238



21 2200121



21 2200221



21 2202421



21 2203321



21 2200321



21 2200321F



21 2200921



21 2201321




21 2202321



21 2200721



21 2200721Y



21 2200821



21 224938



21 2200621



21 2201921



21 2201821

21 Plastic Jaw Covers for Clamping Aluminum Alloy Rims


Colour:	Weight:	Code No.
Black	35gms	2200121
Black	35gms	2200221
Black	40gms	2202421
Black	36gms	2203321
Black	35gms	2200321
Black	35gms	2200321F
Black	50gms	2200921
Black	40gms	2201321
Black	27gms	2202321
Black	25gms	2200721
Yellow	25gms	2200721Y
Black	45gms	2200821
Black	43gms	224938
Black	80gms	2200621
Black	45gms	2201921
Black	Angled Jaw Cover 35gms	2201821
Black	Angled Jaw Cover 20gms	2202021
Black	12gms	2202521
Black	15gms	2202221
Black	17gms	2201021
Yellow	17gms	2201021Y
Black	Angled Jaw Cover 22gms	2202121
Black	17gms	2201521
Black	12gms	2201721
Yellow	22gms	2201221

Use : Used as the Jaw cover of Jaws of T/C Machines.

22 Slide Jaw Protector

Colour:	Size:	Weight:	Code No.
Yellow	L-278mm	60gms	2201421
Black	L -146mm	12gms	222548

Material : Engineering Plastic.



21 2202021



21 2202521



21 2202221



21 2201021



21 2201021Y



21 2202121



21 2201521



21 2201721



21 2201221



22 2201421



22 222548



23 220448



23 220448GR



23 220448WH



23 222248



23 220648



23 220848



23 220948




23 222348



23 220348



23 220348Y



23 221148



23 220548



24 221548



25 221648



26 2200021



26 2201621



26 2200421

23 Bead Breaker Blade Protection

Weight:	Code No.	Weight:	Code No.
90gms	220448	85gms	220948
90gms	220448GR	100gms	222348
90gms	220448WH	100gms	220348
70gms	222248	100gms	220348Y
90gms	220648	170gms	221148
96gms	220848	230gms	220548

Material : Engineering Plastic.

Use : Prevents metal to metal contact when bead loosening low profile tyres on expensive alloy wheels thereby preventing damage to the wheel.

24 Rubber Tulip Pad

Colour:	Weight:	Code No.
Black	155gms	221548

Use : Mounted at the end of the arms that clamps the rim and prevent damage to the rim while providing grip to rotate the rim.

25 External Rubber Clamping Jaw

Colour:	Weight:	Code No.
Black	525gms	221648

Use : They work with machine which have hollow center of the tulip arms. If there is no hole on the top of the arms then these are not right parts to use.

26 Clamping Jaws for Passenger Car Tyre Changers

Weight:	Code No.	Weight:	Code No.
125gms	2200021	230gms	2200521
170gms	2201621	390gms	2202621
230gms	2200421	140gms	2202721

Material : Special Steel, hardened and tempered for longer life and durability.

Use : Four Jaws are required per machine for keeping the Jaw alignment even.

27 Bead Removal Tool for Lever Less Tyre Changing Machines

Colour:	Size:	Weight:	Code No.
Yellow	L-277mm	65gms	221048
Red	L-277mm	65gms	221048R

Material : Engineering Plastic. Glass filled for good strength and durability.

28 Feeler Pin

Colour:	Size:	Weight:	Code No.
Grey	150mm long	20gms	221848

Material : Special Plastic.



26 2200521



26 2202621



26 2202721



27 221048



27 221048R



28 221848



29 224338



30 22SPRM



31 222048



31 221748



32 222448



32 224638



33 221448



33 221348



33 222148



34 224639



35 2201121



36 220039



36 220039P



37 220040

29 Bead Breaker Roller

Thickness	Dia:	Weight:	Code No.
30mm	127mm	345gms	224338

Material : PA6 Glass Filled.
Use : Used for breaking the bead.

30 Support Plate

Thickness	Dia:	Weight:	Code No.
7mm	130mm	264gms	22SPRM

Material : Rubber and Steel.

31 Support Plate Cover

Colour:	Dia:	Weight:	Code No.
Black	240mm	150gms	221748
Black	230mm	280gms	222048

Material : Rubber For 221748.
 PU For 222048.

Use : It protects the rim while servicing the reverse wheels. Should be removed if not servicing the reverse wheels.

32 In-Between Cone

Height:	Dia:	Weight:	Code No.
64mm	95mm	165gms	222448
90mm	140mm	380gms	224638

Material : PA6 Glass Filled.

Use : The Cone slides on the removable spindle shaft assembly and is used to hold the wheel down while removing/replacing the tyre.

Note : 224638 Cone is for bigger rims.

33 Cone Cover

Colour:	Dia:	Weight:	Code No.
Black	45-130mm	170gms	221448
Yellow	40-125mm	55gms	221348
Yellow	28-120mm	60gms	222148

Material : Nylon.

Use : Protective Plastic cover that snaps securely over the wheel hold down cone to prevent damage to the wheel.

34 CONESET (Set of 3 Cones)

Cones	Dia	Height	Weight:	Code No.
Cone 1	119mm-40mm	44mm	815gms	224639
Cone 2	149mm-55mm	45mm	3.000kg	
Cone 3	195mm-100mm	45mm	3.800kg	

Material : Special Steel.

35 Jaw Guide Kit

Weight:	Code No.
720gms	2201121

Material : CRC Sheet.
Use : Used in a set of four pieces to increase or decrease the rim clamping size.

36 Motor Cycle Adaptor Kit

Size:	Weight:	Code No.
L-111mm, W-41mm, H-107mm	900gms	220039

Material : Special Steel.

Finish : White Zinc Plating.

Use : The kit of 4 Clamps and protectors fits most rim clamp tire changers. Allows standard Tire Changing Machine to grip Motorcycle wheels. Lifts spoked wheels away from Turn Table. Easy to set up and remove.

Plastic Protection for Motor Cycle Adaptor Kit

Weight:	Code No.
165gms	220039P

37 Universal Motor cycle Adaptor Kit

Size:	Weight:	Code No.
L-170mm, W-70mm, H-153mm	8.000kg	220040

Material : Special Steel.

Finish : White Zinc Plating.

Use : Due to it's higher height it can also be used for changing tyres of electric vehicles having motor fitted.

Note: Plastic Protection Kit 220039P Works also for 220040.

**38** 220009


Ribs

39 220019

Ribs

39 220019Y

Plain

39 2200119**40** 2200010**40** 2200110**40** 2200210**40** 2200310**40** 2200410**41** 2200410PU**42** 2200510

BPB

BPPR

BPH

43 2200411 Bead Pressing Tool Kit**38** Tyre Lever Boot Short**Weight:**
11gms**Code No.**
220009**Material :** Nylon-6.**Use :** Plastic protection for light metal rims used with tyre levers 220001 and 220002.**39** Tyre Lever Boot Long**Colour:**Black (Ribbed end)
Yellow (Ribbed end)
Black (Plain end)**Weight:**
60gms
60gms
58gms**Code No.**
220019
220019Y
220119**Material :** Nylon-6.**Use :** Plastic protection for light metal rims used with tyre levers.**40** Rim Protector for Passenger Car**Colour:**White
Black
Red
Blue
Yellow**Size:**150mm long
150mm long
150mm long
150mm long
150mm long**Weight:**
35gms
35gms
35gms
35gms
35gms**Code No.**
2200010
2200110
2200210
2200310
2200410**Material :** Nylon-6.**Use :** Used to clip over an alloy wheel to reduce scratching along wheel.**41** Rim Protector PU for Passenger Car**Colour:**

Yellow

Size:

150mm long

Weight:
40gms**Code No.**
2200410PU**Material :** Made from Poly Urethane (PU).**Use :** Used to clip over an alloy wheel to reduce scratching along wheel.**42** Rim Protector for LM Rims**Colour:**


Yellow

Size:

230mm long

Weight:
46gms**Code No.**
2200510**Material :** Nylon-6.**Use :** Used to clip over an alloy wheel to reduce scratching along wheel. Suitable for car & motorcycle rims. Can also be used as protector against cutting while mounting run flat tyres on steel rims.**43** Bead Pressing Tool Kit**Weight:**
1.475kg**Code No.**
2200411**The Kit contains the following items:****Tool:****Qty:****Weight:**
890gms
365gms
220gms**Code No.**
BPPR
BPH
BPB

- Bead Presser with Plastic Roller 1 No.
- Bead Presser Holder 1 No.
- Bead Presser Bracket 1 No.

Material : MS Pipe.**Use :** Used to clip over an alloy wheel to reduce scratching along wheel.**44** Bead Holding Rope**Size:**1080mm long
1130mm long**Weight:**
400gms
700gms**Code No.**
2200511
2200611**Material :** SS wire and Nylon Blocks with Steel Bush.**Use :** Keeps Passenger Car tyre bead from slipping during mounting of top. Holds the Bead in 6 positions in the drop center.**44** 2200511**44** 2200611



45 2200215

45 2200216



45 2200315

45 2200316



46 2200011

47 2200311



48 2200211

48 2200211A

48 2200211B



49 2200013

49 2200113



50 2200313

50 2200313P

51 220213



52 220400

52 220500

52 220513

45 Swab

Standard
Standard (Thinner)
Long
Long (Thinner)

Weight:	Code No.
100gms	2200215
80gms	2200216
110gms	2200315
85gms	2200316

Use : Used to lubricate tyre beads while removing or mounting tyres on rims.

46 Tyre Mounting Aid

Weight:	Code No.
320gms	2200011

Material : Nylon-6

Use : Holds tyre bead below the rim flange for fast and damage free tyre mounting. Fits on all Passenger Car rims. Will not scratch decorative/Aluminum rims.

47 Tyre Mounting Aid (Supplied with Base 3)

Weight:	Code No.
400gms	2200311

Material : Nylon-6

Use : Holds tyre bead below the rim flange for fast and damage free tyre mounting. Fits on all Passenger Car rims. Will not scratch decorative/Aluminum rims.

Note : 2200311 is supplied with base 3 (Size: 20mm)

48 Tyre Mounting Aid

Weight:	Code No.
300gms	2200211

Material : Nylon-6

Use : Holds tyre bead below the rim flange for fast and damage free tyre mounting. Fits on all Passenger Car rims. Will not scratch decorative/Aluminum rims.

Base : For Tyre Mounting Aid 2200211 (optional)

	Size:	Weight:	Code No.
Base 1	44mm	165gms	2200211A
Base 2	20mm	80gms	2200211B

Use : Base 1 and Base 2 are used for increasing the base height and are optional to use.

49 Rim Clamp for Tubeless Truck Tyres

Weight:	Code No.
1.600kg	2200013
1.700kg	2200113

Material : Special Steel Chrome plated to prevent corrosion.

Use : Clamps on wheel to prevent tyres from slipping by holding tyre bead.

50 Rim Clamp for Tubeless Truck Tyres (Alloy Rims)

Weight:	Code No.
1.750kg	2200313

Material : Special Steel Chrome Plated to prevent corrosion.

Use : Clamps on wheel to prevent tyres from slipping by holding tyre bead.

Plastic Protective Jaw Kit for Rim Clamp 2200313

Weight:	Code No.
24gms	2200313P

51 Truck Tyre Bead Holder

Weight:	Code No.
95gms	220213

Material : Made from indestructible Polymers Nylon-66.

Use : Keeps Truck tyre bead from slipping during mounting of top bead. Two bead holders are used simultaneously. No need to stand on tyre to mount.

52 Truck Tyre Bead Holder

Material:	Weight:	Code No.
CRC Sheet	330gms	220400
MS Casting	810gms	220500
MS Casting	250gms	220513

Use : The bead holder locks onto the flange of the wheel and holds tyre bead in place to eliminate standing on the tyre or changing the bead around the wheel.



53 220515



54 220415



54 220615



55 220715



56 220815



57 220915



57 221215



58 220015



58 2200115



59 221015



59 221115



60 221315

53 Special Brush for Tyres with Wooden Handle for Passenger Cars & Trucks

Size (Handle):	Dia.	Handle:	Weight:	Code No.
290mm long	25mm	Wooden	80gms	220515
290mm long	25mm	Plastic	75gms	220515P

Use : Used to lubricate tire beads when mounting or removing tires.

54 Special Brush for Tyres with Wooden Handle for Trucks & Earthmovers

Size (Handle):	Dia.	Handle:	Weight:	Code No.
300mm long	50mm	Wooden	140gms	220415
230mm long	50mm	Plastic	140gms	220415P
230mm long	50mm	Wooden	180gms	220615

Use : Used to lubricate tire beads when mounting or removing tires.

55 Brush for Tyres with Plastic Handle

Size (Handle):	Handle:	Weight:	Code No.
170mm long	Plastic	75gms	220715

Use : Used to lubricate tire beads when mounting or removing tires.

56 Brush for Tyres with Lid and Wooden Handle

Size (Handle):	Handle:	Weight:	Code No.
160mm long	Wooden	65gms	220815

Use : Used to lubricate tire beads when mounting or removing tires.

57 Angled Applicator Brush for Tyres with Wooden/Plastic Handle

Size (Handle):	Handle:	Weight:	Code No.
210mm long	Wooden	95gms	220915
300mm long	Plastic	125gms	221215

Use : Used to lubricate tire beads when mounting or removing tires.

58 Special Brush for Tyres

Size (Handle):	Handle:	Weight:	Code No.
160mm long	Wooden	100gms	2200015
160mm long	Plastic	80gms	2200115

Use : Used to lubricate tire beads when mounting or removing tires.

59 Special Brush for Tyres with Wooden Handle

Size (Handle):	Dia:	Handle:	Weight:	Code No.
340mm long	25mm	Wooden	47gms	221015
340mm long	50mm	Wooden	68gms	221115

Use : Used to lubricate tire beads when mounting or removing tires.

60 Brass Wire Brush

Width	Size	Height:	Weight:	Code No.
29mm	83mm	28mm	40gms	221315

Use : Used for Cleaning Rims.

61 Sarv Paste (Economy)

Colour:	Weight:	Code No.
White	1kg	2200130
White	4kg	2200430
White	5kg	2200530

Use : Quick drying, non greasy tyre paste. Used for lubricating tyre beads in mounting & demounting operations.

62 Lube Bucket

Colour:	Weight:	Code No.
Red	188gms	2200630

Material : Special Plastic




61 2200130

61 2200430

61 2200530

62 2200630

**1 Valve Core Screw Driver double ended 1" stem length (VG5/Caps)**

Weight: 35gms
Code No. 330001

Material : Carbon Steel and Plastic handle.

Use : Removing & fixing valve cores in Passenger Cars and Trucks. Large and standard bore.

2 Valve Core Screw Driver standard single ended 1" stem length

Colour:
Red
Blue

Weight:
20gms
20gms

Code No.
330002
330002BLU

Material : Carbon Steel and Plastic handle.

Use : Removing & fixing valve cores.

3 Valve Core Screw Driver double ended 1" stem length (VG5/VG8)

Colour:
Red
Blue

Weight:
35gms
35gms

Code No.
3300012
3300012BLU

Material : Carbon Steel and Plastic handle.

Use : Removing & fixing valve cores, VG5 from one end and VG8 from the other end.

4 Valve Core Screw Driver standard single ended 1" stem length

Colour:
Red
Black
Red

Weight:
20gms
20gms
45gms

Code No.
3300014
3300014BK
3300614

Material : Carbon Steel and Plastic handle.

Use : Removing & fixing valve core VG5.

Note : 3300614 is used for large bore valves VG8.

5 Valve Core Screw Driver standard single ended 1.5" stem length

Weight: 20gms
Code No. 3300114

Material : Carbon Steel and Plastic handle.

Use : Removing & fixing Valve Core VG5.

6 Valve Core Screw Driver standard single ended 4" stem length

Weight: 30gms
Code No. 3300214

Material : Carbon Steel and Plastic handle.

Use : Removing & fixing Valve Cores VG5 from remote distance.

7 Valve Core Screw Driver (VG5/VG8)

Weight: 35gms
Code No. 3300314

Material : Carbon Steel & Plastic handle. Metal part is Nickel Chrome Plated.

8 Valve Core Screw Driver 2" Stem Length with Torque

Weight: 40gms
Code No. 3300414

Torque : Pre-set tightening torque 0.4 Nm.

Material : Carbon Steel & Plastic handle. Metal part is Nickel Chrome Plated.

Use : Prevents over screwing of the core while removing & fixing.

9 Cable Type Valve Fishing Tool

Length:
215mm
300mm
600mm

Weight:
35gms
40gms
60gms

Code No.
3300015
3300035
3300065

Material : Carbon Steel.

Use : Tool for easy valve installation in tubeless tyres.

10 Rigid Plastic Extensions

Total Length:
115mm
125mm

Weight:
7gms
9gms

Code No.
3300215
3300125

Use : Mainly used to lengthen the valves on Trucks.

**11 Ventifix Plastic with Revolving Nozzle**

Colour:	Weight:	Code No.
Red	85gms	330043

Material : Polyamide-6 for imparting super bending strength to the lever.

Use : For removing tubeless Motorcycle valves.

12 Ventifix Plastic

Colour:	Weight:	Code No.
Blue	75gms	330003BLU
Green	75gms	330003

Material : Polyamide-6 for imparting super bending strength to the lever.

Finish : All metal parts are Nickel Chrome Plated.

Use : For mounting Rubber snap-in valves on Passenger Car. Protects light metal alloy rims from scratch.

13 Ventifix Plastic with Valve Core Screw Driver at End

Colour:	Weight:	Code No.
Green	75gms	330073

Material : Polyamide-6 for imparting super bending strength to the lever.

Use : For mounting Rubber snap-in valves on Passenger Car & to open valve core screw.

14 Ventifix Plastic Reinforced with Metal Rod

Colour:	Weight:	Code No.
Yellow	120gms	330003YS
Red	120gms	330003RS

Material : Polyamide-6 for imparting super bending strength to the lever.

Finish : All metal parts are Nickel Chrome Plated.

Use : Reinforced with inner metal rod for increase durability and stability
Ideal for quick removal of valve stems and for sealing newly installed valve stems.

15 Ventifix Plastic Reinforced with Metal Rod & Valve Core Remover at End

Colour:	Weight:	Code No.
Red	126gms	330003SCR

16 Ventifix Steel

Colour:	Material:	Weight:	Code No.
Silver	Carbon Steel	300gms	330004
Silver	Steel Sheet	150gms	330024

Use : Ruggedly constructed Steel tool is designed to provide sure grip and leverage necessary for positioning seating or removal of snap-in type valves. Deep thread head assures ease of valve stem attachment.

17 Ventifix Aluminum with Rubber & Nylon Block

Colour:	Weight:	Code No.
Golden	242gms	330083

Use : Specially designed tool for insertion / removal of all kind of valves. Suitable for TPMS valves. The Rubber and Nylon pad prevents scratching of the wheel rim.

18 Ventifix Plastic (Heavy Duty)

Colour:	Weight:	Code No.
Red	95gms	330023
Black	95gms	3300123
Yellow	95gms	3300223

Material : Polyamide-6 for imparting super bending strength to the lever.

Use : For mounting Rubber snap-in valves on Passenger Car & to open valve core screw. Multiple ridges help keep the tool in place on wheels with different sizes.

19 Valve Extension Holder

Colour:	Type:	Size:	Weight:	Code No.
Golden	Double Strip	8mm	35gms	330007
Golden	Double Clip	16mm	60gms	330008
Golden	Single Clip	16mm	55gms	330009
Golden	Single Clip	26mm	60gms	330029

Material : Carbon Steel and Spring Steel Wire.

Finish : Zinc Plated.

Use : To secure position of flexible valve extensions.

**20 Valve Core Screw Driver**

Size:	Weight:	Code No.
1"	15gms	3300021
2"	40gms	3300061
4"	42gms	3300041
5"	45gms	3300051

Material : Carbon Steel with Aluminum handle.

21 Valve Core Screw Driver Flexible

Size:	Weight:	Code No.
6"	46gms	3300611
8"	60gms	3300011

Material : Carbon Steel and flexible Steel Wire rope with Aluminum handle.

Use : This Valve Core Screw Driver holds the valve core with a clip. Also the fitting / removing of valve cores is much easier.

22 Valve Core Screw Driver with Magnet

Size:	Weight:	Code No.
4"	45gms	3300541

Material : Carbon Steel. Magnet on the top of handle provides easy picking of valve core.

23 Valve Core Screw Driver For OTR Tyres

Size:	Weight:	Code No.
4"	100gms	3300441

Material : Carbon Steel with Aluminum handle.

24 Valve Cap Screw Driver For OTR Tyres

Weight:	Code No.
120gms	3300641

Material : Special Steel.

25 Tubeless Valve Stem Puller

Colour:	Handle Material:	Weight:	Code No.
Red	Aluminum	150gms	330006
Black	Steel	265gms	330026
Blue	Steel	310gms	330036
Black	Steel	275gms	330046
Green	Steel	275gms	330056

Use : Installs and removes tubeless valves in seconds and protects the expensive alloy rim from scratch. Metal tip helps push out old snap in valve. All handles are PVC coated for hand protection.

26 Tubeless Valve Stem Puller (Heavy Duty)

Weight:	Code No.
400gms	3300018

Material : Made out of Carbon Steel Strip.

Finish : Nickel/Zinc plated to prevent rusting.

Use : Heavy duty Pull a Stem Tool to pull old or insert new tubeless Rubber valve of all sizes.

27 Heavy Duty 4 Way Valve Core Repair Tool

Finish:	Material:	Weight:	Code No.
Auto black	Carbon Steel	25gms	3300115
Zinc plated	Special Steel	20gms	3300116

Use : Repairs and reconditions inside and outside Valve threads and removes broken cores.

**27 3300115****27 3300116**



1 440728



2 442071



3 440727



4 440009



4 443831



4 443861



4 442521



4 445041



4 440008



5 440004



5 85008



5 85009



5 85010



6 440005BK



7 4400041



8 4400021



8 4400031



8 4400061



9 85017



10 4400051

1 Stichler Serrated Plastic

Thickness:	Dia:	Weight:	Code No.
4mm	28mm	30gms	440728

Material : Nylon Plastic.**Use :** The Stichler is used to remove air from underneath tyre patch repairs and to ensure proper adhesion.**2 Stichler Serrated Plastic Handle**

Thickness:	Dia:	Weight:	Code No.
7mm	20mm	75gms	442071

Use : The Stichler is used to remove air from underneath tyre patch repairs and to ensure proper adhesion.**3 Special Stichler for Mushroom Kit**

Thickness:	Dia:	Weight:	Code No.
9mm	35mm	85gms	440727

Use : The Stichler is used to remove air from underneath tyre patch repairs and to ensure proper adhesion.**4 Stichler Wooden Handle**

Type:	Thickness:	Dia:	Weight:	Code No.
Economy Serrated	3mm	35mm	110gms	440009
Serrated	3mm	38mm	135gms	443831
Serrated	6mm	38mm	160gms	443861
Serrated	2mm	25mm	105gms	442521
Serrated	4mm	50mm	200gms	445041
Smooth	10mm	40mm	195gms	440008

Use : The Stichler is used to remove air from underneath tyre patch repairs and to ensure proper adhesion.**5 Flexible Skiving Knife**

Model:	Size:	Weight:	Code No.
Extra Sharp	100mm long	50gms	440004
Taper Point	100mm long	50gms	85008
Extra Curve	120mm long	52gms	85009
Round Point	90mm long	55gms	85010

Use : Used to cut and remove excess tyre repair plug ropes from the exterior of the type tread.**6 Hoe Style Inner Liner Scraper**

Colour:	Weight:	Code No.
Blue	120gms	440005
Black	120gms	440005BK

Use : For cleaning the inner liners for both puncture and section repair prior to buffing.**7 Tyre Injury Measuring Tool**

Weight:	Code No.
95gms	4400041

Use : A special tool used for measuring tyre injury varying from 3mm to 10mm.**8 Tyre Probe**

Handle:	Size:	Weight:	Code No.
Wooden	100mm long	110gms	4400021
Plastic	100mm long	65gms	4400031
Wooden	100mm long	64gms	4400061

Use : For verifying damages, course of injuries and removing small foreign objects from the tyre tread.**9 Tyre Puncture Nail Puller**

Model:	Size:	Weight:	Code No.
	185mm long	72gms	85017

Use : Used it for removing nails from the tyre during puncture repairs.**10 Hooked Awl**

Handle:	Size:	Weight:	Code No.
Wooden	300mm long	175gms	4400051

Use : For conveyor belt splicing & repairing.




11 85007-30

11 85007-50



12 85021



13 4400317

13 4400417

13 4400457

13 4400017

13 4400617

13 4401617

13 4402617

13 4400817

13 4401817

13 4400917

13 4401917

13 4401017

13 4401317



14 4403617



14 4404617



15 4400320




15 4400420



16 4400020



16 4400120



17 4400220



18 4400620

11 Rotary Gouges

Dia:	Speed:	Weight:	Code No.
30mm	Maximum 4500 rpm	43gms	85007-30
50mm	Maximum 4500 rpm	103gms	85007-50

Use : Rotary Gouges quickly remove rubber from the hole easily.

12 Wire Puller

Length	Weight	Code No.
190mm	12gms	85021

Use : Used to pull plugs through the repair hole while repairing a tire.

13 Angular Milling Cutter (High Speed Steel)

Blade Length :	Total Length:	Dia:	Weight:	Code No.
30mm	60mm	3mm	3gms	4400317
50mm	110mm	4mm	5gms	4400417
50mm	80mm	4.5mm	13gms	4400457
30mm	90mm	6mm	16gms	4400017
45mm	80mm	6mm	18gms	4400617
45mm	75mm	6mm	16gms	4401617
50mm	110mm	6mm	20gms	4402617
50mm	110mm	8mm	40gms	4400817
60mm	110mm	8mm	40gms	4401817
40mm	110mm	9mm	45gms	4400917
50mm	110mm	9mm	45gms	4401917
64mm	115mm	10mm	55gms	4401017
72mm	120mm	13mm	95gms	4401317

Use : For the precise injury preparation on radial and cross-ply tires.

14 Angular Milling Cutter in Screw Driver Handle

Blade Length:	Dia:	Weight:	Code No.
50mm	6mm	30gms	4403617
45mm	6mm	30gms	4404617

Material : High Speed Steel.

Use : The screw driver handle encloses the Angular Milling Cutter to be used manually.

Note : Angular Milling Cutter 4402617 is used in code No. 4403617.
Angular Milling Cutter 4400617 is used in code No. 4404617.

15 Car Tyre Spreader

Length:	Weight:	Code No.
235mm	55gms	4400320
330mm	90gms	4400420

Material : Plastic.

Use : Used in pair to open the beads of tyre.

16 Tyre Bench Spreader for Passenger Car

Size:	Weight:	Code No.
L-431mm, W-101mm, H-101mm	3.600kg	4400020
L-457mm, W-127mm, H-254mm	5.600kg	4400120

Material : CRC Steel.

Use : Tyre spreader is used for preparing the inspection and repair of Car and Truck tyres.

17 Tyre Bench Spreader for Passenger Car / Motorcycle

Size:	Weight:	Code No.
L-600mm, W-290mm, H-250mm	6.500kg	4400220

Material : CRC Steel.

Use : Holds the tube & provides a smooth base for processing. Spreads Car & Motorcycle tyres. Can be mounted on work bench. Suitable for very long stiff beads. High stability and strength.

18 Tyre Bench Spreader for Truck

Size:	Weight:	Code No.
L-640mm, W-315mm, H-270mm	14kg	4400620

Material : CRC Steel.



19 610008



20 440627



21 TMCHALKW



21 TMCHALKY



NSTAND

22 4400010KIT



PG-6

PG-1

PG-7



PG-6

PG-1

PG-7

NSTAND

23 4400011KIT



24 4400110H

PG-7




24 4400010H

PG-7



24 4400011H

PG-7



PG-0

PG-1

PG-2

PG-3

PG-11

PG-4

PG-5

PG-8

PG-9

PG-6

PG-7

PG-10

25 Needles

19 Air Gun

Size:	Weight:	Code No.
220mmx170mmxSuction Port Ø 28mm	300gms	610008
Use : High Performance Vacuum Tube provides excellent function of vacuum & even tiny dust as fine powder can be cleaned efficiently.		

20 Spherical Rasp

Stem Length:	Dia:	Weight:	Code No.
40mm	38mm	48gms	440627
Use : Used to remove & grind away ribs inside the tyre prior to puncture repair.			

21 Tyre Marking Chalk

Colour:	Size:	Box Weight:	Code No.
White	90mm long	180gms	TMCHALKW
Yellow	90mm long	180gms	TMCHALKY
Note : 10 pieces packed in one box.			

22 Chrome T- Handle Kit

Weight:	Code No.
382.5gms	4400010KIT

The Kit contains the following items:

Tool:	Size:	Qty:	Code No.
• Chrome T-handle	-----	1 No.	4400010H
• Spiral Probe	5"	1 No.	PG-6
• Open Eye Needle	4"	1 No.	PG-1
• Allen Key	-----	1 No.	PG-7
• Needle Stand	-----	1 No.	NSTAND

Note: Needle Stand is used for keeping the other needle handy when not in use.

23 Pistol Grip Handle Kit

Weight:	Code No.
137.5gms	4400011KIT

The Kit contains the following items:

Tool:	Size:	Qty:	Code No.
• Pistol Grip Handle	-----	1 No.	4400011H
• Spiral Probe	5"	1 No.	PG-6
• Open Eye Needle	4"	1 No.	PG-1
• Allen Key	-----	1 No.	PG-7
• Needle Stand	-----	1 No.	NSTAND

Note: Needle Stand is used for keeping the other needle handy when not in use.

24 Handle only for insertion with socket key and screw

Tool:	Weight:	Code No.
Aluminum T-Handle	105gms	4400110H
Chrome T- Handle	338gms	4400010H
Pistol Grip Handle	85gms	4400011H

Note: The Handles are supplied with Allen key.

25 Needles Only

Tool:	Size:	Weight:	Code No.
Open Eye Needle	3" (76mm)	10gms	PG-0
Open Eye Needle	4" (101mm)	15gms	PG-1
Open Eye Needle	6" (152mm)	15gms	PG-2
Open Eye Needle	8" (203mm)	20gms	PG-3
Side Split Needle	5" (127mm)	13gms	PG-11
Side Split Needle	8" (203mm)	20gms	PG-4
Close Eye Needle	4" (101mm)	10gms	PG-5
Close Eye Needle	8" (203mm)	22gms	PG-8
Close Eye Needle	9" (228mm)	25gms	PG-9
Spiral Probe	5" (127mm)	20gms	PG-6
Allen Key	-----	5gms	PG-7
Truck Rasp Needle	8" (203mm)	25gms	PG-10

**26 Open Eye Needle in Plastic T-Handle**

Colour:	Size:	Weight:	Code No.
Black	3"	60gms	4400015
Black	5"	70gms	4400415

27 Close Eye Needle in Plastic T-Handle

Colour:	Size:	Weight:	Code No.
Black	3"	65gms	4400215

28 Tyre Probe with Knurling in Plastic T-Handle

Colour:	Size:	Weight:	Code No.
Black	3"	60gms	4400315

29 Spiral Probe Needle In Plastic T-Handle

Colour:	Size:	Weight:	Code No.
Black	4"	65gms	4400115

30 Rasp Passenger Car In Plastic T-Handle

Colour:	Size:	Weight:	Code No.
Black	4"	55gms	4400515

31 Spiral Probe in Screw Driver PCV Handle

Colour:	Size:	Weight:	Code No.
Black	4"	55gms	4400123

32 Rasp Passenger Car in Screw Driver PVC Handle

Colour:	Size:	Weight:	Code No.
Red	4"	45gms	4400012
Black	4"	45gms	4400012BK

33 Close Eye Passenger Car Needle in Screw Driver PVC Handle

Colour:	Size:	Weight:	Code No.
Red	4"	45gms	4400112
Black	4"	45gms	4400112BK

34 Side Split Needle in Screw Driver PVC Handle

Colour:	Size:	Weight:	Code No.
Red	4"	40gms	4400122

35 Side Split Needle with Knurling in Screw Driver PVC Handle

Colour:	Size:	Weight:	Code No.
Black	3"	35gms	4400156
Black	4"	45gms	4400146

36 Passenger Car Reamer in Screw Driver PVC Handle

Colour:	Size:	Weight:	Code No.
Black	3"	25gms	4400614

37 Truck Rasp in Screw Driver PVC Handle

Thickness:	Size:	Weight:	Code No.
6mm	6"	80gms	4400414
6mm	8"	100gms	4400214
8mm	8"	120gms	4400514

38 Truck Close Eye Needle in Screw Driver Handle

Colour:	Size:	Weight:	Code No.
Black	8"	85gms	4400314
Black	7"	75gms	4400714BK

39 Side Split Needle Heavy Duty with Knurling in Screw Driver PVC Handle

Colour:	Size:	Weight:	Code No.
Red	8"	105gms	4400116

40 Side Split Needle with Knurling in Triangular Handle

Size:	Weight:	Code No.
4"	30gms	4400126



**41 Open Eye Needle in Pistol Grip Handle**

Colour:	Size:	Weight:	Code No.
Red & Black	3"	70gms	4401318
Red	3"	80gms	4400118
Black	3"	80gms	4400118BK
Red	4"	82gms	4400818
Red	5"	85gms	4400218
Black	5"	85gms	4400218BK
Red	6"	90gms	4400718
Red	8"	100gms	4400518

42 Spiral Probe in Pistol Grip Handle

Colour:	Size:	Weight:	Code No.
Red	4"	85gms	4400018

43 Close Eye Needle in Pistol Grip Handle

Colour:	Size:	Weight:	Code No.
Black	3"	85gms	4401218BK
Red	4"	85gms	4400318
Black	7"	87gms	4401118BK
Red	8"	87gms	4401018

44 Passenger Car Rasp in Pistol Grip Handle

Colour:	Size:	Weight:	Code No.
Red	4"	90gms	4400114
Black	4"	90gms	4400114BK

45 Truck Rasp in Pistol Grip Handle

Colour:	Size:	Weight:	Code No.
Red	8"	100gms	4400014
Black	8"	100gms	4400014BK

46 Side Split Needle Heavy Duty with Knurling in Pistol Grip Handle

Colour:	Size:	Weight:	Code No.
Red	8"	107gms	4400918

47 Side Split Needle in Pistol Grip Handle

Colour:	Size:	Weight:	Code No.
Black	6"	85gms	4400016
Red	8"	110gms	4400418

48 Tire Valve Tool Kit

The Kit Contains the following items:	Qty.	Weight:	Code No.
• Insertion tool	1 No.	255gms	440017
• Valve tool stem	1 No.		
• Valve puller	1 No.		





1 440037

1 Sarv Premium Kit (Tubeless Tyre Repair Kit in Plastic Box)

Weight: 1.600 kg
Code No. 440037

The Kit contains the following items:

Tool:	Size:	Qty:	Code No.
• Spiral Probe in Chrome T- Handle	4"	1 No.	44SP37
• Open Eye Needle in Chrome T-Handle	5"	1 No.	44OE37
• Allen Key	-----	1 No.	CT-3
• Cutting Knife	-----	1 No.	44SK47
• Paste	-----	1 No.	44PA37
• Flap of 5 Repair Strings	4"	4 No.	44RS07

2 Sarv Super Seal Kit (Mushroom Type Tubeless Tyre Repair Kit)

Weight: 350gms
Code No. 440027

The Kit contains the following items:

Tool:	Size:	Qty:	Code No.
• Mushroom Patch	3mm	10 No.	440127
• Mushroom Patch	6mm	5 No.	440227
• Tube of Solution	20ml	5 No.	440827
• Angular Milling Cutter	6mm	1 No.	4401617
• Angular Milling Cutter	3mm	1 No.	4400317
• Spherical Rasp	38mm ø	1 No.	440627
• Special Sticher for Mushroom Kit		1 No.	440727

Use : Rapid, reliable and permanent repair. Specially designed for puncture made by nails, scarves, bolts in tyres. Total compatibility with all makes of tyres.




2 440027

3 Sarv Rad Seal Kit (Tubeless Tyre Repair Kit for Bicycles)

Weight: 65gms
Code No. 440047

The Kit contains the following items:

Tool:	Qty:	Code No.
• Reaming tool in Screw Driver type Handle	1 No.	44RT47
• Insertion tool in Screw Driver type Handle	1 No.	44IT47
• Small Cutting Knife	1 No.	44SK47
• Flap of 5 repair Strings 2" long, Dia. 4mm	2 No.	44RS06
• Instruction sheet	1 No.	



3 440047



4 440007



5 440057



6 440067



7 44RS06

7 44RS07

4 Sarv - Seal Kit (Tubeless Tyre Repair Kit)

 Weight: 185gms
Code No. 440007

The Kit contains the following items:

Tool:	Size:	Qty:	Code No.
• Spiral Probe in PG Handle	4"	1 No.	44SP07
• Open Eye Needle in PG Handle	3"	1 No.	44OE07
• Cutting Knife	----	1 No.	44CK07
• Flap of 5 Repair Strings	4"	1 No.	44RS07
• Instruction Sheet		1 No.	

5 Sarv - Chrome Seal Kit (Tubeless Tyre Repair Kit)

 Weight: 445gms
Code No. 440057

The Kit contains the following items:

Tool:	Size:	Qty:	Code No.
• Chrome T-Handle	----	1 No.	4400010H
• Spiral Probe	4"	1 No.	44SP57
• Open Eye Needle	3"	1 No.	44OE57
• Allen Key	----	1 No.	CT-3
• Cutting Knife	----	1 No.	44CK07
• Flap of 5 Repair Strings	4"	1 No.	44RS07
• Instruction Sheet		1 No.	

6 Sarv - Blister Seal Kit (Tubeless Tyre Repair Kit)

 Weight: 165gms
Code No. 440067

The Kit contains the following items:

Tool:	Size:	Qty:	Code No.
• Spiral Probe in PG Handle	4"	1 No.	44SP07
• Open Eye Needle in PG Handle	3"	1 No.	44OE07
• Small Cutting Knife	----	1 No.	44SK47
• Flap of 5 Repair Strings	4"	1 No.	44RS07

7 Repair Strings

Colour:	Size (Flap):	Weight:	Code No.
Brown	2" long	3gms	44RS06
Brown	4" long	15gms	44RS07
Black	4" long	15gms	44RS07BK
Brown	8" long	25gms	44RS08
Black	8" long	25gms	44RS08BK


Packaging: 1 flap consists of 5 repair Strings.



7 44RS07BK



7 44RS08



1 610001



2 610002



3 610003



4 610004

4 610004N

4 610004L



5 610005L



5 610005



6 610006



6 610007

1 Universal Plus Brake Lathe Silencer and Chip Deflector with Velcro

Lenght:	Pad Thickness	Weight:	Code No.
210mm	9.53mm	85gms	610001

Note : Do not use on Pro-cut Brake Lathe.

Use : Eliminates vibration while cutting. Also ensures safety by deflecting chips towards the floor away from operators face. The strap keeps the silencer in place throughout the cut.

2 Extra Thick Clip on Silencer and Chip Deflector for On-Car Brake Lathe

Lenght:	Pad Thickness	Weight:	Code No.
210mm	19mm	85gms	610002

Note : Use with the on Pro-cut on-car Brake Lathe only.

Use : Used on car lathes, the silencer rides behind the tool bit to meet the vibration and noise where it starts. Long lasting pad.

3 Battery Terminal Plier

Open Size	Lenght	Weight:	Code No.
1/2"	180mm	300gms	610003

Material : Alloy Steel

Use : Used to Clean & Spread Battery Cable Clamp Terminals.

4 Tyre Branding Tool Rectangular

Size	Weight:	Code No.
70x35mm	1.00kg	610004

Description : Single Slot Holds Seven (Max), 12mm Replaceable Numbers & Letters.

Power use : 300W

Letters	: (A-Z)	Size	Code No.
		12mm	610004L

Numbers	: (0-9)	Size	Code No.
		12mm	610004N

Description : Number 0-9 & Letters A-Z (Sold Separately).

5 Tyre Branding Tool Round (with Protection Bag)

Weight:	Code No.
3.25kg	610005
(with Bag) 4.000kg	

Description : Single Slot Holds Four (Max), 25mm Replaceable Letters. The Brander is supplied in Heavy duty Canvas Bag.

Numbers : (25mm) Numbers 0-9 are Located Around the Outside of Head.

Power use : 1000W

Letters	: (A-Z)	Size	Code No.
		25mm	610005L


Description : Letters A-Z (Sold Separately).

6 Heavy Duty Wheel Puller


Hook:	Weight:	Code No.
Single Hook	6.00kg	610006
Double Hook	6.70kg	610007

Available : Single & Double Hook


Use : Used to remove Stuck hub heavy duty wheels. Eliminate need to crawling under vehicle.




1 550204




1 550004




1 550604




1 550804




1 553104




1 553204



2 553004



2 554504



3 558404

1 Rubber Pad for Passenger Car Lift

Size:

L-160mm, B-120mm, H-20mm
 L-160mm, B-120mm, H-40mm
 L-160mm, B-120mm, H-60mm
 L-160mm, B-120mm, H-80mm
 L-150mm, B-100mm, H-50mm
 L-150mm, B-100mm, H-100mm

Weight:

550gms
 1.300kg
 1.500kg
 2.260kg
 800gms
 1.970kg

Code No.

550204
 550004
 550604
 550804
 553104
 553204

Use : Used at the time of lift of vehicle for Wheel Alignment and repairs.
 Durable & long lasting.

2 Rubber Wheel Chock

Size:

L-230mm, B-99mm, H-94mm
 L-275mm, B-120mm, H-178mm
 L-233mm, B-180mm, H-140mm
 L-245mm, B-260mm, H-140mm

Weight:

1.436kg
 2.900kg
 3.700kg
 7.700kg

Code No.

553004
 554504
 551904
 558304

Material : Rubber.

Use : Prevents vehicles from rolling down during maintenance or storage.

3 Rubber Door Guard

Size:

L-360mm, B-35mm, H-35mm


Weight:

550gms


Code No.

558404


Use: Door Guard is used for the safety of passenger car door during lifting.




2 551904




2 558304




4 554404



4 555904



4 554304



4 557504PU



5 554204



5 554004



5 555004



5 556004



5 552104MET



5 557004



5 557004TH



5 552204



5 552304

4 Rubber Pad for Passenger Car Lifts

Size:

L-124mm, B-99mm, H-24mm
L-145mm, B-50mm, H-75mm
L-105mm, B-82mm, H-08mm
L-98.6mm, B-96mm, H-22mm

Weight:

330gms
315gms
85gms
100gms

Code No.

554404
555904
554304
557504PU

5 Round Rubber Pad for Passenger Car Lifts

Dia:

123 mm
127mm
127mm
140mm
120mm(with steel plate)
138mm
138mm
139mm
144mm

Thickness:

21mm
25mm
28mm
16mm
16mm
28mm
28mm
28mm
20mm

Weight:

155gms
250gms
250gms
300gms
450gms
300gms
300gms
340gms
270gms

Code No.

554204
554004
555004
556004
552104MET
557004
557004TH
552204
552304

Use : Used at the time of lifting of vehicle for Wheel Alignment and repairs.
Durable and long lasting.



6 552404



6 552504



6 552604



6 552604MET



6 552704



6 552704MET




6 552804



6 552904



6 554104MET



6 554105MET



6 554604W



6 554704



6 554904MET



6 555104

6 Round Rubber Pad for Passenger Car Lifts

Dia:	Thickness:	Weight:	Code No.
149mm	28mm	300gms	552404
121mm	28mm	250gms	552504
125.5mm	25mm	150gms	552604
127mm(with Steel plate)	25mm	460gms	552604MET
102mm	21mm	100gms	552704
103mm(with Steel plate)	21mm	300gms	552704MET
148mm	25mm	260gms	552804
123mm	23mm	162gms	552904
127mm(with Steel plate)	25mm	390gms	554104MET
117mm(with Steel plate)	25mm	253gms	554105MET
120mm	34mm	286gms	554604W
134mm	25mm	181gms	554704
125mm(with Steel plate)	28mm	350gms	554904MET
120mm	19mm	178gms	555104
100mm	22mm	130gms	555204
145mm	25mm	293gms	555304
120mm	22mm	133gms	555404
123mm	26mm	181gms	555504
140mm	27mm	285gms	555604
160mm	30mm	345gms	555704
120mm	19mm	132gms	555804
120mm	19mm	250gms	557604
122mm	27mm	380gms	557265W
140mm	20mm	266gms	557605

Use : Used at the time of lifting of vehicle for Wheel Alignment and repairs.
Durable and long lasting.



6 555204



6 555304



6 555404



6 555504




6 555604



6 555704



6 555804




6 557604



6 557265W




6 557605





1 552004




1 557266




2 556504





2 556604




2 556704



2 556804



2 556904



1 Rubber Pad for Passenger Car Jack (Square)

Size:
L-118mm, B-118mm, H-23mm

Weight:
155gms

Code No.
552004

USE: Rubber Pads Protect the Lifting Point.



2 Rubber Pad for Passenger Car Jack (Round)

Dia:	Thickness:	Weight:	Code No.
110mm	20mm	210gms	557266
101mm	47mm	391gms	556504
83mm	46mm	276gms	556604
66mm	39mm	146gms	556704
50mm(with Steel plate)	38mm	318gms	556804
100mm	53mm	309gms	556904
66mm	45mm	130gms	557104
62mm	23mm	65gms	557204
52mm	14mm	29gms	557304
39mm	15mm	21gms	557404
77mm	47mm	120gms	558204
		770gms	558204KIT



Note: Floor jack pad 558204 is suitable for Tesla models 3,S,X,Y




2 557104




2 557204



2 557304




2 557404




2 558204




2 558204KIT




1 551004




1 551104



1 556304



1 556404




1 551804


1 Bead Breaking Rubber Pad

Weight:	Code No.	Weight:	Code No.
910gms	551004	3.250kg	551804
480gms	551104	1.300kg	559004
355gms	556304	890gms	558004
455gms	556404	1.500kg	551404


Use : Used with Tyre Changing Machines to prevent scratches on rims during bead breaking.




1 559004



1 558004




1 551404




2 551204




2 551204WPC




3 551304



3 556204



4 551504



5 551704

2 Bead Breaking Rubber Pad

 Weight:
1.7kg

 Code No.
551204

Protection Cover for Bead Breaking Rubber Pad 551204

 Weight:
265gms

 Code No.
551204WPC

Material : Special Plastic.

Use : It protects the wheel when using the shovel to loosen the bead of the wheel

Note : 551204WPC protection cover fits on the bead breaking pad 551204.

3 Bead Breaking Rubber Pad

 Weight:
1.350kg
1.070kg

 Code No.
551304
556204

Material : PU.

4 Large Bead Loosener Front Pad (Nylon)

 Weight:
250gms

 Code No.
551504

5 Small Bead Loosener Front Pad (Nylon)

 Weight:
130gms

 Code No.
551704


6 Large Centre Rubber Pad

 Weight:
1.200kg


 Code No.
551604

7 Centre Rubber Pad

 Weight:
923gms

 Code No.
556104


6 551604



7 556104



Sarveshwari Engineers has now been assessed with the EUROPEAN CERTIFICATION COUNCIL INC.



Sarveshwari Engineers has now been assessed with the Quality Management System which conforms to ISO 9001: 2015



Sarveshwari Engineers has also been assessed with Environmental Management System which conforms to ISO 14001:2004/ISO 14001: 2015



Sarveshwari Engineers has now been assessed with the Management System which conforms to ISO 26000: 2010

AWARDS WON BY *Sarveshwari Engineers*



TRiLA COMPANY OF THE YEAR TYRE SERVICES EQUIPMENT 2018

Award: Tyre & Rubber Industry Leadership
Acknowledgment Awards 2018

BUSINESS SPHERE GROUP 2012-2013

Award: Top Company in Manufacturing Quality
Wheel Balancing Accessories & Tyre Changing Products.

One of the trailblazers:

Mr. MAHENDRA N. GOEL

President

Sarveshwari Engineers



STAR PERFORMER IN 2012-13 BASIC IRON & STEEL SMALL ENTERPRISES

Awarded by : EEPC INDIA to
Sarveshwari Engineers

MANUFACTURING AND EXPORTS TO 90+ COUNTRIES SINCE 1987



Sarveshwari Engineers

355 Deepali, Pitampura, Delhi - 110 034 (INDIA)

Tel.: 91-11-2702 3750, 91-11-2702 1499

Web: www.sarveshwari.com

E-mail : info@sarveshwari.com



or Log on to
www.sarveshwari.com



or Like our
Facebook Page
Sarveshwari Engineers



or Subscribe to our
YouTube Channel
Sarveshwari Engineers