




 **sarv**[®]
Professional Tyre & Garage Tools since 1987

RUBBER PADS FOR VEHICLE LIFTS & JACK




2 0 2 1 - 2 0 2 2







1 550204




1 550004




1 550604



1 550804




1 553104




1 553204




2 553004




2 554504




2 551904



3 554404



3 555904



3 554304



3 554204



4 554004



4 555004



4 556004



4 552104MET



4 557004



4 557004TH



4 552204



4 552304

1 Rubber Pad for Passenger Car Lift

Size:	Weight:	Code No.
L-160mm, B-120mm, H-20mm	530gms	550204
L-160mm, B-120mm, H-40mm	1.080kg	550004
L-160mm, B-120mm, H-60mm	1.450kg	550604
L-160mm, B-120mm, H-80mm	1.940kg	550804
L-150mm, B-100mm, H-50mm	785gms	553104
L-150mm, B-100mm, H-100mm	1.600kg	553204

Use : Used at the time of lift of vehicle for Wheel Alignment and repairs.
Durable & long lasting.

2 Rubber Wheel Chock

Size:	Weight:	Code No.
L-220mm, B-95mm, H-90mm	1.180kg	553004
L-265mm, B-120mm, H-175mm	3.650kg	554504
L-230mm, B-180mm, H-135mm	4.000kg	551904

Use : Ribbed Rubber Wheel Chock allows for ease of placement and drop-kick safety for Commercial Vehicles.

3 Rubber Pad for Passenger Car Lifts

Size:	Weight:	Code No.
L-122mm, B-96mm, H-24mm	310gms	554404
L-145mm, B-145mm, H-12mm	315gms	555904
L-105mm, B-82mm, H-08mm	80gms	554304

4 Round Rubber Pad for Passenger Car Lifts

Dia:	Thickness:	Weight:	Code No.
123 mm	21mm	155gms	554204
127mm	25mm	230gms	554004
127mm	28mm	240gms	555004
140mm	16mm	320gms	556004
120mm(with steel plate)	16mm	290gms	552104MET
138mm	28mm	300gms	557004
138mm	28mm	300gms	557004TH
139mm	28mm	340gms	552204
144mm	20mm	265gms	552304



5 552404



5 552504



5 552604



5 552604MET



5 552704



5 552704MET



5 552804



5 552904



5 554104MET



5 554604



5 554704



5 554904MET



5 555104



5 555204

5 Round Rubber Pad for Passenger Car Lifts

Dia:	Thickness:	Weight:	Code No.
145mm	26mm	335gms	552404
120mm	27mm	220gms	552504
123mm	25mm	165gms	552604
123mm(with Steel plate)	25mm	300gms	552604MET
100mm	21mm	105gms	552704
100mm(with Steel plate)	21mm	170gms	552704MET
148mm	25mm	260gms	552804
123mm	23mm	200gms	552904
123mm(with Steel plate)	23mm	390gms	554104MET
120mm	32mm	320gms	554604
130mm	24mm	220gms	554704
125mm(with Steel plate)	26mm	347gms	554904MET
120mm	19mm	185gms	555104
100mm	21mm	110gms	555204
145mm	25mm	290gms	555304
123mm	22mm	145gms	555404
123mm	26mm	180gms	555504
140mm	27mm	300gms	555604
160mm	30mm	395gms	555704
120mm	19mm	150gms	555804

Use : Used at the time of lift of vehicle for Wheel Alignment and repairs.
Durable and long lasting.



5 555304



5 555404



5 555504




5 555604




5 555704




5 555804




1 552004




2 556504




2 556604



2 556704



2 556804



2 556904

1 Rubber Pad for Passenger Car Jack (Square)

Size:

L-109mm, B-109mm, H-17mm

Weight:

155gms

Code No.

552004

2 Rubber Pad for Passenger Car Jack (Round)

Dia:

101mm

Thickness:

47mm

Weight:

390gms

Code No.

556504

83mm

46mm

275gms

556604

66mm(with Steel plate)

39mm

125gms

556704

50mm

38mm

320gms

556804

100mm

53mm

310gms

556904

66mm

42mm

130gms

557104

62mm

23mm

75gms

557204

52mm

14mm

30gms

557304

39mm


15mm

20gms


557404



2 557104



2 557204



2 557304



2 557404

MANUFACTURING AND EXPORTS TO **70+** COUNTRIES SINCE **1987**



WORLDWIDE PRESENCE



or Log on to
www.sarveshwari.com



or Like our
Facebook Page
Sarveshwari Engineers



or Subscribe to our
YouTube Channel
Sarveshwari Engineers



Professional Tyre & Garage Tools since 1987

Sarveshwari Engineers

355 Deepali, Pitampura, Delhi - 110 034 (INDIA)

Tel.: 91-11-2702 3750, 91-11-2702 1499

Web: www.sarveshwari.com

E-mail : info@sarveshwari.com

