



Professional Tyre & Garage Tools since 1987

Complete Tyre Care, Made Easy



Vehicle Garages



Professional Tyre Shops



Garage Equipment Manufacturers



Premium Quality

Garage Tools & Accessories For Automotive & Tyre Service Industry

2022-2023





Mr. Mahendra N. Goel
President

Sarveshwari Engineers stands at the forefront of technology & innovation delivering superior products in tandem with maximized cost effectiveness. Quality remains at the core of our commitment.

Our philosophy to nurture long term associations with our esteemed customers and partners stimulates us towards a systematic approach for rapid implementation. Our credo has been to identify and cater to ever changing needs of our clients adding value through monitoring and management processes, utilities and environment.

Our endeavour to strengthen partnerships and successfully execute projects to various markets in all major markets and companies across India and the international markets has enabled **sarv** achieve highest standard of excellence.

PRESENCE IN INTERNATIONAL EXHIBITIONS :



Reifen, Essen Germany



Automechanika, Frankfurt Germany



Autopromotec, Bologna Italy



Tyre Expo, Joburg South Africa



Sema Show, Las Vegas USA



The Tire Cologne, Cologne Germany



Professional Tyre & Garage Tools since 1987

Sarveshwari Group

Sarveshwari Engineers

Manufacturers and Exporters of Garage
Tools and Accessories

www.sarveshwari.com

Sarveshwari Technologies Ltd.

Workshop Tools & Equipments

www.garageequipments.com



ENGINEERING INNOVATION DESIGN

Sarveshwari Engineers popularly known by its brand name **sarv** with its success story going over more than 28 years in the automotive industry has gained international reputation with its high quality products and premium services.

Today **sarv** is synonymous with garage tools and equipment in terms of reliability, competency, outstanding service and pioneering innovation. We believe in constantly evolving with the needs of the customer in order to provide greater flexibility in national and international markets. With the skill of manufacturing tools and accessories for garage equipment through continuous R&D and an undaunted urge to achieve perfection, **sarv** stands as the most preferred brand for solutions for garage equipment manufacturers, professional tyre shops and garages.

At **sarv** we offer customized system solutions fulfilling needs of our customers with world-class products and excellent service of highest standards at any place and any time. Quality is the guiding light at **sarv**. The products manufactured undergo stringent quality control as per the international standards at our three manufacturing units at Kundli (Haryana) that have in-house facilities like steel forging, plastic moulding, sheet metal jobs, surface finishing and despatch logistics. Our focus to achieve and deliver the best has earned us global reputation and international presence.

Today **sarv** caters to more than 70 countries around the world including Germany, Italy, France, UK, U.S.A, Poland, Australia, Middle East, Africa, Japan, Malaysia, Singapore.

With our Engineering, Innovation and Design, we aspire to become the ultimate solution provider for the entire tyre market and let the world seek no further!

Facility-1



Facility-2



Facility-3





**SOLUTIONS FOR
VEHICLE GARAGES**



**SOLUTIONS FOR
PROFESSIONAL TYRE SHOPS**



**SOLUTIONS FOR GARAGE
EQUIPMENT MANUFACTURERS**














**IN HOUSE
MANUFACTURING**



ENGINEERING • INNOVATION • DESIGN

TABLE OF CONTENTS

Wheel Balancing Machine Accessories.....02 - 06	
Wheel Alignment Machine Accessories.....07 - 11	
Rubber Pads for Vehicle Lifts.....12 - 14	
Rubber Pads for Jack.....15 - 15	
Tyre Service Tools.....16 - 23	
Tyre Changing Machine Accessories.....24 - 36	
Rubber & Nylon Pads For Tyre Changers.....37 - 38	
Tyre Valve Tools.....39 - 41	
Tyre Repair Tools.....42 - 46	
Tubeless Tyre Repair Kits.....47 - 48	
Miscellaneous Tools49 - 49	



1 110001



1 110011



1 110031



1 110051



2 110101



2 1100019



3 115011



4 111001



5 110021



6 110184



7 110009



8 110002



9 110003

1 Wheel Balancing Weight Plier (Premium)

Colour:	Size:	Weight:	Code No.
Red	255mm long	395gms	110001
Black	255mm long	395gms	110011
Blue	255mm long	395gms	110031
Green	255mm long	395gms	110051

Material : Drop Forged Chrome Vanadium Steel, hardened & tempered for longer life.

Finish : Sand Blasted, Nickel Chrome plated polished hammer head with PVC coated handle for hand protection.

Use : Loosening, cutting to size & securing wheel weights.

2 Wheel Balancing Weight Plier with Soft Head

Size:	Weight:	Code No.
255mm long	390gms	110101

Use : Loosening, cutting to size & securing wheel weights on the Aluminum Alloy rims.

Special Plastic Hammer Head

Size:	Weight:	Code No.
27mm Dia (OD)	7gms	1100019

Note : This Hammer head fits only on the Plier 110101.

3 Wheel Balancing Weight Plier

Size:	Weight:	Code No.
255mm long	341gms	115011

Material : Drop Forged Chrome Vanadium Steel, hardened & tempered.

Finish : Sand Blasted, Nickel Chrome Plated polished Hammer head with PVC coated handle for hand protection.

4 Wheel Balancing Weight Plier

Size:	Weight:	Code No.
260mm long	380gms	111001

Material : Drop Forged Chrome Vanadium Steel, hardened & tempered.

Finish : Black Powder Coating with red PVC handle.

5 Plier with Longer Hammer (Heavy & Strong)

Size:	Weight:	Code No.
260mm long	535gms	110021

Material : Drop Forged Chrome Vanadium Steel, hardened & tempered.

Finish : Heavy & extra strong. Black Powder Coating with red PVC handle.

6 Deluxe Soft Head Wheel Weight Plier

Size:	Weight:	Code No.
260mm long	500gms	110184

Material : Heat Strengthened Steel. Comfortable Vinyl handle grip. Replaceable special Plastic durable Hammer cap.

7 Wheel Balancing Weight Plier for Truck

Size:	Weight:	Code No.
265mm long	680gms	110009

Material : Drop Forged Chrome Vanadium Steel, hardened & tempered.

Use : Removing and fixing of Truck wheel weights.

8 Wheel Balancing Weight Plier (Sheet Metal)

Size:	Weight:	Code No.
250mm long	315gms	110002

Material : Sheet Metal of EN9 Steel, hardened and tempered.

Finish : Sand Blasted Auto Black, with red PVC handle.

9 Wheel Balancing Weight Plier with Soft Head (Sheet Metal)

Size:	Weight:	Code No.
240mm long	400gms	110003

Material : Sheet metal of EN9 Steel, hardened and tempered.

Finish : Sand Blasted Auto Black, PVC coated handles for hand protection.


Use : For removing and fixing of wheel weights having replaceable Nylon soft head with Nylon coated remover to prevent scratching.




10 110204




11 110174




12 110046



12 110056



12 110006



12 110026



13 1100012



14 1100014



15 110229



16 110029



17 1100212

10 Adhesive Weight Removing Plier

Size:	Weight:	Code No.
260mm long	425gms	110204

Material : Chrome Vanadium Steel / Special Alloy.

Use : Removes adhesive weights easily without damaging the soft metal rim. Light weight yet heavy duty. Comfortable angled design makes it go deeply inside.

11 Adhesive Weight Cutter

Size:	Weight:	Code No.
190mm long	245gms	110174

Material : Carbon Steel.

Use : Used for cutting easily the segments of adhesive weight strip.

12 Adhesive Balance Weight Remover

Colour:	Size:	Weight:	Code No.
Red	225mm long	80gms	110046
Red	265mm long	125gms	110056
Red	272mm long	85gms	110006
Blue	272mm long	85gms	110006BLU
Red	270mm long	75gms	110026
Blue	270mm long	75gms	110036

Material : PA6

Use : For removing emblems, body moulding or adhesive wheel weights without damaging alloy rims. Can be re-sharpened. Easily scrapes off wheel weights, sticker or gasket.

13 Clip Fitting Tool

Size:	Weight:	Code No.
220mm long	130gms	1100012

Material : CRC Sheet Steel.

Opening : 15.5mm & 19.0mm

Use : Tool designed for fixing/removing two piece balance weight. Used to hook & lift the clip for the fixing or removal of weight body.

14 Insertion Tool For Spoke Weights

Size:	Weight:	Code No.
460mm long	1.100kg	1100014

Material : Special Steel Casting.

Finish : Sand Blasted Powder Coating.

Use : A specialized tool for application of weights on spoked motorcycle rims. It transmits the energy required to close the weights without damage to the spokes, rims or tyre.

15 Wheel Weight Fixer

Size:	Weight:	Code No.
280mm long	450gms	110229

Material : Wooden handle, special Plastic Hammer head & middle part made from Casting.

Use : Used for securing/fixing wheel balancing weights by hammering clip weights and adhesive strips. Having special Plastic Hammer head to protect the wheel weights and light metal alloy rims.

16 Wheel Weight Remover/Fixer

Size:	Weight:	Code No.
280mm long	440gms	110029

Material : Replaceable Pin made from Special Spring Steel.

Use : For fixing & removing wheel balance weights while balancing wheels. Having special Plastic Hammer head to protect the coated wheel weights & alloy rims.

17 Bead Compression Tool

Size:	Weight:	Code No.
490mm long	4.000kg	1100212

Material : Made from Cast Steel.

Use : Designed to compress the bead wall of an inflated tyre for the insertion of a balancing weight clip. It is released so that the inflated tyre holds the clip in position.



18 110007



19 110008



20 1100010



21 110005



21 110025



22 110015



23 1143694



23 1160814



23 11791104



23 11881374



23 11951854



24 110404

18 Rim Width Caliper (Standard)

Size:	Weight:	Code No.
Measures wheel rim width from 3" to 14"	450gms	110007

Material : ABS (Acrylonitrile Butadiene Styrene) for greater impact, strength & longer durability.

Finish : High surface finish. Measuring scales have been designed by in mould and hot stamped for longer life and best readability.

Use : Measures wheel rim width while balancing in 1/2" or 1" increment.

19 Rim Width Caliper (with Ears)

Size:	Weight:	Code No.
Measures wheel rim width from 4" to 13" Inner dia 10" to 17"	480gms	110008

Material : PA6 glass filled or ABS.

Finish : Black colour dull finish. The scales are screen printed for easy and quick readability.

Use : For measuring inner and outer width of the wheels.

20 Rim Width Caliper (for Trucks)

Size:	Weight:	Code No.
Measure wheel rim width from 4" to 16"	1.350kg	1100010

Material : PA6 glass filled for super impact resistance. Measuring jaws made out of Steel pipe.

Finish : Black colour and dull finish.

Use : Measuring rim width of Truck wheels.

21 PCD Measuring Tool

Weight:	Code No.
110gms	110005
120gms	110025

Material : PA6 glass filled.

Use : To measure pitch circle diameter of wheels having mounting holes 3, 4 and 5.

22 PCD Measuring Tool

Weight:	Code No.
105gms	110015

Material : PA6 glass filled.

Use : To measure pitch circle diameter of wheels having mounting holes 3, 4, 5 and 6.

23 Self Centering Cone (Available in Two Bore Sizes)

	For 36mm dia shaft		For 40mm dia shaft	
Rim Hole Size:	Weight	Code No.	Weight:	Code No.
Dia 43.0-65mm	400gms	1143693	340gms	1143694
Dia 54.0-80mm	900gms	1160813	790gms	1160814
Dia 74.0-112mm	2.100kg	11791103	2.050kg	11791104
Dia 88.5-137mm	1.725kg	11881373	1.625kg	11881374
Dia 98.0-183mm	-----	-----	5.500kg	11951854

Note : Cone 11951854 is used for Heavy Commercial Vehicles.

CONESSET (Set of 3 Cones for 36mm & 40mm shaft)

Cones for 36mm dia shaft		Weight:	Code No.
1143693, 1160813, 11791103		3.400kg	CONESSET36
Cones for 40mm dia shaft		Weight:	Code No.
1143694, 1160814, 11791104		3.180kg	CONESSET40

24 Threaded Shaft

Size:	Weight:	Code No.
36 x 3mm	1.100kg	110363
40 x 3mm	1.165kg	110403
40 x 4mm	1.170kg	110404

Use : Threaded shaft for Wheel Balancing Machine needed for the mounting of wheels for balancing.

**25 Quick Lock Nut for Wheel Balancing Machine**

Size:	Weight:	Code No.
36 x 3mm	570gms	1103659
40 x 3mm	575gms	1104059
40 x 4mm	575gms	1114059
36 x 3mm	800gms	1133659
40 x 3mm	800gms	1134059
40 x 4mm	800gms	1144059

Use : Used for clamping wheels on the shaft of the Wheel Balancing Machine.

Inserts for Quick Lock Nut

Dia:	Size:	Weight:	Code No.
20mm	36 x 3mm	40gms	1123659
20mm	40 x 3mm	40gms	1124059
20mm	40 x 4mm	40gms	1134059

26 Standard Pressure Cup (with Rubber Ring)

Dia:	Height:	Weight:	Code No.
130mm (5")	60mm	235gms	1104049
		Suitable for 1103659	
130mm (5")	60mm	200gms	1104050
		Suitable for 1104059	
115mm (4.5")	64mm	300gms	1104051
150mm (6")	76mm	480gms	1104052
126mm (5")	58mm	160gms	1104054
		Suitable for 1144059	

Material : PA6 glass filled.

Use : Used with Quick Release Nut of Wheel Balancing Machine.

27 Rubber Ring for Pressure Cup

Used with:	Weight:	Code No.
Pressure cup 1104049	29gms	1104049R
Pressure cup 1104050	23gms	1104050R
Pressure cup 1104051	46gms	1104051R
Pressure cup 1104052	62gms	1104052R
Pressure cup 1104054	54gms	1104054R

Material : Special Blended Rubber.

Use : Protects finished wheel surfaces when using a cup to clamp.

28 Wheel Clamping Cup

Dia:	Height:	Weight:	Code No.
217mm	36mm	420gms	1104060

Material : PA6 glass filled

Rubber Ring for Clamping Cup

Dia:	Height:	Weight:	Code No.
225mm	8.4mm	115gms	1104060R

Use : For securing the wheel on shaft of the machine while balancing.

29 Pressure Ring

Dia:	Height:	Weight:	Code No.
82mm	25mm	60gms	1104053

Material : PA6 glass filled.

Use : Protects finished wheel surfaces when using a cup to clamp. Prevents metal to metal contact between the wheel balancer wing nut and wheel rim significantly increasing clamping force. Fits Aluminum Wing Nut. Aids in centering the wheel assembly on the balancer shaft.

30 Motorcycle External Clamping Kit

Weight:	Code No.
6.300kg	113040KIT

The Kit contains the following items:

	Qty.
Balancer Shaft	1 No.
Spacer	3 No.
Shaft Nuts	8 No.
Cones	4 No.

Use : Mounts Motorcycle wheels for balancing without removing the bearings on the Balancing Machines. The out clamp arms keep the wheel firmly in place. Supplied with mounting hardware. Suitable for 40mm shaft dia.

**30 113040 KIT**



31 110040UA



31 CRING58

31 CRING60

31 CRING65



32 1100518 - 1112018



33 1100528 - 1106028



34 1105038 - 1120038



35 1105048 - 1150048



36 1100058



36 1100050



36 1110060

31 Universal Wheel Balancing Adaptor**Weight:**
5.00kg**Code No.**
110040UA**Material :** Special Steel.**Finish :** Nickel Plating.**Use :** Standard centering device to balance rims without central hole.
Suitable for 36 / 38 / 40 mm shaft dia.
Valid for rims with 3, 4, 5 & 6 screws.**Centering rings for Universal Wheel Balancing Adaptor**

Dia:	Weight:	Code No.
58mm	191gms	CERING58
60mm	212gms	CERING60
65mm	271gms	CERING65

Use : These rings are used for balancing the rims of French brands because just tightening the centering bolts is not enough.
Dia 58mm ring is used for Citroen & Peugeot.
Dia 60mm ring is used for Renault.
Dia 65mm ring is used for Citroen, Peugeot and Renault.**32 Balancing Weights for Steel Rims**

Weight:	Code No.	Weight:	Code No.
5gms	1100518	65gms	1106518
10gms	1101018	70gms	1107018
15gms	1101518	75gms	1107518
20gms	1102018	80gms	1108018
25gms	1102518	85gms	1108518
30gms	1103018	90gms	1109018
35gms	1103518	95gms	1109518
40gms	1104018	100gms	1110018
45gms	1104518	105gms	1110518
50gms	1105018	110gms	1111018
55gms	1105518	115gms	1111518
60gms	1106018	120gms	1112018

Use : To accurately balance the wheels for proper run on the roads.**33 Wheel Balancing Clip Weights for Alloy Rims**

Weight:	Code No.	Weight:	Code No.
5gms	1100528	35gms	1103528
10gms	1101028	40gms	1104028
15gms	1101528	45gms	1104528
20gms	1102028	50gms	1105028
25gms	1102528	55gms	1105528
30gms	1103028	60gms	1106028

34 Wheel Balancing Weights for LCV Steel Rims


Weight:	Code No.	Weight:	Code No.
50gms	1105038	125gms	1112538
75gms	1107538	150gms	1115038
100gms	1110038	200gms	1120038

35 Wheel Balancing Weights for Truck/Bus Steel Rims

Weight:	Code No.	Weight:	Code No.
50gms	1105048	250gms	1125048
75gms	1107548	300gms	1130048
100gms	1110048	400gms	1140048
150gms	1115048	500gms	1150048
200gms	1120048		

36 Wheel Balancing Sticker Weights for Alloy Rims

Material:	Weight:	Code No.
Lead	Per Strip 60gms	1100058
Steel	Per Strip 50gms	1100050
Steel	Per Strip 60gms	1110060




1 551024



2 5561024



3 5551024



4 5541024



5 550127

5 550147

5 550197

5 550227

5 550218



5 550828

5 550428

5 550628

5 550728

1 Clamp for Measuring Head of Wheel Alignment M/c Four Point with PUSH TYPE Fingers (Claws) - Passenger Car/Truck / Buses

Rim Size:	Bore Size:	Weight:	Code No.
12" to 25"	15mm, 16mm, 20mm	3.500kg	551024

Use : For holding sensors of Wheel Alignment Machine.

Packing : Two pieces packed in thermocol box and cardboard box to prevent damage in transit.

2 Clamp for Measuring Head of Wheel Alignment M/c Four Point with PUSH TYPE Fingers (Claws) - Passenger Car /Truck / Buses

Rim Size:	Bore Size:	Weight:	Code No.
10" to 26"	14mm, 15mm, 16mm, 20mm	3.500kg	5561024

Use : For holding sensors of Wheel Alignment Machine.

Packing : Two pieces packed in thermocol box and cardboard box to prevent damage in transit.

3 Clamp for Measuring Head of wheel Alignment M/c Three Point

Tyre Size:	Bore Size:	Weight:	Code No.
10" to 26"	14mm, 16mm, 20mm & 24mm	3.500kg	5551024

Use : For holding sensors of Wheel Alignment Machine.

Packing : One piece packed in corrugated box to prevent damage in transit.

4 Wheel Alignment Clamp (5 PIN)

Bore Size:	Weight:	Code No.
15mm	4.400kg	5541024

Material : Aluminum Casting with red Powder Coating.

Use : Used especially for alignment of Mercedes / BMW / Audi.

5 Finger Tool (Claws) for Wheel Clamps

Length:	Dia:	Weight:	Code No.
48mm	12mm	30gms	550127
58mm	12mm	37gms	550147
89mm	12mm	70gms	550197
48mm	14mm	30gms	550227
44mm	10mm	36gms	550218
120mm	14mm	122gms	550828
79mm	12mm	42gms	550428
86mm	14mm	62gms	550628
85mm	14mm	71gms	550728

Material : Made from Stainless Steel & Carbon Steel.

Use : Set of 4 fingers (claws) suitable for Steel & Alloy rims.



H : 50mm

6 1100017



H : 45mm

7 1100117



H : 50mm

8 1100817



H : 55mm

9 1101017

6 Mechanical Turn Table

Dia (Top Plate):
275mmWeight:
9.250 kgCode No.
1100017Size : L-320mm, W-400mm, H-50mm \pm 1mm

Capacity: 1000kg each.

Material : Made from heavy duty Steel Sheet. Black Powder Coated to prevent rusting. 24 Steel Balls (\varnothing 15mm) used in Plastic cage.

Use : Used for easy turning of tyre left / right during alignment of the Passenger Car.

7 Mechanical Turn Table with Scale

Dia (Top Plate):
310mmWeight:
9.750kgCode No.
1100117

Size : L-380mm, W-350mm, H-45mm

Capacity: 1000kg each having scale of \pm 0°-60°Material : Made from heavy duty Steel Sheet. 24 Steel Balls (\varnothing 15mm) used in Plastic cage.

Use : Used for easy turning of tyre left / right during alignment of the Passenger Car.

8 Mechanical Turn Table with Scale

Dia (Top Plate):
350mmWeight:
12.440kgCode No.
1100817

Size : L-370mm, W-370mm, H-50mm

Capacity: 1500kg each having scale of \pm 0°-60°Material : Made from heavy duty Steel Sheet. Electro Less Nickel Plating to prevent rusting. 36 Steel Balls (\varnothing 12mm) used in Plastic cage.

Use : Used for easy turning of tyre left / right during alignment of the Passenger Car.

9 Mechanical Turn Table for Passenger Car with Scale, Ramp & Centre Line

Dia (Top Plate):
350mmWeight:
25.00kgCode No.
1101017

Size : L-370mm, W-695mm, H-55mm

Capacity: 1500kg each having scale of \pm 0°-60°Material : Special Steel. Electro Less Nickel Plating. 36 Steel Balls (\varnothing 12mm) used in Plastic cage.

Use : Used for easy turning of tyre left / right during alignment of the Passenger Car. Ramp is made on Turn Table 1100817 and makes it easy for vehicle movement.

10 Aluminum Turn Table with Scale & Rubber Stoppers (Light Weight)

Dia (Top Plate):
350mmWeight:
6.700kgCode No.
1101317

Size : L-395mm, W-395mm, H-50mm

Capacity: 1500kg each having scale of \pm 0°-60°Material : Made from special grade of Aluminum. 88 Delrin Balls (\varnothing 10mm) used in Plastic cage.

Use : Used for easy turning of tyre left / right during alignment of the Passenger Car.

Rubber Stoppers Only (For Turn Table 1101317)


Qty:
Set of 2pcsWeight:
153gms per pc.Code No.
1101317RS

Size : L-322mm, W-55mm, H-16mm




H : 50mm


10 1101317




11 1100517




12 1110917




13 11103517



14 11104517



15 11101517



16 11105517

11 Mechanical Turn Table
Dia (Top Plate):
 355mm

Weight:
 25.00kg

Code No.
 1100517

Size : L-450mm, W-450mm, H- 50mm

Capacity: 2000kg each.

Material : Made from Cold Roll (CRC) Steel Sheet. 54 Delrin Balls. (Ø12mm) used in Plastic cage.

Use : Used for easy turning of tyre left / right during alignment.
12 Mechanical Turn Table with Rubber Stoppers
Dia (Top Plate):
 360mm

Weight:
 17.00kg

Code No.
 1110917

Size : L-470mm, W-500mm, H-45mm

Capacity: 2500kg each.

Material : Special Steel. EN Coating. 48 Delrin Balls (Ø12mm) used in Plastic cage.

Use : Used for easy turning of tyre left / right during alignment.
 can also fit in the scissor lift.
13 Mechanical Turn Table (Low Height)
Dia (Top Plate):
 360mm

Weight:
 13.00kg

Code No.
 1103517

Size : L-430mm, W-430mm, H-20mm

Capacity: 5500kg

Material : Made from Cold Roll (CRC) Steel Sheet. 48 Delrin Balls. (Ø12mm) used in Plastic cage.

Use : Used for easy turning of tyre left / right during alignment of Truck / Buses.
14 Mechanical Turn Table (LCV)
Dia (Top Plate):
 415mm

Weight:
 28.00kg

Code No.
 1104517

Size : L-480mm, W-480mm, H-50mm

Capacity: 4500kg each

Material : Made from Cold Roll (CRC) Steel Sheet. 68 Delrin Balls. (Ø14.3mm) used in Plastic cage.

Use : Used for easy turning of tyre left / right during alignment of Truck / Buses.
15 Mechanical Turn Table for Truck/ Buses
Dia (Top Plate):
 615mm

Weight:
 49.00kg

Code No.
 1101517

Size : L-650mm, W-650mm, H-50mm

Capacity: 5000kg each having scale of $\pm 0^\circ - 20^\circ$
Material : Made from Cold Roll (CRC) Steel Sheet. 204 Delrin Balls. (Ø12mm) used in Steel cage.

Use : Used for easy turning of tyre left / right during alignment of Truck / Buses.
16 Mechanical Turn Table for Heavy Duty
Dia (Top Plate):
 650mm


Weight:
 100kgs

Code No.
 1105517

Size : L-750mm, W-750mm, H-88mm

Capacity: 10000kg each having scale of $\pm 0^\circ - 90^\circ$
Material : Made from Cold Roll (CRC) Steel Sheet. 204 Delrin Balls. (Ø18mm) used in Steel cage.

Use : Used for easy turning of tyre left / right during alignment of Truck / Buses.




H : 50mm

17 1100217



H : 50mm

18 1100917




H : 19mm

19 1101417




H : 74mm

20 1100317

17 Mechanical Turn Table (Heavy Duty)**Dia (Top Plate):**
350mm**Weight:**
27.400kg**Code No.**
1100217**Size** : L-350mm, W-400mm, H- 50mm**Capacity:** 2500kg each.**Material** : Special Steel. Zinc Plating. 48 Steel Balls (Ø12mm) used in Steel cage.**Use** : Used for easy turning of tyre left / right during alignment of Light Commercial Vehicles.**18 Mechanical Turn Table with Rubber Stoppers****Dia (Top Plate):**
360mm**Weight:**
15.250kg**Code No.**
1100917**Size** : L-400mm, W-470mm, H-50mm**Capacity:** 1500kg each.**Material** : Special Steel. Zinc Plating. 48 Steel Balls (Ø12mm) used in Plastic cage.**Use** : Used with 3D Wheel Alignment Machines for easy turning of tyre left / right.**Rubber Stoppers Only (For Turn Table 1100917)****Qty:**
Set of 2pcs**Weight:**
2.920kg per pc.**Code No.**
1100917RS**Size** : L-540mm, W-90mm, H-50mm**19 Mechanical Turn Table for Truck / Buses (Light Weight)****Dia:**
400mm**Weight:**
6.750kg**Code No.**
1101417**Thickness:** 19mm**Capacity:** 6000kg each.**Material** : Made from special grade of Aluminum. Powder Coating 220 Steel Balls. (Ø10mm).**Use** : Used for easy turning of tyre left / right during alignment of Light Commercial Vehicles.**20 Mechanical Turn Table for Truck / Buses with Scale****Dia (Top Plate):**
480mm**Weight:**
45.000kg**Code No.**
1100317**Size** : L-480mm, W-480mm, H-74mm**Capacity:** 7000kg each having scale of $\pm 0^\circ - 60^\circ$ **Material** : Made from Cold Roll (CRC) Steel Sheet. 120 Delrin Balls. (Ø18mm) used in Plastic cage.**Use** : Used for easy turning of tyre left / right during alignment of Truck / Buses.**21 Mechanical Turn Table for Truck / Buses with Scale, Ramp & Centre Line****Dia (Top Plate):**
480mm**Weight:**
67.00kg**Code No.**
1101117**Size** : L-480mm, W-881mm, H-79mm**Capacity:** 7000kg each having scale of $\pm 0^\circ - 60^\circ$ **Material** : Special Steel. Delrin Balls (Ø18mm) used in Plastic cage.**Use** : Used for easy turning of tyre left / right during alignment of Truck / Buses. Ramp is made on Turn Table 1100317 and makes it easy for vehicle movement.

H : 79mm

21 1101117



22 1105417 WHEEL ALIGNMENT TURN TABLE REBUILD KIT (STANDARD)



23 1130017

H : 50mm



24 1168017

H : 50mm



25 111184



25 111384



26 112184



26 112284

22 Wheel Alignment Turn Table Rebuild Kit (Standard)

Weight:
455gms

Code No.
1105417

The Kit contains the following items :

	Qty
• 9/16" (14mm) Derlin Balls	54 No.
• Stainless Steel Lock Pins	4 No.
• Retainer Rings with Spring assemblies	2 No.
• Steel Set Screws	2 No.
• Steel Top Screws	2 No.

Material : The Retainer Rings are made from Nylon Plastic.

Note : Retainer Ring Inner Dia : 5 7/8", Outer Dia : 7 3/4".

23 Rear Wheel Alignment Slip Plate

Top Plate Length:
300mm

Weight:
9.000kg

Code No.
1130017

Size : L-350mm, W-340mm, H- 50mm

Capacity: 1000kg each.

Material : Sheet Metal.

Use : Used for aligning the rear wheel of Passenger Car.

24 Rear Wheel Alignment Slip Plate

Top Plate Length:
1520mm

Weight:
100.000kg

Code No.
1168017

Size : L-1640mm, W-670mm, H- 50mm

Capacity: 2500kg each.

Material : Sheet Metal.

Use : Used for aligning the rear wheel of Passenger Car.

25 Brake Pedal Depressor

Length:
755mm
740mm

Weight:
900gms
915gms

Code No.
111184
111384

Use : Depresses brake while doing alignment. All metal parts are electroplated.

26 Steering Wheel Holder

Length:
430mm
315mm

Weight:
1.210kg
675gms

Code No.
112184
112284

Use : It securely holds the steering wheel in position when setting toe angle. Covered with soft Plastic to prevent damage to the steering wheel.

27 Steering Wheel Holder with Thumb Lock Release

Length:
300mm

Weight:
695gms


Code No.
112384

Use : It securely holds the steering wheel in position when setting toe angle. Works with a trigger controlled mechanism. Ergonomically designed with a thumb lock release.


Note : The Steering Wheel Holder 112384 is suitable for Car/Truck/Buses.




27 112384




1 550204




1 550004




1 550604




1 550804




1 553104




1 553204



2 553004



2 554504




2 551904



3 557804



3 557904



3 558004

1 Rubber Pad for Passenger Car Lift

Size:	Weight:	Code No.
L-160mm, B-120mm, H-20mm	530gms	550204
L-160mm, B-120mm, H-40mm	1.080kg	550004
L-160mm, B-120mm, H-60mm	1.450kg	550604
L-160mm, B-120mm, H-80mm	1.940kg	550804
L-150mm, B-100mm, H-50mm	785gms	553104
L-150mm, B-100mm, H-100mm	1.600kg	553204

Use : Used at the time of lift of vehicle for Wheel Alignment and repairs.
Durable & long lasting.

2 Rubber Wheel Chock

Size:	Weight:	Code No.
L-220mm, B-95mm, H-90mm	1.180kg	553004
L-265mm, B-120mm, H-175mm	3.650kg	554504
L-230mm, B-180mm, H-135mm	4.000kg	551904

Material : Rubber.

Use : Prevents vehicles from rolling down during maintenance or storage.

3 Metal Wheel Chock (Small) Passenger Car

Tyre Size Radius:	Capacity:	Weight:	Code No.
R 360 (Max)	2000kg	1.800kg	557804

Metal Wheel Chock (Medium) LCV


Tyre Size Radius:	Capacity:	Weight:	Code No.
R 460 (Max)	5000kg	3.500kg	557904

Metal Wheel Chock (Large) Heavy Duty


Tyre Size Radius:	Capacity:	Weight:	Code No.
R 560 (Max)	7000kg	5.000kg	558004

Material : MS.


Use : Prevents vehicles from rolling down during maintenance or storage.




4 554404



4 555904



4 554304



4 557504PU



5 554204



5 554004



5 555004



5 556004



5 552104MET



5 557004



5 557004TH



5 552204



5 552304

4 Rubber Pad for Passenger Car Lifts

Size:

L-122mm, B-96mm, H-24mm
L-145mm, B-145mm, H-12mm
L-105mm, B-82mm, H-08mm
L-101mm, B-96mm, H-10mm

Weight:

310gms
315gms
80gms
120gms

Code No.

554404
555904
554304
557504PU

5 Round Rubber Pad for Passenger Car Lifts

Dia:

123 mm
127mm
127mm
140mm
120mm(with steel plate)
138mm
138mm
139mm
144mm

Thickness:

21mm
25mm
28mm
16mm
16mm
28mm
28mm
28mm
20mm

Weight:

155gms
230gms
240gms
320gms
290gms
300gms
300gms
340gms
265gms

Code No.

554204
554004
555004
556004
552104MET
557004
557004TH
552204
552304



6 552404



6 552504



6 552604



6 552604MET



6 552704




6 552704MET



6 552804



6 552904



6 554104MET



6 554604



6 554704



6 554904MET



6 555104



6 555204

6 Round Rubber Pad for Passenger Car Lifts

Dia:	Thickness:	Weight:	Code No.
145mm	26mm	335gms	552404
120mm	27mm	220gms	552504
123mm	25mm	165gms	552604
123mm(with Steel plate)	25mm	300gms	552604MET
100mm	21mm	105gms	552704
100mm(with Steel plate)	21mm	170gms	552704MET
148mm	25mm	260gms	552804
123mm	23mm	200gms	552904
123mm(with Steel plate)	23mm	390gms	554104MET
120mm	32mm	320gms	554604
130mm	24mm	220gms	554704
125mm(with Steel plate)	26mm	347gms	554904MET
120mm	19mm	185gms	555104
100mm	21mm	110gms	555204
145mm	25mm	290gms	555304
123mm	22mm	145gms	555404
123mm	26mm	180gms	555504
140mm	27mm	300gms	555604
160mm	30mm	395gms	555704
120mm	19mm	150gms	555804
138mm	20mm	250gms	557604

Use : Used at the time of lift of vehicle for Wheel Alignment and repairs.
Durable and long lasting.



6 555304



6 555404



6 555504



6 555604




6 555704




6 555804




6 557604




1 552004




2 556504




2 556604



2 556704



2 556804



2 556904

1 Rubber Pad for Passenger Car Jack (Square)

Size:
L-109mm, B-109mm, H-17mm

Weight:
155gms


Code No.
552004

2 Rubber Pad for Passenger Car Jack (Round)

Dia:	Thickness:	Weight:	Code No.
101mm	47mm	390gms	556504
83mm	46mm	275gms	556604
66mm(with Steel plate)	39mm	125gms	556704
50mm	38mm	320gms	556804
100mm	53mm	310gms	556904
66mm	42mm	130gms	557104
62mm	23mm	75gms	557204
52mm	14mm	30gms	557304
39mm	15mm	20gms	557404



2 557104



2 557204



2 557304



2 557404



1 220047



2 220057



3 220067



4 2224276



4 2227336



4 2230336



5 2200226



6 2200014



7 220025



7 220035



7 220045

1 Wheel Nut Cap / Cover Removal Tool**Weight:**
15gms**Code No.**
220047**Material :** Special Plastic.**Use :** It just slides over the cap. Snaps into position and when pulled, it extracts and retains the plastic cap in the tool. Fits all Peugeot Citroen models with removable nut cover.**2 Lug Nut Cap Puller****Size:**
260mm long**Weight:**
395gms**Code No.**
220057**Material :** Special Steel.**Finish :** Electro Plating.**Use :** A specialized tool to remove 32mm & 33mm Lug Nut Covers / Caps from Truck wheels.**3 Chrome Lug Nut Cover Puller (Heavy Duty)****Size:**
285mm long**Weight:**
500gms**Code No.**
220067**Material :** Special Steel.**Finish :** Black colour.**Use :** A specialized tool to remove 32mm & 33mm Lug Nut Covers / Caps from Truck wheels.**4 Double Ended Wheel Wrench for Trucks**

Length:	Size:	Weight:	Code No.
400mm	24 X 27	2.200kg	2224276
400mm	27 X 32	2.200kg	2227326
400mm	30 X 32	2.310kg	2230326
400mm	24 X 33	2.250kg	2224336
400mm	27 X 30	2.200kg	2227306
400mm	27 X 33	2.200kg	2227336
400mm	30 X 33	2.300kg	2230336
400mm	21 X 41	2.300kg	2221416

Material : Chrome Vanadium / Carbon Steel.**Finish :** Bright Nickel Chrome Plating / Black Powder Coating.**Use :** Loosening & tightening of Truck wheel nuts.**5 Tommy Bar**

Dia:	Size:	Weight:	Code No.
20mm	500mm long	1.250 kg	2200226

Material : Forged Chrome Vanadium Steel.**Finish :** Black colour.**Use :** Truck wrench handle heat-treated for strength and durability. Suitable for all sarv Truck Wrenches.**6 Four Way Wheel Nut Wrench for Trucks**

Length:	Size:	Weight:	Code No.
570mm	24X27X32X3/4" square	3.000kg	2200014

Material : Forged Chrome Vanadium / Carbon Steel.**Finish :** Bright Nickel Chrome Plating.**7 Four Way Wheel Nut Wrench for Passenger Cars**

Length:	Size:	Weight:	Code No.
400mm	17X19X21X22	1.415kg	220025
400mm	17X19X22X1/2" square	1.420kg	220035
400mm	17X19X21X1/2" square	1.355kg	220045

Material : Forged Chrome Vanadium Steel / Carbon Steel with welded centers to achieve the desired strength.**Finish :** Bright Nickel Chrome Plating / Black Powder Coating.**Use :** Loosening & tightening of Passenger Car wheel nuts.



8 220714



9 222001



9 223001



9 224001



9 220404



10 220001



10 220002



10 220002S



10 225001



10 225101



10 225201



11 225301



12 225401

8 Lever for Bicycles

Size:	Weight:	Code No.
110mm (4")	25gms	220714

Material : Nylon Plastic.

9 Tyre Lever

Size:	Weight:	Code No.
200mm (8")	240gms	222001
300mm (12")	385gms	223001
400mm (16")	630gms	224001
400mm (16")	375gms	220404

Material : Forged Chrome Vanadium Steel, hardened & tempered.

Finish : Sand Blasted surface with Nickel Chrome Plating.

Use : Used for Motorcycle / Scooter tyre service.

10 Tyre Lever

Type:	Size:	Weight:	Code No.
With Boot	500mm (20")	800gms	220001
---	500mm (20")	785gms	220002
---	500mm (20")	815gms	220002S
Thin Cross Sectional thickness of 7mm	500mm (20")	640gms	225001
---	500mm (20")	800gms	225101
Run Flat	500mm (20")	820gms	225201

Material : Forged Chrome Vanadium Steel, hardened & tempered.

Finish : Sand Blasted surface with Nickel Chrome Plating.

Use : Used for Passenger Car tyre service.

11 Silk Lever

Size:	Weight:	Code No.
500mm (20")	765gms	225301

Material : Forged Chrome Vanadium Steel, hardened & tempered.

Finish : Sand Blasted surface with Nickel Chrome Plating.

Use : Smooth, heavy duty & sturdy. One side is screwed with two strong protective Nylon 6 plastic inserts and one insert on other side of the lever.

No separate boot is required for shifting position to avoid direct contact between rim and lever.

Good for both steel and Aluminum rims.

12 Tyre Lever with screwed back protection.

Size:	Weight:	Code No.
500mm (20")	800gms	225401

Material : Forged Chrome Vanadium Steel, hardened & tempered.

Finish : Sand Blasted surface with Nickel Chrome Plating.

Use : Smooth, heavy duty & sturdy. One side is completely screwed with strong Nylon 6 plastic protection.

Good for both steel and Aluminum rims.

No separate boot is required for shifting position to avoid direct contact between rim and lever.

**13** 220008**14** 226001**15** 220003**16** 2200012**17** 220274**18** 220284**19** 220094**20** 220264**21** 220134**22** 221314**13 Tyre Lever**

Size:	Weight:	Code No.
600mm (24")	930gms	220008

Material : Forged Chrome Vanadium Steel, hardened & tempered.**Finish** : Sand Blasted surface with Nickel Chrome Plating.**14 Run Flat Lever**

Size:	Weight:	Code No.
600mm (24")	865gms	226001

Material : Forged Chrome Vanadium Steel, hardened & tempered.**Finish** : Sand Blasted surface with Nickel Chrome Plating.**15 Truck Tyre Lever with Crank End**

Size:	Weight:	Code No.
610mm (24")	1.360kg	220003

Material : Forged Chrome Vanadium Steel, hardened & tempered.**Finish** : Sand Blasted surface with Nickel Chrome Plating.**Use** : Suitable for LCV, Trucks and large wheels, this tyre lever is extra heavy duty with crank end.**16 Lever for Removal of Locking Rings**

Size:	Weight:	Code No.
470mm (18")	720gms	2200012

Material : Forged Chrome Vanadium Steel, hardened & tempered.**Finish** : Sand Blasted surface with Nickel Chrome Plating.**Use** : To remove locking rings of tube type tyres.**17 Rim Straightener Lever**

Size:	Weight:	Code No.
390mm (15")	500gms	220274

Material : Special Steel.**Finish** : Sand Blasted surface with Nickel Chrome Plating.**Use** : Used for repairing of deformation on the rim flange. Suitable for Steel rims.**18 Tubeless Truck Tyre Lever with Hook**

Size:	Weight:	Code No.
675mm (26.6")	1.550kg	220284

Material : Forged Chrome Vanadium Steel.**Finish** : Sand Blasted surface with Nickel Chrome Plating.**Use** : Used for mounting on wide base rims.**19 Swan Neck Leverage Bar**

Size:	Weight:	Code No.
760mm long	2.400kg	220094

Material : Forged CV Steel, hardened & tempered. Black colour.**Use** : Used to remove frozen or rusted beads from all types of Truck / Farm / OTR rims.**20 Lever for Truck Lock Rings**

Size:	Weight:	Code No.
900mm long	1.900kg	220264

Use : Used for multi-piece wheels especially hub type.**21 Impact Bead Breaker**

Size:	Weight:	Code No.
1270mm-2030mm long	10.500kg	220134

Material : Steel Pipe. Black colour.**Use** : Used to easily loosen beads of the tyre with bead-breaking foot and ram bar but never cuts the bead of the tyre.**22 Trilex Lever for Tubeless Truck/ Bus Tyre**

Size:	Weight:	Code No.
1045mm long	3.200kg	221314

Material : CV Steel and Steel Pipe.**Use** : A double mounting lever for 3 piece rims.



23 220204



24 2202045



25 220154



26 220164



27 220214



28 220194




29 220174



30 220184



31 220004



32 220244



33 220234



34 220224

23 Wheel Flange Loosener

Dia:	Size:	Weight:	Code No.
32mm	300mm long	1.800kg	220204

Material : Forged CV Steel, hardened & tempered. Black colour.

Use : Used for loosening rusted Truck and Bus Beads. Speeds up Truck tyre repair work and saves labour and time.

24 Wheel Flange Loosener with Plastic Hand Protection

Dia:	Colour:	Size:	Weight:	Code No.
32mm	Red	330mmx93mm	1.850kg	2202045
32mm	Blue	330mmx93mm	1.850kg	2202045S

Material : Forged CV Steel, hardened & tempered.

Finish : Sand Blasted surface with Nickel Chrome Plating.

Use : Used to loosen rusted Truck and Bus Beads. Speeds up Truck tyre repair work. Easy to handle.

25 Special Lever for Motorcycle Tyres with Stopper

Size:	Weight:	Code No.
390mm long	540gms	220154

Material : Forged CV Steel, hardened & tempered. Black colour.

26 Lever for Tubeless Tyres for Passenger Cars

Size:	Weight:	Code No.
390mm long	565gms	220164

Material : Forged CV Steel, hardened & tempered. Black colour.

27 Lever for Tube and Tubeless Truck Tyres Mounted on Flat Rims

Size:	Weight:	Code No.
420mm long	810gms	220214

Material : Forged CV Steel, hardened & tempered. Black colour.

28 Lever for Tube and Tubeless Truck Tyres - mounted on Flat Rims

Size:	Weight:	Code No.
460mm long	1.050kg	220194

Material : Forged CV Steel, hardened & tempered. Black colour.

29 Lever for small size Tubeless Truck & Tractor Tyres - mounted on Drop-Centre Rims

Size:	Weight:	Code No.
530mm long	1.050kg	220174

Material : Forged CV Steel, hardened & tempered. Black colour.

30 Lever for big size Tubeless Truck & Tractor Tyres - mounted on Drop-Centre Rims

Size:	Weight:	Code No.
760mm long	1.630kg	220184

Material : Forged CV Steel, hardened & tempered. Black colour.

31 Lever for Tubeless Truck Tyre - mounted on 15° drop-centre rims

Size:	Weight:	Code No.
800mm long	1.950kg	220004

Material : Forged CV Steel, hardened & tempered. Black colour.

32 Lever for Lug Base and Earthmover Tyres - mounted on Drop-Centre Rims

Size:	Weight:	Code No.
940mm long	2.180kg	220244

Material : Forged CV Steel, hardened & tempered. Black colour.

33 Lever for Earthmover Tyres

Size:	Weight:	Code No.
965mm long	2.780kg	220234

Material : Forged CV Steel, hardened & tempered. Black colour.

34 Lever for Truck, Tractor / OTR Tyres

Size:	Weight:	Code No.
1400mm long	11.300kg	220224

Material : Forged CV Steel, hardened & tempered. Black colour.



- 35 Demounting Lever for Tubeless Truck/ Bus Tyre**
Size: 1780mm long **Weight:** 6.500kg **Code No.** 220314
Material : Casting and Steel Pipe.
- 36 Mounting Lever for Tubeless Truck/ Bus Tyre**
Size: 1050mm long **Weight:** 2.600kg **Code No.** 220414
Material : Casting and Steel Pipe.
- 37 Mounting Lever for Tubeless Truck/ Bus Tyre**
Size: 1040mm long **Weight:** 2.950kg **Code No.** 220514
Material : Casting and Steel Pipe. Black Powder Coating.
Use : This mounting lever is ideal for Aluminum rims.
- 38 Demounting Lever for Tubeless Truck/ Bus Tyre**
Size: 1610mm long **Weight:** 10.100kg **Code No.** 220614
Material : Casting and Steel Pipe. Black Powder Coating.
Use : This demounting lever is ideal for Aluminum rims.
- 39 Demounting Lever for 17.5" Tubeless Truck/ Bus Tyre**
Size: 1500mm long **Weight:** 6.500kg **Code No.** 221414
Material : Special Steel Casting. Powder Coating.
Use : Specialized lever for demounting 17.5" Truck / Bus tyre.
- 40 Heavy Duty Mounting Lever for Tubeless Truck/Bus Tyre**
Size: 1210mm long **Weight:** 3.400kg **Code No.** 220814
Use : Used for a variety of tyre changing applications.
- 41 Rim Lock Ring Removal Tool**
Size: 1050mm long **Weight:** 3.500kg **Code No.** 220914
Material : Casting and Steel Pipe. Powder Coating.
Use : Specialized wrench to remove single lock rings of Truck / Bus tyre rims after bead breaking.
- 42 Rim Lock Ring Fitting Tool**
Size: 1230mm long **Weight:** 2.950kg **Code No.** 221014
Material : Forged CV Steel, hardened & tempered.
Use : Specialized wrench to fit rings of Truck / Bus tyre rims. Used in pair.
- 43 Wheel Cover Puller/Replacer**
Size: 350mm long **Weight:** 610gms **Code No.** 220011
 452mm long 820gms **Code No.** 220211
Material : Steel Rod.
Use : Removes wheel covers quickly and easily without damaging or scratching them. Rubber head prevents damage to the hub cap and is replaceable.
- 44 Rubber Mallet**
Size: 420mm long **Weight:** 480gms **Code No.** 220420
 300mm long 1.200kg **Code No.** 220430
Use : Rubber Head Mallet prevents damage to the rim surface.
- 45 Pump Ring Rigid for Tubeless Truck Tyre**
Size: 22.5" **Weight:** 11.000kg **Code No.** 224222
Rubber Ring for Pump Ring Rigid
Weight: 3.500kg **Code No.** 224222R
- 46 Pump Ring Flexible for LCV and HCV Tubeless Tyre**
Sectional Dia: **Size:** **Weight:** **Code No.**
 25mm 15.5" 500gms 224215
 25mm 17.5" 750gms 224217
 25mm 22.5" to 24.5" 1.000kg 224224
Use : Used for sealing the tyre beads of the rims.



47 2201017



47 2200117



48 2200217



48 2200517



49 2200317



50 2200417



51 2200717



52 550005



53 224430



53 224432



54 224232



54 224233




54 224332



54 224333



55 224232CH



Soft plastic insert



55 224332CH

47 Tyre Tread Depth Gauge (Plastic)

Size:	Weight:	Code No.
0 - 30mm	10gms	2201017
0 - 30mm	30gms	2200117

48 Tyre Tread Depth Gauge (Stainless Steel)

Size:	Weight:	Code No.
For Passenger Car tyre 0 - 50mm	30gms	2200217
For Truck tyre 0 - 90mm	85gms	2200517

49 OTR Tread Depth Gauge (Aluminum)

Size:	Weight:	Code No.
0 - 150mm /	170gms	2200317
0 - 192 (32 NDS)		

Use : For measurement of Earthmover tyre tread depth. Supplied with case. Easy readability due to Glass lens.

50 OTR Tread Depth Gauge (Acrylic Plastic)

Size:	Weight:	Code No.
0 - 160mm /	55gms	2200417
0 - 192 (32 NDS)		

Use : For measurement of Earthmover tyre tread depth. Supplied with case.

51 Dial Type Tread Depth Gauge

Size:	Weight:	Code No.
0 - 110mm	80gms	2200717

52 Tool to Cancel Tyre Tread

Weight:	Code No.
110gms	550005

Material : Blades are made from Special Steel.

53 WHEEL PROTECT Loose Wheel Nut Indicator

Size:	Code No.	Size:	Weight:	Code No.
17mm	224417	30mm	2gms	224430
19mm	224419	32mm	2gms	224432
21mm	224421	33mm	2gms	224433
24mm	224424	36mm	2gms	224436
26mm	224426	38mm	2gms	224438
27mm	224427	40mm	2gms	224440
		41mm	2gms	224441

Material : Special Durable Plastic.

Colour : Fluorescent Yellow, Red, Pink, Green, Orange.

Note : Customized colour can be provided for large orders.

54 Dust Cap & Loose Wheel Nut Indicator

Type:	Size:	Weight:	Code No.
Upper arrow	32mm	17gms	224232
Upper arrow	33mm	17gms	224233
Bottom arrow	32mm	17gms	224332
Bottom arrow	33mm	17gms	224333

Material : Special Durable Plastic.

Colour : Green, Red, Yellow, Pink.

Note : Customized colour can be provided for large orders.

55 CHROME PROTECT Dust Cap Loose Wheel Nut Indicator (Fitted with Soft plastic insert)

Type:	Size:	Weight:	Code No.
Upper arrow	19mm	20gms	224219CH
Upper arrow	21mm	20gms	224221CH
Upper arrow	32mm	60gms	224232CH
Upper arrow	33mm	60gms	224233CH
Bottom arrow	32mm	45gms	224332CH
Bottom arrow	33mm	45gms	224333CH

Material : Made from heavy duty & high quality special durable plastic.

Finish : Chrome Plated.


Use : Soft plastic insert fitted inside provides better grip with lug nut and makes them easy to put on and take off. Prolongs the service life of studs & nuts through protection from corrosion, weathering & damage. Complements the look of vehicles with chrome wheels.



56 220303 Rim Lock Ring Fitting/ Removal Tool Kit (For Tube-Type Tyres)



57 220403 STANDARD TOOL KIT



58 220503 REGULAR TOOL KIT

56 Rim Lock Ring Fitting/ Removal Tool Kit (For Tube-Type Tyres)

	Weight:	Code No.
	12.870kg	220303
(With Bag)	17.470kg	220303B

The Kit contains the following items:

Tool:	Qty:	Weight:	Code No.
Bag with Wheels (optional)	1 No.	4.600kg	220302
Ring Removal Tool	1 No.	3.500kg	220914
Ring Fitting Tool	2 No.	2.950kg	221014
Tyre Lever 600mm	1 No.	930gms	220008
Tyre Lever with Crank End	1 No.	1.360kg	220003
Valve Core Screw Driver	1 No.	25gms	330002

Use : Mounting/demounting tube-type tyres (single and double lock ring) in less than 2 mins. Complete demo on "Sarv" Youtube channel.



57 Tubeless Tyre Mount/Demount Standard Tool Kit

	Weight:	Code No.
	17.930kg	220403
(With Bag)	22.530kg	220403B

The Kit contains the following items:

Tool:	Qty:	Weight:	Code No.
Bag with Wheels (optional)	1 No.	4.600kg	220302
Tyre Lever	2 No.	1.950kg	220004
Tyre Lever	1 No.	1.630kg	220184
Impact Bead Breaker	1 No.	10.500kg	220134
Bead Holding Tool	1 No.	350gms	220400
Valve Core Screw Driver	1 No.	25gms	330002
Sarv Paste (Economy)	1 No.	1.000kg	2200130
Brush for Truck Tyre	1 No.	150gms	220415
Duster	1 No.	15gms	D0015

Use : Mounts / Demounts all types of tubeless tyres 17.5" to 24.5".



58 Tubeless Tyre Mount/Demount Regular Tool Kit


	Weight:	Code No.
	21.560kg	220503

The Kit contains the following items:

Tool:	Qty:	Weight:	Code No.
Mounting lever	1 No.	2.600kg	220414
Demounting Lever	1 No.	6.500kg	220314
Impact Bead Breaker	1 No.	10.500kg	220134
Bead Holding Tool	1 No.	770gms	220500
Valve Core Screw Driver	1 No.	25gms	330002
Sarv Paste (Economy)	1 No.	1.000kg	2200130
Brush for Truck Tyre	1 No.	150gms	220415
Duster	1 No.	15gms	D0015

Use : Mounts all type of tubeless tyres 20" to 24.5". Demounts tyre in 8 seconds and remounts in 20 seconds. Works on standard and super single duplex tyres.



**59 221503 REGULAR TOOL KIT****59 Tubeless Tyre Mount/Demount Regular Tool Kit**
Weight:
9.870kg

Code No.
221503

The Kit contains the following items:

Tool:	Qty:	Weight:	Code No.
• Mounting Lever	1 No.	2.600kg	220414
• Demounting Lever	1 No.	6.500kg	220314
• Bead Holding Tool	1 No.	770gms	220500

**60 220603 SMART TOOL KIT****60 Tubeless Tyre Mount/Demount Smart Tool Kit**
Weight:
25.870kg
(With Bag) 30.470kg

Code No.
220603
220603B

The Kit contains the following items:

Tool:	Qty:	Weight:	Code No.
• Bag with Wheels (optional)	1 No.	4.600kg	220412
• Mounting Lever	1 No.	2.950kg	220514
• Demounting Lever	1 No.	10.100kg	220614
• Impact Bead Breaker	1 No.	10.500kg	220134
• Bead Holding Tool	1 No.	770gms	220500
• Valve Core Screw Driver	1 No.	25gms	330002
• Sarv Paste (Economy)	1 No.	1.000kg	2200130
• Brush for Truck Tyre	1 No.	150gms	220415
• Duster	1 No.	15gms	D0015

Use : Mounts all type of tubeless tyres 20" to 24.5". Demounts tyre in 8 seconds and remounts in 20 seconds.
**61 220905 TUBELESS TYRE MOUNT DEMOUNT TOOL KIT FOR 17.5" TYRES****61 Tubeless Tyre Mount/Demount Tool Kit for 17.5" Tyre**
Weight:
22.200kg
(With Bag) 26.600kg

Code No.
220905
220905B

The Kit contains the following items:

Tool:	Qty:	Weight:	Code No.
• Bag with Wheels (optional)	1 No.	4.600kg	220412
• Mounting Lever	1 No.	3.400kg	220814
• Demounting Lever	1 No.	6.500kg	221414
• Impact Bead Breaker	1 No.	10.500kg	220134
• Bead Holding Tool	1 No.	250gms	220513
• Valve Core Screw Driver	1 No.	25gms	330002
• Sarv Paste (Economy)	1 No.	1.000kg	2200130
• Brush for Truck Tyre	1 No.	150gms	220415
• Duster	1 No.	15gms	D0015

Use : Specifically designed to mount/demount 17.5" tyres without damaging the tyre bead and rim.




1 220118



1 220118F



1 226018



1 224518



2 220218



2 220218TB



2 222418



2 220518




2 220518P



2 220618



2 220618N



2 220718



2 226518



2 222518



2 222518J



2 220918



3 220918R



3 225018R

1 Tyre Mount/Demount Tool (Steel) for Automatic Tyre Changers for Motorcycles

Bore Dia:	Weight:	Code No.
28mm	460gms	220118
28mm	460gms	220118F
28mm	370gms	226018
28mm	435gms	224518

Material : Made out of Special Spring Steel. Nickel Plating.

Use : For removing tyres on all types of steel rims.

2 Tyre Mount/Demount Tool (Steel) for Automatic Tyre Changers for Passenger Cars

Tapered Bore Dia:	Bore Dia:	Weight:	Code No.
-----	28mm	690gms	220218
24mm	31mm	690gms	220218TB
-----	28mm	550gms	222418
-----	29mm	600gms	220518
-----	29mm	615gms	220518P
29mm	33mm	580gms	220618
29mm	33mm	620gms	220618N
-----	28mm	600gms	220718
-----	28mm	600gms	226518
-----	28mm	600gms	222518
-----	28mm	600gms	222518J
-----	28mm	600gms	220818
-----	30mm	600gms	226318
-----	28mm	670gms	220918

Material : Made out of Special Spring Steel. Nickel Plating.

3 Tyre Mount/Demount Tool (Steel) with Rubber Ring for Automatic Tyre Changers for Passenger Cars

Tapered Bore Dia:	Bore Dia:	Weight:	Code No.
-----	28mm	685gms	220918R
28mm	30mm	617gms	225018R
28mm	30mm	617gms	225118R

Material : Made out of Special Spring Steel. Nickel Plating.

Rubber Ring for Tyre Mount/Demount Tool (Steel) with Collar

Size:	Weight:	Code No.
35mm	15gms	RUBRING

Note : RUBRING fits on Mount / Demount tools 220918, 220918R, 225018R, 225118R.



2 220818



2 226318



3 225118R



3 RUBRING



4 220318



4 221618



4 221618Y



4 226418



4 222218



4 220418



4 Tyre Mount/Demount Tool (Plastic) for Automatic Tyre Changers

Bore Dia:	Weight:	Code No.
28mm	175gms	220318
-----	155gms	221618
-----	155gms	221618Y
28mm	225gms	226418
28mm	195gms	222218
28mm	216gms	220418
-----	200gms	221418
Consumable Plastic part	12gms	221418RS
28mm	195gms	222118
-----	195gms	221818
28mm	215gms	221918

Material : Made from Special Blended Nylon Plastic (Nylon 66).

Use : Wearing Mount/Demount Tool Head protects tyre & rim from metal to metal contact damage. Using Plastic Mount/Demount Tool Head is much safer for delicate and expensive wheels yet durable enough to withstand the stress of larger tyres and wheels.

Note : The Consumable Plastic part 221418RS can be used on the Plastic Mount/Demount tools 221418 and 222118.

5 Wide Tool Head for Lever less Tyre Changers

Size:	Weight:	Code No.
L-139mm, W-42mm	144gms	222318

Material : Made from Special Blended Nylon Plastic (Nylon 66).

6 Tool Head for Lever less Tyre Changers

Size:	Weight:	Code No.
L-174mm, W-81mm	175gms	222818

Material : Made from Special Blended Nylon Plastic (Nylon 66).

Use : Useful in low profile application.



5 222318



6 222818



4 221418RS



4 221418



4 222118



4 221818



4 221918





7 225918



7 221718



7 221718Y



7 221518



8 226718



8 228818



7 Tyre Mount/Demount Tool (Plastic) for Automatic Tyre Changers

Bore Dia:	Weight:	Code No.
28mm	210gms	225918
-----	185gms	221718
-----	185gms	221718Y
29mm	210gms	221518
29/30mm	195gms	222018

Material : Made from Special Blended Nylon Plastic (Nylon 66).

Use : Wearing Mount/Demount Tool Head protects tyre & rim from metal to metal contact damage. Using Plastic Mount/Demount Tool Head is much safer for delicate and expensive wheels yet durable enough to withstand the stress of larger tyres and wheels.

Tyre Mount/Demount Tool (Plastic) for Automatic Tyre Changers

Tapered Bore Dia:	Bore Dia:	Weight:	Code No.
25mm	30mm	151gms	226718
25mm	30mm	181gms	228818

Material : Made from Special Blended Nylon Plastic (Nylon 66).

Use : Wearing Mount/Demount Tool Head protects tyre & rim from metal to metal contact damage. Using Plastic Mount/Demount Tool Head is much safer for delicate and expensive wheels yet durable enough to withstand the stress of larger tyres and wheels.

9 Tyre Mount/Demount Tool (Plastic) with Hardware

Tapered Bore Dia:	Bore Dia:	Weight:	Code No.
25mm	30mm	198gms	226718KIT
25mm	30mm	260gms	228818KIT

Material : Made from Special Blended Nylon Plastic (Nylon 66).

Use : Wearing Mount/Demount Tool Head protects tyre & rim from metal to metal contact damage. Using Plastic Mount/Demount Tool Head is much safer for delicate and expensive wheels yet durable enough to withstand the stress of larger tyres and wheels.



7 222018



9 226718KIT



9 228818KIT



**10** 228918KIT**10 Quick Change Kit**
Weight:
 1.920kg

Code No.
 228918KIT

The 228918KIT contains the following items:

Tool:	Qty:	Weight:	Code No.
• Plastic Head with Quick Change Connector	1 No.	1.050kg	228918
• Connector set	1 No.	870gms	228918C

Use : Quick change kit help interchange the steel and plastic mount demount heads quickly and easily.
**11** 224418KIT**11 Quick Change Kit**
Weight:
 1.865kg

Code No.
 224418KIT

The Kit contains the following items:

Tool:	Qty:	Weight:	Code No.
• Quick Change Adaptor	1 No.	1.255kg	224418
• Plastic Head with Tool Holder	1 No.	610gms	224618

Use : Quick change kit help interchange the steel and plastic mount demount heads quickly and easily.
**12** 225318KIT**12 Quick Change Tool Holder Kit**
Weight:
 1.647kg

Code No.
 225318KIT

The Kit contains the following items:

Tool:	Qty:	Weight:	Code No.
• Quick Change Adaptor	1 No.	1.255kg	224418
• Tool Holder	1 No.	392gms	224618TH

Use : These tool holders help interchange the steel and plastic mount demount heads quickly and easily.
**16** 221116**16** 222116**13** 220116**13 Combo Tool**
Size:
 480mm

Weight:
 2.500kg

Code No.
 220116

Material : Durable Alloy Steel.

Finish : Sand Blasted Nickel Chrome Plated.

Use : Specially designed to mount/demount tyre on center post tyre changers for effortlessly and damage free.

Plastic Inserts for Combo Tool

Size:	Weight:	Code No.
Small	11gms	221116
Big	21gms	222116

Material : Nylon 6



15 222618

14 223618



15 221318

14 223418



15 225518

14 223018



15 225518

14 223118



15 224818

14 222918



15 223918

14 223218



15 224718

14 223718



15 224718F

14 223718FR



15 225818

14 226218



15 223918

14 225618

14 Tyre Mount/Demount Tool (Plastic) with Tool Holder

Tapered Bore Dia:	Bore Dia:	Weight:	Code No.
-----	33mm	350gms	223618
-----	28mm	730gms	223418
-----	29/30mm	750gms	223018
-----	29mm	700gms	223118
-----	28mm	870gms	222918
-----	28mm	685gms	223218
-----	28mm	530gms	223718
-----	28mm	556gms	223718FR
25mm	28mm	500gms	226218
-----	28mm	780gms	225618

Material : Made from Special Blended Nylon Plastic (Nylon 66).

15 Tool Holder for Plastic Mount/Demount Tools

Tapered Bore Dia:	Bore Dia:	Weight:	Code No.
-----	28mm	480gms	221318
-----	28mm	547gms	221318H
29mm	33mm	180gms	222618
-----	28mm	275gms	224718
-----	28mm	287gms	224718F
-----	29/30mm	400gms	225518
-----	28mm	475gms	223918
23mm	28mm	320gms	225818
-----	28mm	715gms	224818

Material : Made out of Special Steel.

Use : Tool Holders are fitted on various Plastic Mount / Demount Tools as per following code nos. :

Tool Holder:	Mount/Demount Tool:
221318	- Fits on 220318, 220418, 222118
221318H	- Fits on 220318, 220418, 222118
222618	- Fits on 221618, 221618Y
224718	- Fits on 221718, 221718Y
224718F	- Fits on 221718, 221718Y, 225218
224818	- Fits on 221918
225518	- Fits on 221518, 222018
223918	- Fits on 222218, 226418
225818	- Fits on 228818



15 221318



15 221318H



15 222618



15 224718



15 224718F



15 225518



15 223918



15 225818



15 224818



16 220028



16 220828



16 221138



16 221038



16 223738



16 221338



16 220628



16 220328



16 221738



16 222338



16 225038



16 225138



16 222638



16 222738



16 222838




16 220228



16 220728



16 220728Y



16 223938



16 224038



16 220838



16 220338



16 223238



16 221838WH

16 Plastic Inserts of Tyre Mount/Demount Tools

Colour:

Black
Black
White
Black
Black
White
Black
Black
Black
Yellow
Yellow
Grey
Grey
Black
Black
Black
Black
Black
Black
Yellow
Black
Yellow
Black
Yellow
Black
Red
Red
Black
Black
Black
Black
White
White
Yellow
Yellow

Weight:

10gms
3gms
4gms
4gms
3gms
3gms
6gms
5gms
5gms
9gms
5gms
5gms
2gms
7gms
2gms
1gm
4gms
5gms
5gms
5gms
5gms
2gms
5gms
2gms
5gms
2gms
6gms
7gms
15gms
2gms
2gms
3gms
3gms
4gms

Code No.

220028
220828
221138
221038
223738
221338
220628
220328
221738
222338
225038
225138
222638
222738
222838
220228
220728
220728Y
222938
222938Y
223138
223938
224038
220838
220438
220638
220338
223238
221838WH
221838
221938

Material : Made from Special Durable Plastic (Nylon 6).



16 222938



16 222938Y



16 223138



16 220438



16 220638



16 221838



16 221938

**17 Plastic Inserts of Tyre Mount/Demount Tools**

Colour:	Weight:	Code No.
Black	4gms	221028
White	2gms	222038
White	2gms	222138
White	7gms	222238
Black	7gms	220538
Yellow	6gms	224138
Black	4gms	220528
Yellow	5gms	221238
Black	5gms	220938
Yellow	3gms	221438
Black	3gms	220928
Yellow	3gms	220928Y
Yellow	4gms	222438
Silver	7gms	SCRM4X6
Yellow	8gms	222538
Grey	9gms	223338
Yellow	2gms	223838
Red	2gms	223838R
White	1gm	223438
White	6gms	223538
White	2gms	223638

Material : Made from Special Durable Plastic (Nylon 6).

18 Mounting Head Protector

Colour:	Weight:	Code No.
Yellow	20gms	221538
Black	20gms	221638
Black	15gms	220738

Material : Special Plastic.

19 Jaw Protection Insert

Colour:	Weight:	Code No.
Black	3gms	223038
Yellow	3gms	223038Y
Black	4gms	224738
Black	1gms	220428

Material : Special Plastic.

Use : These inserts snap into place on the sloped surface of the metal tyre changing Jaw assembly. Helps to reduce metal to metal contact between the wheel rim and tyre changing Jaw.





20 2200121



20 2200221



20 2202421



20 2200321



20 2200321F



20 2200921



20 2201321



20 2202321



20 2200721



20 2200721Y



20 2200821



20 224938



20 2200621



20 2201921



20 2201821

20 Plastic Jaw Covers for Clamping Aluminum Alloy Rims

Colour:	Weight:	Code No.
Black	35gms	2200121
Black	35gms	2200221
Black	40gms	2202421
Black	35gms	2200321
Black	30gms	2200321F
Black	50gms	2200921
Black	40gms	2201321
Black	27gms	2202321
Black	25gms	2200721
Yellow	25gms	2200721Y
Black	45gms	2200821
Black	43gms	224938
Black	80gms	2200621
Black	45gms	2201921
Black	Angled Jaw Cover 35gms	2201821
Black	Angled Jaw Cover 20gms	2202021
Black	12gms	2202521
Black	15gms	2202221
Black	17gms	2201021
Yellow	17gms	2201021Y
Black	Angled Jaw Cover 22gms	2202121
Black	17gms	2201521
Black	12gms	2201721
Yellow	22gms	2201221

Use : Used as the Jaw cover of Jaws of T/C Machines.

21 Slide Jaw Protector

Colour:	Weight:	Code No.
Yellow	60gms	2201421

Material : Engineering Plastic.



20 2202021



20 2202521




20 2202221



20 2201021



20 2201021Y



20 2202121



20 2201521



20 2201721



20 2201221



21 2201421



22 220448



22 220448GR



22 220448WH



22 222248



22 220648



22 220848



22 220948



22 222348



22 220348



22 220348Y



22 221148



22 220548

**22 Bead Breaker Blade Protection**

Weight:	Code No.	Weight:	Code No.
82gms	220448	72gms	220948
82gms	220448GR	87gms	222348
82gms	220448WH	100gms	220348
60gms	222248	100gms	220348Y
88gms	220648	151gms	221148
94gms	220848	225gms	220548

Material : Engineering Plastic.**Use :** Prevents metal to metal contact when bead loosening low profile tyres on expensive alloy wheels thereby preventing damage to the wheel.**23 Rubber Tulip Pad**

Colour:	Weight:	Code No.
Black	155gms	221548

Use : Mounted at the end of the arms that clamps the rim and prevent damage to the rim while providing grip to rotate the rim.**24 External Rubber Clamping Jaw**

Colour:	Weight:	Code No.
Black	536gms	221648

Use : They work with machine which have hollow center of the tulip arms. If there is no hole on the top of the arms then these are not right parts to use.**25 Clamping Jaws for Passenger Car Tyre Changers**

Weight:	Code No.
115gms	2200021
180gms	2201621

Material : Made from Special Steel, hardened and tempered for longer life and durability.**Use :** Four Jaws are required per machine for keeping the Jaw alignment even.**26 Clamping Jaws for Passenger Car Tyre Changers**

Weight:	Code No.
230gms	2200421
230gms	2200521

Material : Special Carbon Steel, hardened and tempered for longer life and durability.**Use :** Four Jaws are required per machine for keeping the Jaw alignment even.

23 221548



24 221648



25 2200021



25 2201621



26 2200421



26 2200521



27 221748



27 222048



28 221848



29 221448



29 221348



29 222148



30 222448



30 224638



31 221048



31 221048R

27 Support Plate Cover

Colour:	Dia:	Weight:	Code No.
Black	240mm	149gms	221748
Black	233mm	210gms	222048

Material : Rubber.**Use :** It protects the rim while servicing the reverse wheels. Should be removed if not servicing the reverse wheels.**28 Feeler Pin**

Colour:	Size:	Weight:	Code No.
Grey	150mm long	20gms	221848

Material : Special Plastic.**29 Cone Cover**

Colour:	Dia:	Weight:	Code No.
Black	45-130mm	165gms	221448
Yellow	40-125mm	46gms	221348
Yellow	28-120mm	60gms	222148

Material : Nylon.**Use :** Protective Plastic cover that snaps securely over the wheel hold down cone to prevent damage to the wheel.**30 In-Between Cone**

Height:	Dia:	Weight:	Code No.
64mm	95mm	150gms	222448
90mm	140mm	355gms	224638

Material : PA6 glass filled.**Use :** The Cone slides on the removable spindle shaft assembly and is used to hold the wheel down while removing/replacing the tyre.**Note :** 224638 Cone is for bigger rims.**31 Bead Removal Tool for Lever Less Tyre Changing Machines**

Colour:	Weight:	Code No.
Yellow	60gms	221048
Red	60gms	221048R

Material : Engineering Plastic. Glass filled for good strength and durability.**32 Jaw Guide Kit**

Weight:	Code No.
650gms	2201121

Material : CRC Sheet.**Use :** Used in a set of four pieces to increase or decrease the rim clamping size.**33 Motor Cycle Adaptor Kit**

Size:	Weight:	Code No.
120mm x 50mm	915gms	220039

Material : CRC Sheet.**Use :** The kit of 4 Clamps and protectors fits most rim clamp tire changers. Allows standard Tire Changing Machine to grip Motorcycle wheels. Lifts spoked wheels away from Turn Table. Easy to set up and remove.**Plastic Protection for Motor Cycle Adaptor Kit**

Weight:	Code No.
165gms	220039P



32 2201121



33 220039



33 220039P



34 220009



Ribs

35 220019



Ribs

35 220019Y



Plain

35 220119



36 2200010



36 2200110



36 2200210



36 2200310




36 2200410



37 2200410PU



38 2200510



BPB

BPPR

BPH

39 2200411 Bead Pressing Tool Kit

34 Tyre Lever Boot Short**Weight:**
11gms**Code No.**
220009**Material :** Nylon-6.**Use :** Plastic protection for light metal rims used with tyre levers 220001 and 220002.**35 Tyre Lever Boot Long****Colour:**Black (Ribbed end)
Yellow (Ribbed end)
Black (Plain end)**Weight:**
60gms
60gms
58gms**Code No.**
220019
220019Y
220119**Material :** Nylon-6.**Use :** Plastic protection for light metal rims used with tyre levers.**36 Rim Protector for Passenger Car****Colour:**White
Black
Red
Blue
Yellow**Size:**150mm long
150mm long
150mm long
150mm long
150mm long**Weight:**
35gms
35gms
35gms
35gms
35gms**Code No.**
2200010
2200110
2200210
2200310
2200410**Material :** Nylon-6.**Use :** Used to clip over an alloy wheel to reduce scratching along wheel.**37 Rim Protector PU for Passenger Car****Colour:**

Yellow

Size:

150mm long

Weight:
40gms**Code No.**
2200410PU**Material :** Made from Poly Urethane (PU).**Use :** Used to clip over an alloy wheel to reduce scratching along wheel.**38 Rim Protector for Truck****Colour:**


Yellow

Size:

230mm long


Weight:
40gms**Code No.**
2200510**Material :** Nylon-6.**Use :** Used to clip over an alloy wheel to reduce scratching along wheel.**39 Bead Pressing Tool Kit****Weight:**
1.475kg**Code No.**
2200411**The Kit contains the following items:****Tool:****Qty:****Weight:****Code No.**

- Bead Presser with Plastic Roller 1 No. 890gms BPPR
- Bead Presser Holder 1 No. 365gms BPH
- Bead Presser Bracket 1 No. 220gms BPB

Material : MS Pipe.**Use :** Used to clip over an alloy wheel to reduce scratching along wheel.**40 Bead Holding Rope****Size:**990mm long
1190mm long**Weight:**
455gms
655gms**Code No.**
2200511
2200611**Material :** SS wire and Nylon Blocks with Steel Bush.**Use :** Keeps Passenger Car tyre bead from slipping during mounting of top. Holds the Bead in 6 positions in the drop center.


40 2200511

40 2200611



41 2200215

41 2200216



41 2200315

41 2200316



42 2200011

43 2200311

43 2200311C



44 2200211

44 2200211A

44 2200211B



45 2200013

45 2200113



46 2200313

46 2200313P



47 220213



48 220400

48 220500

48 220513

41 Swab

	Weight:	Code No.
Standard	100gms	2200215
Standard (Thinner)	80gms	2200216
Long	110gms	2200315
Long (Thinner)	85gms	2200316
Use : Used to lubricate tyre beads while removing or mounting tyres on rims.		

42 Tyre Mounting Aid

	Weight:	Code No.
	310gms	2200011
Material : Nylon-6		
Use : Holds tyre bead below the rim flange for fast and damage free tyre mounting. Fits on all Passenger Car rims. Will not scratch decorative/Aluminum rims.		

43 Tyre Mounting Aid (Supplied with Base 3)

	Weight:	Code No.
	385gms	2200311
Material : Nylon-6		
Use : Holds tyre bead below the rim flange for fast and damage free tyre mounting. Fits on all Passenger Car rims. Will not scratch decorative/Aluminum rims.		
Base : For Tyre Mounting Aid 2200311		

	Size:	Weight:	Code No.
Base 3 :	20mm	85gms	2200311C

44 Tyre Mounting Aid

		Weight: 300gms	Code No. 2200211
Material : Nylon-6			
Use	: Holds tyre bead below the rim flange for fast and damage free tyre mounting. Fits on all Passenger Car rims. Will not scratch decorative/Aluminum rims.		
Base	: For Tyre Mounting Aid 2200211 (optional)		
	Size:	Weight:	Code No.
Base 1	: 44mm	165gms	2200211A
Base 2	: 20mm	80gms	2200211B
Use	: Base 1 and Base 2 are used for increasing the base height and are optional to use.		

45 Rim Clamp for Tubeless Truck Tyres

	Weight:	Code No.
	1.600kg	2200013
	1.750kg	2200113
Material : Special Steel Chrome plated to prevent corrosion.		
Use : Clamps on wheel to prevent tyres from slipping by holding tyre bead.		

46 Rim Clamp for Tubeless Truck Tyres (Alloy Rims)

	Weight:	Code No.
	1.700kg	2200313
Material : Special Steel Chrome Plated to prevent corrosion.		
Use : Clamps on wheel to prevent tyres from slipping by holding tyre bead.		

Plastic Protective Jaw Kit for Rim Clamp 2200313

	Weight:	Code No.
	24gms	2200313P

47 Truck Tyre Bead Holder

	Weight:	Code No.
	95gms	220213
Material : Made from indestructible Polymers Nylon-66.		
Use : Keeps Truck tyre bead from slipping during mounting of top bead. Two bead holders are used simultaneously. No need to stand on tyre to mount.		

48 Truck Tyre Bead Holder

	Material:	Weight:	Code No.
	CRC Sheet	350gms	220400
	MS Casting	770gms	220500
	MS Casting	250gms	220513
Use : The bead holder locks onto the flange of the wheel and holds tyre bead in place to eliminate standing on the tyre or changing the bead around the wheel.			



49 220515



50 220415



50 220615



51 220715



52 220815



53 220915



54 2200015



54 2200115



55 221015



55 221115

49 Special Brush for Tyres with Wooden Handle for Passenger Cars & Trucks

Size (Handle):	Dia.	Handle:	Weight:	Code No.
290mm long	25mm	Wooden	80gms	220515
290mm long	25mm	Plastic	75gms	220515P

Use : Used to lubricate tire beads when mounting or removing tires.

50 Special Brush for Tyres with Wooden Handle for Trucks & Earthmovers

Size (Handle):	Dia.	Handle:	Weight:	Code No.
300mm long	50mm	Wooden	150gms	220415
230mm long	50mm	Plastic	145gms	220415P
230mm long	50mm	Wooden	180gms	220615

Use : Used to lubricate tire beads when mounting or removing tires.

51 Brush for Tyres with Plastic Handle

Size (Handle):	Handle:	Weight:	Code No.
170mm long	Plastic	75gms	220715

Use : Used to lubricate tire beads when mounting or removing tires.

52 Brush for Tyres with Lid and Wooden Handle

Size (Handle):	Handle:	Weight:	Code No.
160mm long	Wooden	65gms	220815

Use : Used to lubricate tire beads when mounting or removing tires.

53 Angled Applicator Brush for Tyres with Wooden Handle

Size (Handle):	Handle:	Weight:	Code No.
210mm long	Wooden	95gms	220915

Use : Used to lubricate tire beads when mounting or removing tires.

54 Special Brush for Tyres

Size (Handle):	Handle:	Weight:	Code No.
160mm long	Wooden	100gms	2200015
160mm long	Plastic	80gms	2200115

Use : Used to lubricate tire beads when mounting or removing tires.

55 Special Brush for Tyres with Wooden Handle

Size (Handle):	Dia:	Handle:	Weight:	Code No.
340mm long	25mm	Wooden	47gms	221015
340mm long	50mm	Wooden	68gms	221115

Use : Used to lubricate tire beads when mounting or removing tires.

56 Sarv Paste (Economy)

Colour:	Weight:	Code No.
White	1kg	2200130
White	4kg	2200430
White	5kg	2200530

Use : Quick drying, non greasy tyre paste. Used for lubricating tyre beads in mounting & demounting operations.

57 Lube Bucket

Colour:	Weight:	Code No.
Red	188gms	2200630

Material : Special Plastic



56 2200130




56 2200430




56 2200530




57 2200630




1 551004




1 551104



1 556304



1 556404




1 551804


1 Bead Breaking Rubber Pad

Weight:	Code No.	Weight:	Code No.
830gms	551004	3.310kg	551804
430gms	551104	1.365kg	559004
355gms	556304	890gms	558004
455gms	556404	2.095kg	551404


Use : Used with Tyre Changing Machines to prevent scratches on rims during bead breaking.




1 559004



1 558004



1 551404




2 551204




2 551204WPC



3 551304



3 556204



4 551504



5 551704

2 Bead Breaking Rubber Pad

 Weight:
1.620kgs

 Code No.
551204

Protection Cover for Bead Breaking Rubber Pad 551204

 Weight:
0.265kgs

 Code No.
551204WPC

Material : Special Plastic.

Use : It protects the wheel when using the shovel to loosen the bead of the wheel

Note : 551204WPC protection cover fits on the bead breaking pad 551204.

3 Bead Breaking Rubber Pad

 Weight:
1.310kgs
1.070kgs

 Code No.
551304
556204

Material : PU.

4 Large Bead Loosener Front Pad (Nylon)

 Weight:
250gms

 Code No.
551504

5 Small Bead Loosener Front Pad (Nylon)

 Weight:
195gms

 Code No.
551704


6 Large Centre Rubber Pad

 Weight:
1.195kgs


 Code No.
551604

7 Centre Rubber Pad

 Weight:
0.923kgs

 Code No.
556104


6 551604



7 556104



1 330001



2 330002



2 330002BLU



3 3300012



3 3300012BLU



4 3300014



4 3300014BK



4 3300514



5 3300114



6 3300214



7 3300314



8 3300414



9 3300015



9 3300035



10 3300215

1 Valve Core Screw Driver double ended 1" stem length (VG5/Caps)

Weight: 35gms
Code No. 330001

Material : Carbon Steel and Plastic handle.

Use : Removing & fixing valve cores in Passenger Cars and Trucks. Large and standard bore.

2 Valve Core Screw Driver standard single ended 1" stem length

Colour:
Red **Weight:** 25gms **Code No.** 330002
Blue **Weight:** 25gms **Code No.** 330002BLU

Material : Carbon Steel and Plastic handle.

Use : Removing & fixing valve cores.

3 Valve Core Screw Driver double ended 1" stem length (VG5/VG8)

Colour:
Red **Weight:** 35gms **Code No.** 3300012
Blue **Weight:** 35gms **Code No.** 3300012BLU

Material : Carbon Steel and Plastic handle.

Use : Removing & fixing valve cores, VG5 from one end and VG8 from the other end.

4 Valve Core Screw Driver standard single ended 1" stem length

Colour:
Red **Weight:** 20gms **Code No.** 3300014
Black **Weight:** 20gms **Code No.** 3300014BK
Red **Weight:** 45gms **Code No.** 3300514

Material : Carbon Steel and Plastic handle.

Use : Removing & fixing valve core VG5.

Note : 3300514 is used for large bore valves VG8.

5 Valve Core Screw Driver standard single ended 1.5" stem length

Weight: 20gms
Code No. 3300114

Material : Carbon Steel and Plastic handle.

Use : Removing & fixing Valve Core VG5.

6 Valve Core Screw Driver standard single ended 4" stem length

Weight: 30gms
Code No. 3300214

Material : Carbon Steel and Plastic handle.

Use : Removing & fixing Valve Cores VG5 from remote distance.

7 Valve Core Screw Driver (VG5/VG8)

Weight: 35gms
Code No. 3300314

Material : Carbon Steel & Plastic handle. Metal part is Nickel Chrome Plated.

8 Valve Core Screw Driver 2" Stem Length with Torque

Weight: 40gms
Code No. 3300414

Torque : Pre-set tightening torque 0.4 Nm.

Material : Carbon Steel & Plastic handle. Metal part is Nickel Chrome Plated.

Use : Prevents over screwing of the core while removing & fixing.

9 Cable Type Valve Fishing Tool

Length:
215mm **Weight:** 35gms **Code No.** 3300015
300mm **Weight:** 40gms **Code No.** 3300035
600mm **Weight:** 60gms **Code No.** 3300065

Material : Carbon Steel.

Use : Tool for easy valve installation in tubeless tyres.

10 Rigid Plastic Extensions

Total Length:
115mm **Weight:** 7gms **Code No.** 3300215
125mm **Weight:** 9gms **Code No.** 3300125


Use : Mainly used to lengthen the valves on Trucks.



11 330003



11 330003BLU



12 330003RS



13 330003SCR



14 330043



15 330073



16 330004



16 330024



17 330083



18 330023



18 3300123



18 3300223



19 330007



19 330008



19 330009



19 330029

11 Ventifix Plastic

Colour:	Weight:	Code No.
Green	75gms	330003
Blue	75gms	330003BLU

Material : Polyamide-6 for imparting super bending strength to the lever.

Finish : All metal parts are Nickel Chrome Plated.

Use : For mounting Rubber snap-in valves on Passenger Car. Protects light metal alloy rims from scratch.

12 Ventifix Plastic with Metal Rod Inside

Colour:	Weight:	Code No.
Red	120gms	330003RS
Yellow	120gms	330003YS

Material : Polyamide-6 for imparting super bending strength to the lever.

Finish : All metal parts are Nickel Chrome Plated.

Use : Reinforced with inner metal rod for increase durability and stability
Ideal for quick removal of valve stems and for sealing newly installed valve stems.

13 Ventifix Plastic with Metal Rod & Valve Core Remover at end

Colour:	Weight:	Code No.
Red	126gms	330003SCR

14 Ventifix Plastic with Revolving Nozzle

Colour:	Weight:	Code No.
Red	85gms	330043

Material : Polyamide-6 for imparting super bending strength to the lever.

Use : For removing tubeless Motorcycle valves.

15 Ventifix Plastic with Valve Core Screw Driver at End

Colour:	Weight:	Code No.
Green	75gms	330073

Material : Polyamide-6 for imparting super bending strength to the lever.

Use : For mounting Rubber snap-in valves on Passenger Car & to open valve core screw.

16 Ventifix Steel

Colour:	Material:	Weight:	Code No.
Silver	Carbon Steel	300gms	330004
Silver	Steel Sheet	150gms	330024

Use : Ruggedly constructed Steel tool is designed to provide sure grip and leverage necessary for positioning seating or removal of snap-in type valves. Deep thread head assures ease of valve stem attachment.

17 Ventifix Aluminum with Rubber & Nylon Block

Colour:	Weight:	Code No.
Golden	242gms	330083

Use : Specially designed tool for insertion / removal of all kind of valves. Suitable for TPMS valves. The Rubber and Nylon pad prevents scratching of the wheel rim.

18 Ventifix Plastic (Heavy Duty)

Colour:	Weight:	Code No.
Red	95gms	330023
Black	95gms	3300123
Yellow	95gms	3300223

Material : Polyamide-6 for imparting super bending strength to the lever.

Use : For mounting Rubber snap-in valves on Passenger Car & to open valve core screw. Multiple ridges help keep the tool in place on wheels with different sizes.

19 Valve Extension Holder

Colour:	Type:	Size:	Weight:	Code No.
Golden	Double Strip	8mm	35gms	330007
Golden	Double Clip	16mm	60gms	330008
Golden	Single Clip	16mm	55gms	330009
Golden	Single Clip	26mm	60gms	330029

Material : Carbon Steel and Spring Steel Wire.

Finish : Zinc Plated.

Use : To secure position of flexible valve extensions.

**20 Valve Core Screw Driver**

Size:	Weight:	Code No.
1"	15gms	3300021
2"	40gms	3300061
4"	42gms	3300041
5"	45gms	3300051

Material : Carbon Steel with Aluminum handle.

21 Valve Core Screw Driver Flexible

Size:	Weight:	Code No.
6"	46gms	3300611
8"	60gms	3300011

Material : Carbon Steel and flexible Steel Wire rope with Aluminum handle.

Use : This Valve Core Screw Driver holds the valve core with a clip. Also the fitting / removing of valve cores is much easier.

22 Valve Core Screw Driver with Magnet

Size:	Weight:	Code No.
4"	45gms	3300541

Material : Carbon Steel. Magnet on the top of handle provides easy picking of valve core.

23 Valve Core Screw Driver For OTR Tyres

Size:	Weight:	Code No.
4"	100gms	3300441

Material : Carbon Steel with Aluminum handle.

24 Valve Cap Screw Driver For OTR Tyres

Weight:	Code No.
120gms	3300641

Material : Special Steel.

25 Tubeless Valve Stem Puller

Colour:	Handle Material:	Weight:	Code No.
Red	Aluminum	150gms	330006
Black	Steel	265gms	330026
Blue	Steel	310gms	330036
Black	Steel	275gms	330046
Green	Steel	275gms	330056

Use : Installs and removes tubeless valves in seconds and protects the expensive alloy rim from scratch. Metal tip helps push out old snap in valve. All handles are PVC coated for hand protection.

26 Tubeless Valve Stem Puller (Heavy Duty)

Weight:	Code No.
400gms	3300018

Material : Made out of Carbon Steel Strip.

Finish : Nickel/Zinc plated to prevent rusting.

Use : Heavy duty Pull a Stem Tool to pull old or insert new tubeless Rubber valve of all sizes.


27 Heavy Duty 4 Way Valve Core Repair Tool

Finish:	Material:	Weight:	Code No.
Auto black	Carbon Steel	25gms	3300115
Zinc plated	Special Steel	20gms	3300116

Use : Repairs and reconditions inside and outside Valve threads and removes broken cores.



27 3300115



27 3300116



1 440728



2 442071



3 440727



4 440009



4 443831



4 443861



4 442521



4 445041



4 440008



5 440004



5 85008




5 85009



5 85010



6 440005BK



7 4400041

1 Sticher Serrated Plastic

Thickness:	Dia:	Weight:	Code No.
4mm	28mm	30gms	440728

Material : Nylon Plastic.

Use : The Sticher is used to remove air from underneath tyre patch repairs and to ensure proper adhesion.

2 Sticher Serrated Plastic Handle

Thickness:	Dia:	Weight:	Code No.
7mm	20mm	75gms	442071

Use : The Sticher is used to remove air from underneath tyre patch repairs and to ensure proper adhesion.

3 Special Sticher for Mushroom Kit

Thickness:	Dia:	Weight:	Code No.
9mm	35mm	85gms	440727

Use : The Sticher is used to remove air from underneath tyre patch repairs and to ensure proper adhesion.

4 Sticher Wooden Handle

Type:	Thickness:	Dia:	Weight:	Code No.
Economy Serrated	3mm	35mm	110gms	440009
Serrated	3mm	38mm	135gms	443831
Serrated	6mm	38mm	160gms	443861
Serrated	2mm	25mm	105gms	442521
Serrated	4mm	50mm	200gms	445041
Smooth	10mm	40mm	195gms	440008

Use : The Sticher is used to remove air from underneath tyre patch repairs and to ensure proper adhesion.

5 Flexible Skiving Knife

Model:	Size:	Weight:	Code No.
Extra Sharp	100mm long	50gms	440004
Taper Point	100mm long	50gms	85008
Extra Curve	120mm long	52gms	85009
Round Point	90mm long	55gms	85010

Use : Used to cut and remove excess tyre repair plug ropes from the exterior of the tyre tread.

6 Hoe Style Inner Liner Scraper

Colour:	Weight:	Code No.
Blue	120gms	440005
Black	120gms	440005BK

Use : For cleaning the inner liners for both puncture and section repair prior to buffing.

7 Tyre Injury Measuring Tool

Weight:	Code No.
95gms	4400041

Use : A special tool used for measuring tyre injury varying from 3mm to 10mm.

8 Tyre Probe

Handle:	Size:	Weight:	Code No.
Wooden	100mm long	110gms	4400021
Plastic	100mm long	65gms	4400031


Use : For verifying damages, course of injuries and removing small foreign objects from the tyre tread.



8 4400021



8 4400031



9 85007-30

9 85007-50



10 85021



11 4400317

11 4400417

11 4400017

11 4400617

11 4401617

11 4402617



11 4400817

11 4401817

11 4400917

11 4401917

11 4401017

11 4401317



12 4403617

12 4404617



13 4400320

13 4400420



14 4400020



14 4400120



15 4400220



16 4400620

9 Rotary Gouges

Dia:	Speed:	Weight:	Code No.
30mm	Maximum 4500 rpm	43gms	85007-30
50mm	Maximum 4500 rpm	103gms	85007-50

Use : Rotary Gouges quickly remove rubber from the hole easily.

10 Wire Puller

Length	Weight	Code No.
190mm	12gms	85021

Use : Used to pull plugs through the repair hole while repairing a tire.

11 Angular Milling Cutter (High Speed Steel)

Blade Length :	Total Length:	Dia:	Weight:	Code No.
30mm	60mm	3mm	3gms	4400317
50mm	110mm	4mm	5gms	4400417
30mm	90mm	6mm	16gms	4400017
45mm	80mm	6mm	18gms	4400617
45mm	75mm	6mm	16gms	4401617
50mm	110mm	6mm	20gms	4402617
50mm	110mm	8mm	40gms	4400817
60mm	110mm	8mm	40gms	4401817
40mm	110mm	9mm	45gms	4400917
50mm	110mm	9mm	45gms	4401917
64mm	115mm	10mm	55gms	4401017
72mm	120mm	13mm	95gms	4401317

Use : For the precise injury preparation on radial and cross-ply tires.

12 Angular Milling Cutter in Screw Driver Handle

Blade Length:	Dia:	Weight:	Code No.
50mm	6mm	30gms	4403617
45mm	6mm	30gms	4404617

Material : High Speed Steel.

Use : The screw driver handle encloses the Angular Milling Cutter to be used manually.

Note : Angular Milling Cutter 4402617 is used in code No. 4403617.
Angular Milling Cutter 4400617 is used in code No. 4404617.

13 Car Tyre Spreader

Length:	Weight:	Code No.
235mm	55gms	4400320
330mm	90gms	4400420

Material : Plastic.

Use : Used in pair to open the beads of tyre.

14 Tyre Bench Spreader for Passenger Car

Size:	Weight:	Code No.
L-431mm, W-101mm, H-101mm	3.600kg	4400020
L-457mm, W-127mm, H-254mm	5.600kg	4400120

Material : CRC Steel.

Use : Tyre spreader is used for preparing the inspection and repair of Car and Truck tyres.

15 Tyre Bench Spreader for Passenger Car / Motorcycle

Size:	Weight:	Code No.
L-600mm, W-290mm, H-250mm	6.500kg	4400220

Material : CRC Steel.

Use : Holds the tube & provides a smooth base for processing. Spreads Car & Motorcycle tyres. Can be mounted on work bench. Suitable for very long stiff beads. High stability and strength.

16 Tyre Bench Spreader for Truck

Size:	Weight:	Code No.
L-640mm, W-315mm, H-270mm	14kg	4400620

Material : CRC Steel.



17 440627



18 TMCHALKW




18 TMCHALKY



19 4400010KIT




20 4400011KIT



21 4400010H

21 4400011H



22 Needles

17 Spherical Rasp

Stem Length:	Dia:	Weight:	Code No.
40mm	38mm	48gms	440627
Use : Used to remove & grind away ribs inside the tyre prior to puncture repair.			

18 Tyre Marking Chalk

Colour:	Size:	Box Weight:	Code No.
White	90mm long	160gms	TMCHALKW
Yellow	90mm long	160gms	TMCHALKY
Note : 10 pieces packed in one box.			

19 Chrome T- Handle Kit

Weight:	Code No.
382.5gms	4400010KIT

The Kit contains the following items:

Tool:	Size:	Qty:	Code No.
• Chrome T-handle	-----	1 No.	4400010H
• Spiral Probe	5"	1 No.	PG-6
• Open Eye Needle	4"	1 No.	PG-1
• Allen Key	-----	1 No.	PG-7
• Needle Stand	-----	1 No.	NSTAND

Note: Needle Stand is used for keeping the other needle handy when not in use.

20 Pistol Grip Handle Kit

Weight:	Code No.
137.5gms	4400011KIT

The Kit contains the following items:

Tool:	Size:	Qty:	Code No.
• Pistol Grip Handle	-----	1 No.	4400011H
• Spiral Probe	5"	1 No.	PG-6
• Open Eye Needle	4"	1 No.	PG-1
• Allen Key	-----	1 No.	PG-7
• Needle Stand	-----	1 No.	NSTAND

Note: Needle Stand is used for keeping the other needle handy when not in use.

21 Handle only for insertion with socket key and screw

Tool:	Weight:	Code No.
Chrome T- Handle	338gms	4400010H
Pistol Grip Handle	85gms	4400011H


Note: The Handles are supplied with Allen key.

22 Needles Only

Tool:	Size:	Weight:	Code No.
Open Eye Needle	3"	10gms	PG-0
Open Eye Needle	4"	15gms	PG-1
Open Eye Needle	6"	15gms	PG-2
Open Eye Needle	8"	20gms	PG-3
Side Split Needle	5"	13gms	PG-11
Side Split Needle	8"	20gms	PG-4
Close Eye Needle	4"	10gms	PG-5
Close Eye Needle	8"	22gms	PG-8
Close Eye Needle	9"	25gms	PG-9
Spiral Probe	5"	20gms	PG-6
Allen Key	-----	5gms	PG-7
Truck Rasp Needle	8"	25gms	PG-10



23 4400015




24 4400215



25 4400315



27 4400515



26 4400115



28 4400012



29 4400112



30 4400122



31 4400156



31 4400146



32 4400614



33 4400414



33 4400214



33 4400514



34 4400314



34 4400714BK



35 4400116

23 Open Eye Needle in Plastic T-Handle

Colour:	Size:	Weight:	Code No.
Black	3"	60gms	4400015
Black	5"	70gms	4400415

24 Close Eye Needle in Plastic T-Handle

Colour:	Size:	Weight:	Code No.
Black	3"	65gms	4400215

25 Tyre Probe with Knurling in Plastic T-Handle

Colour:	Size:	Weight:	Code No.
Black	3"	60gms	4400315

26 Spiral Probe Needle In Plastic T-Handle

Colour:	Size:	Weight:	Code No.
Black	4"	65gms	4400115

27 Rasp Passenger Car In Plastic T-Handle

Colour:	Size:	Weight:	Code No.
Black	4"	55gms	4400515

28 Rasp Passenger Car in Screw Driver PVC Handle

Colour:	Size:	Weight:	Code No.
Red	4"	45gms	4400012
Black	4"	45gms	4400012BK

29 Close Eye Passenger Car Needle in Screw Driver PVC Handle

Colour:	Size:	Weight:	Code No.
Red	4"	45gms	4400112
Black	4"	45gms	4400112BK

30 Side Split Needle in Screw Driver PVC Handle

Colour:	Size:	Weight:	Code No.
Red	4"	40gms	4400122

31 Side Split Needle with Knurling in Screw Driver PVC Handle

Colour:	Size:	Weight:	Code No.
Black	3"	35gms	4400156
Black	4"	45gms	4400146

32 Passenger Car Reamer in Screw Driver PVC Handle

Colour:	Size:	Weight:	Code No.
Black	3"	25gms	4400614

33 Truck Rasp in Screw Driver PVC Handle

Thickness:	Size:	Weight:	Code No.
6mm	6"	80gms	4400414
6mm	8"	100gms	4400214
8mm	8"	120gms	4400514

34 Truck Close Eye Needle in Screw Driver Handle

Colour:	Size:	Weight:	Code No.
Black	8"	85gms	4400314
Black	7"	75gms	4400714BK

35 Side Split Needle Heavy Duty with Knurling in Screw Driver PVC Handle

Colour:	Size:	Weight:	Code No.
Red	8"	105gms	4400116

36 Side Split Needle with Knurling in Triangular Handle

Size:	Weight:	Code No.
4"	30gms	4400126



36 4400126

**37 Open Eye Needle in Pistol Grip Handle**

Colour:	Size:	Weight:	Code No.
Red & Black	3"	70gms	4401318
Red	3"	80gms	4400118
Black	3"	80gms	4400118BK
Red	4"	82gms	4400818
Red	5"	85gms	4400218
Black	5"	85gms	4400218BK
Red	6"	90gms	4400718
Red	8"	100gms	4400518

38 Spiral Probe in Pistol Grip Handle

Colour:	Size:	Weight:	Code No.
Red	4"	85gms	4400018

39 Close Eye Needle in Pistol Grip Handle

Colour:	Size:	Weight:	Code No.
Black	3"	85gms	4401218BK
Red	4"	85gms	4400318
Black	7"	87gms	4401118BK
Red	8"	87gms	4401018

40 Passenger Car Rasp in Pistol Grip Handle

Colour:	Size:	Weight:	Code No.
Red	4"	90gms	4400114
Black	4"	90gms	4400114BK

41 Truck Rasp in Pistol Grip Handle



Colour:	Size:	Weight:	Code No.
Red	8"	100gms	4400014
Black	8"	100gms	4400014BK

42 Side Split Needle Heavy Duty with Knurling in Pistol Grip Handle

Colour:	Size:	Weight:	Code No.
Red	8"	107gms	4400918

43 Side Split Needle in Pistol Grip Handle

Colour:	Size:	Weight:	Code No.
Black	6"	85gms	4400016
Red	8"	110gms	4400418





1 440037



2 440027

1 Sarv Premium Kit (Tubeless Tyre Repair Kit in Plastic Box)

Weight: 1.600 kg
Code No. 440037

The Kit contains the following items:

Tool:	Size:	Qty:	Code No.
• Spiral Probe in Chrome T- Handle	4"	1 No.	44SP37
• Open Eye Needle in Chrome T-Handle	5"	1 No.	44OE37
• Allen Key	-----	1 No.	CT-3
• Cutting Knife	-----	1 No.	44SK47
• Paste	-----	1 No.	44PA37
• Flap of 5 Repair Strings	4"	4 No.	44RS07

2 Sarv Super Seal Kit (Mushroom Type Tubeless Tyre Repair Kit)

Weight: 350gms
Code No. 440027

The Kit contains the following items:

Tool:	Size:	Qty:	Code No.
• Mushroom Patch	3mm	10 No.	440127
• Mushroom Patch	6mm	5 No.	440227
• Tube of Solution	20ml	5 No.	440827
• Angular Milling Cutter	6mm	1 No.	4401617
• Angular Milling Cutter	3mm	1 No.	4400317
• Spherical Rasp	38mm ø	1 No.	440627
• Special Sticher for Mushroom Kit		1 No.	440727


Use : Rapid, reliable and permanent repair. Specially designed for puncture made by nails, scarves, bolts in tyres. Total compatibility with all makes of tyres.

3 Sarv Rad Seal Kit (Tubeless Tyre Repair Kit for Bicycles)

Weight: 65gms
Code No. 440047

The Kit contains the following items:

Tool:	Qty:	Code No.
• Reaming tool in Screw Driver type Handle	1 No.	44RT47
• Insertion tool in Screw Driver type Handle	1 No.	44IT47
• Small Cutting Knife	1 No.	44SK47
• Flap of 5 repair Strings 2" long, Dia. 4mm	2 No.	44RS06
• Instruction sheet	1 No.	



3 440047



4 440007



5 440057



6 440067



7 44RS06

7 44RS07

4 Sarv - Seal Kit (Tubeless Tyre Repair Kit)

Weight: 185gms
Code No. 440007

The Kit contains the following items:

Tool:	Size:	Qty:	Code No.
• Spiral Probe in PG Handle	4"	1 No.	44SP07
• Open Eye Needle in PG Handle	3"	1 No.	44OE07
• Cutting Knife	----	1 No.	44CK07
• Flap of 5 Repair Strings	4"	1 No.	44RS07
• Instruction Sheet		1 No.	

5 Sarv - Chrome Seal Kit (Tubeless Tyre Repair Kit)

Weight: 445gms
Code No. 440057

The Kit contains the following items:

Tool:	Size:	Qty:	Code No.
• Chrome T-Handle	----	1 No.	4400010H
• Spiral Probe	4"	1 No.	44SP57
• Open Eye Needle	3"	1 No.	44OE57
• Allen Key	----	1 No.	CT-3
• Cutting Knife	----	1 No.	44CK07
• Flap of 5 Repair Strings	4"	1 No.	44RS07
• Instruction Sheet		1 No.	

6 Sarv - Blister Seal Kit (Tubeless Tyre Repair Kit)

Weight: 165gms
Code No. 440067

The Kit contains the following items:

Tool:	Size:	Qty:	Code No.
• Spiral Probe in PG Handle	4"	1 No.	44SP07
• Open Eye Needle in PG Handle	3"	1 No.	44OE07
• Small Cutting Knife	----	1 No.	44SK47
• Flap of 5 Repair Strings	4"	1 No.	44RS07

7 Repair Strings

Colour:	Size (Flap):	Weight:	Code No.
Brown	2" long	3gms	44RS06
Brown	4" long	15gms	44RS07
Black	4" long	15gms	44RS07BK
Brown	8" long	25gms	44RS08
Black	8" long	25gms	44RS08BK

Packaging: 1 flap consists of 5 repair Strings.



7 44RS07BK




7 44RS08



1 610001

2 610002



3 610003



4 610004



5 610005



6 610006



6 610007

1 Universal Plus Brake Lathe Silencer and Chip Deflector with Velcro

Lenght:	Pad Thickness	Weight:	Code No.
210mm	9.53mm	85gms	610001

Note : Do not use on Pro-cut Brake Lathe.

Use : Eliminates vibration while cutting. Also ensures safety by deflecting chips towards the floor away from operators face. The strap keeps the silencer in place throughout the cut.

2 Extra Thick Clip on Silencer and Chip Deflector for On-Car Brake Lathe

Lenght:	Pad Thickness	Weight:	Code No.
210mm	19mm	85gms	610002

Note : Use with the on Pro-cut on-car Brake Lathe only.

Use : Used on car lathes, the silencer rides behind the tool bit to meet the vibration and noise where it starts. Long lasting pad.

3 Battery Terminal Plier

Open Size	Lenght	Weight:	Code No.
1/2"	180mm	300gms	610003

Material : Alloy Steel

Use : Used to Clean & Spread Battery Cable Clamp Terminals.

4 Tyre Branding Tool Rectangular

Size	Weight:	Code No.
70x35mm	1.00kg	610004

Description : Single Slot Holds Seven (Max), 12mm Replaceable Numbers & Letters.

Numbers/ Letters : 1/2 " Number 0-9 & A To Z Letters (sold separately).

Power use : 300W

5 Tyre Branding Tool

Size	Weight:	Code No.
Big	3.25kg	610005

Description : Single Slot Holds Four (Max), 1Inch Replaceable Letters.

Numbers : 1 " Number 0-9 are Located Around the Outside of Head.

Letters : A-Z under Slot

Power use : 1000W

6 Heavy Duty Wheel Puller

Hook:	Weight:	Code No.
Single Hook	6.00kg	610006
Double Hook	6.70kg	610007

Available : Single & Double Hook

Use : Used to remove Stuck hub heavy duty wheels.
Eliminate need to crawling under vehicle.



Sarveshwari Engineers has now been
assessed with the Quality Management System
which conforms to ISO 9001: 2015



Sarveshwari Engineers has also been
assessed with Environmental Management System
which conforms to ISO 14001:2004



Sarveshwari Engineers is now part of
the Dun & Bradstreet Global Database and has been
assigned the D&B D-U-N-S® Number: 85-955-7809

AWARDS WON BY **Sarveshwari Engineers**



TRiLA COMPANY OF THE YEAR TYRE SERVICES EQUIPMENT 2018

Award: Tyre & Rubber Industry Leadership
Acknowledgment Awards 2018

BUSINESS SPHERE GROUP 2012-2013

Award: Top Company in Manufacturing Quality
Wheel Balancing Accessories & Tyre Changing Products.

One of the trailblazers:

Mr. MAHENDRA N. GOEL
President

Sarveshwari Engineers



STAR PERFORMER IN 2012-13 BASIC IRON & STEEL SMALL ENTERPRISES

Awarded by : EEPC INDIA to
Sarveshwari Engineers

MANUFACTURING AND EXPORTS TO **90+** COUNTRIES SINCE **1987**



WORLDWIDE PRESENCE



www



or Log on to
www.sarveshwari.com



or Like our
Facebook Page
Sarveshwari Engineers

YouTube



or Subscribe to our
YouTube Channel
Sarveshwari Engineers



Professional Tyre & Garage Tools since 1987

Sarveshwari Engineers

355 Deepali, Pitampura, Delhi - 110 034 (INDIA)

Tel.: 91-11-2702 3750, 91-11-2702 1499

Web: www.sarveshwari.com

E-mail : info@sarveshwari.com

